



Arkansas Blue Medicare

2025 Formulary

(List of Covered Drugs or “Drug List”)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

BlueMedicare Group Rx (PDP)

Formulary 00025134

This Formulary was updated on October 14, 2024. For more recent information or other questions, please contact Arkansas Blue Medicare Customer Service at **1-844-280-5833** (TTY users should call **711**), 24 hours a day, seven days a week, or visit www.arkansasbluecross.com/medicare/egwp.

Y0083_25ABM_FRMLRY_S5795-804_C

10/01/2024

Note to Existing Members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us,” or “our,” it means Arkansas Blue Medicare. When it refers to “plan” or “our plan,” it means BlueMedicare Group Rx (PDP).

This document includes a Drug List (Formulary) for our plan, which is current as of October 14, 2024. For an updated Drug List (Formulary), please contact us. Our contact information, along with the date we last updated the Drug List (Formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, Formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

What is the Arkansas Blue Medicare Formulary?

In this document, we use the terms Drug List and Formulary to mean the same thing. A Formulary is a list of covered drugs selected by Arkansas Blue Medicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Arkansas Blue Medicare will generally cover the drugs listed in our Formulary as long as the drug is medically necessary, the prescription is filled at an Arkansas Blue Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary change?

Most changes in drug coverage happen on January 1, but Arkansas Blue Medicare may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: www.arkansasbluecross.com/medicare/egwp.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our Formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our Formulary, we may decide to keep the brand name drug or original biological product on our Formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug or adding certain new biosimilar versions of an original biological product that was already on the Formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to Arkansas Blue Medicare’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our Formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the Formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our Formulary, add prior authorization, quantity limits, and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.
 - If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to Arkansas Blue Medicare’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 Formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Formulary for the new benefit year for any changes to drugs.

The enclosed Formulary is current as of October 14, 2024. To get updated information about the drugs covered by Arkansas Blue Medicare, please contact us. Our contact information appears on the front and back cover pages. The Formulary is updated monthly with changes as described above and is posted on our website, which can be found on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the Formulary.

Medical Condition

The Formulary begins on page one. The drugs in this Formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category Cardiovascular. If you know what your drug is used for, look for the category name in the list that begins on page one. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 78. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

We cover both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the Formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion on drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, we provide 30 tablets per prescription for rosuvastatin calcium. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the Formulary that begins on page one. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the Formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other similar drugs that may treat your health condition. See the section “How do I request an exception to Arkansas Blue Medicare’s Formulary?” on page V for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this Formulary (List of Covered Drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Arkansas Blue Medicare.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to Arkansas Blue Medicare’s Formulary?

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our Formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Arkansas Blue Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the Specialty Tier. If approved, this would lower the amount you must pay for your drug.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan’s Formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tier exception or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber’s supporting statement.

What can I do if my drug is not on the Formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our Formulary. Or, you may be taking a drug that is on our Formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will

cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our Formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our Formulary, or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

You may have changes that take you from one treatment setting to another. During this level of care change, drugs may be prescribed that are not covered by your plan. If this happens, you and your doctor must use our plan's exception and appeals processes. However, when you are admitted to or discharged from a long-term care setting, you may not have access to the drugs you were previously given. You may get a refill upon admission or discharge to prevent a gap in care.

For more information

For more detailed information about your Arkansas Blue Medicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the Formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. TTY users should call **1-877-486-2048**. Or visit <http://www.medicare.gov>.

Arkansas Blue Medicare Formulary

The Formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 78.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., ENTRESTO) and generic drugs are listed in lower-case italics (e.g., *rosuvastatin calcium*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Requirements/Limits Column Abbreviations

- **B/D:** Covered under Medicare Part B or Part D
- **ED:** Excluded drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving “Extra Help” to pay for your prescriptions, you will not get any “Extra Help” to pay for this drug.
- **NM:** Not available through mail order
- **PA:** Prior authorization
- **QL:** Quantity limits
- **ST:** Step therapy

Cost Sharing by Drug Tier for BlueMedicare Group Rx (PDP)

| Tier | Standard retail cost-sharing (in-network) (up to a 30-day supply) | Mail-order cost-sharing (up to a 30-day supply) | Long-term care (LTC) cost-sharing (up to a 31-day supply) |
|---|--|--|--|
| Cost-Sharing Tier 1 (Preferred Generic drugs) | See your <i>Prescription Benefits Chart</i> for member cost-share details. | | |
| Cost-Sharing Tier 2 (Generic drugs) | | | |
| Cost-Sharing Tier 3 (Preferred Brand drugs) | | | |
| Cost-Sharing Tier 4 (Non-Preferred Brand drugs) | | | |
| Cost-Sharing Tier 5 (Specialty drugs) | | | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| ANALGESICS | | |
| GOUT | | |
| <i>allopurinol</i> TABS 100mg, 300mg | 1 | |
| <i>colchicine</i> CAPS .6mg | 2 | QL (60 caps / 30 days) |
| <i>colchicine</i> TABS .6mg | 2 | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 2 | |
| MITIGARE CAPS .6mg | 3 | QL (60 caps / 30 days) |
| <i>probenecid</i> TABS 500mg | 2 | |
| MISCELLANEOUS | | |
| <i>lidocaine hcl (local anesth.)</i> SOLN .5%, 1%, 1.5%, 2% | 2 | B/D |
| NSAIDS | | |
| <i>celecoxib</i> CAPS 50mg, 100mg, 200mg | 2 | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | 2 | QL (30 caps / 30 days) |
| <i>diclofenac potassium</i> TABS 50mg | 2 | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg; TBEC 25mg, 50mg, 75mg | 2 | |
| <i>diflunisal</i> TABS 500mg | 2 | |
| <i>etodolac</i> CAPS 200mg, 300mg; TB24 400mg, 500mg, 600mg | 2 | |
| <i>etodolac</i> TABS 400mg, 500mg | 3 | |
| <i>flurbiprofen</i> TABS 100mg | 2 | |
| <i>ibu</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>ibuprofen</i> SUSP 100mg/5ml | 2 | |
| <i>ibuprofen</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>meloxicam</i> TABS 7.5mg, 15mg | 1 | |
| <i>nabumetone</i> TABS 500mg, 750mg | 1 | |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | 1 | |
| <i>naproxen</i> TBEC 375mg | 2 | QL (120 tabs / 30 days) |
| <i>naproxen dr</i> TBEC 500mg | 2 | QL (90 tabs / 30 days) |
| <i>naproxen sodium</i> TABS 275mg, 550mg | 2 | |
| <i>piroxicam</i> CAPS 10mg, 20mg | 2 | |
| <i>sulindac</i> TABS 150mg, 200mg | 2 | |
| OPIOID ANALGESICS, LONG-ACTING | | |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | 3 | QL (10 patches / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg | 2 | QL (30 tabs / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 100mg, 120mg | 5 | QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | 2 | QL (450 mL / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>methadone hcl</i> TABS 5mg, 10mg | 2 | QL (90 tabs / 30 days), PA |
| <i>methadone hydrochloride i</i> CONC 10mg/ml | 2 | QL (90 mL / 30 days), PA |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg | 2 | QL (90 tabs / 30 days), PA |

OPIOID ANALGESICS, SHORT-ACTING

| | | |
|---|---|---------------------------------|
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 2 | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 2 | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 2 | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate</i> SOLN 1mg/ml, 2mg/ml | 4 | |
| <i>endocet tab 2.5-325mg</i> | 2 | QL (360 tabs / 30 days) |
| <i>endocet tab 5-325mg</i> | 2 | QL (360 tabs / 30 days) |
| <i>endocet tab 7.5-325mg</i> | 2 | QL (240 tabs / 30 days) |
| <i>endocet tab 10-325mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>fentanyl citrate</i> LPOP 200mcg | 2 | QL (120 lozenges / 30 days), PA |
| <i>fentanyl citrate</i> LPOP 400mcg, 600mcg, 800mcg, 1200mcg, 1600mcg | 5 | QL (120 lozenges / 30 days), PA |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 2 | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 2 | QL (240 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 7.5-325 mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 2 | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl</i> LIQD 1mg/ml | 2 | QL (600 mL / 30 days) |
| <i>hydromorphone hcl</i> TABS 2mg, 4mg, 8mg | 2 | QL (180 tabs / 30 days) |
| <i>morphine sulfate</i> SOLN 4mg/ml, 8mg/ml, 10mg/ml | 4 | B/D |
| <i>morphine sulfate</i> SOLN 10mg/5ml, 20mg/5ml | 2 | QL (900 mL / 30 days) |
| <i>morphine sulfate</i> SOLN 100mg/5ml | 2 | QL (180 mL / 30 days) |
| <i>morphine sulfate</i> TABS 15mg, 30mg | 2 | QL (180 tabs / 30 days) |
| <i>nalbuphine hcl</i> SOLN 10mg/ml, 20mg/ml | 4 | |
| <i>oxycodone hcl</i> CONC 100mg/5ml | 2 | QL (180 mL / 30 days) |
| <i>oxycodone hcl</i> SOLN 5mg/5ml | 2 | QL (900 mL / 30 days) |
| <i>oxycodone hcl</i> TABS 5mg, 10mg, 15mg, 20mg, 30mg | 2 | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | 2 | QL (360 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | 2 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 2 | QL (240 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>tramadol hcl TABS 50mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 2 | QL (240 tabs / 30 days) |

ANTI-INFECTIVES

ANTI-INFECTIVES - MISCELLANEOUS

| | | |
|--|---|---------------------------|
| <i>albendazole TABS 200mg</i> | 5 | QL (672 tabs / year), PA |
| <i>amikacin sulfate SOLN 1gm/4ml, 500mg/2ml</i> | 2 | |
| <i>ARIKAYCE SUSP 590mg/8.4ml</i> | 5 | NM, PA |
| <i>atovaquone SUSP 750mg/5ml</i> | 4 | QL (300 mL / 30 days), PA |
| <i>aztreonam SOLR 1gm, 2gm</i> | 2 | |
| <i>CAYSTON SOLR 75mg</i> | 5 | NM, PA |
| <i>clindamycin hcl CAPS 75mg, 150mg, 300mg</i> | 1 | |
| <i>clindamycin palmitate hydrochloride SOLR 75mg/5ml</i> | 2 | |
| <i>clindamycin phosphate SOLN 900mg/6ml, 9000mg/60ml</i> | 2 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 2 | |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 2 | |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 2 | |
| <i>CLINDMYC/NAC INJ 300/50ML</i> | 4 | |
| <i>CLINDMYC/NAC INJ 600/50ML</i> | 4 | |
| <i>CLINDMYC/NAC INJ 900/50ML</i> | 4 | |
| <i>colistimethate sodium SOLR 150mg</i> | 2 | |
| <i>dapsone TABS 25mg, 100mg</i> | 2 | |
| <i>DAPTOMYCIN SOLR 350mg</i> | 5 | |
| <i>daptomycin SOLR 350mg, 500mg</i> | 5 | |
| <i>EMVERM CHEW 100mg</i> | 5 | QL (12 tabs / year) |
| <i>ertapenem sodium SOLR 1gm</i> | 2 | |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 2 | |
| <i>gentamicin in saline inj 1 mg/ml</i> | 2 | |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 2 | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 2 | |
| <i>gentamicin in saline inj 2 mg/ml</i> | 2 | |
| <i>gentamicin sulfate SOLN 10mg/ml, 40mg/ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>imipenem-cilastatin intravenous for soln</i> 250 mg | 2 | |
| <i>imipenem-cilastatin intravenous for soln</i> 500 mg | 2 | |
| IMPAVIDO CAPS 50mg | 5 | PA |
| <i>ivermectin</i> TABS 3mg | 2 | QL (12 tabs / 90 days), PA |
| <i>linezolid</i> SOLN 600mg/300ml | 2 | |
| <i>linezolid</i> SUSR 100mg/5ml | 5 | QL (1800 mL / 30 days) |
| <i>linezolid</i> TABS 600mg | 2 | QL (60 tabs / 30 days) |
| LINEZOLID INJ 2MG/ML | 4 | |
| <i>meropenem</i> SOLR 1gm, 500mg | 2 | |
| <i>methenamine hippurate</i> TABS 1gm | 2 | |
| <i>metronidazole</i> SOLN 500mg/100ml | 2 | |
| <i>metronidazole</i> TABS 250mg, 500mg | 1 | |
| <i>neomycin sulfate</i> TABS 500mg | 2 | |
| <i>nitazoxanide</i> TABS 500mg | 5 | QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal</i> CAPS 50mg, 100mg | 3 | |
| <i>nitrofurantoin monohyd macro</i> CAPS 100mg | 3 | |
| <i>pentamidine isethionate inh</i> SOLR 300mg | 2 | B/D |
| <i>pentamidine isethionate inj</i> SOLR 300mg | 2 | |
| <i>polymyxin b sulfate</i> SOLR 500000unit | 2 | |
| <i>praziquantel</i> TABS 600mg | 4 | |
| <i>pyrimethamine</i> TABS 25mg | 5 | QL (90 tabs / 30 days), PA |
| <i>streptomycin sulfate</i> SOLR 1gm | 5 | |
| <i>sulfadiazine</i> TABS 500mg | 5 | |
| <i>sulfamethoxazole-trimethoprim iv soln</i> 400-80 mg/5ml | 2 | |
| <i>sulfamethoxazole-trimethoprim susp</i> 200- 40 mg/5ml | 2 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 400-80 mg | 1 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 800- 160 mg | 1 | |
| <i>tinidazole</i> TABS 250mg, 500mg | 2 | |
| TOBI PODHALER CAPS 28mg | 5 | NM, PA |
| <i>tobramycin</i> NEBU 300mg/5ml | 5 | NM, PA |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml, 10mg/ml, 40mg/ml, 80mg/2ml | 2 | |
| <i>trimethoprim</i> TABS 100mg | 2 | |
| <i>vancomycin hcl</i> CAPS 125mg | 2 | QL (80 caps / 180 days) |
| <i>vancomycin hcl</i> CAPS 250mg | 2 | QL (160 caps / 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>vancomycin hcl</i> SOLR 1gm, 1.25gm, 1.5gm, 5gm, 10gm, 500mg, 750mg | 2 | |
| VANCOMYCIN INJ 1 GM | 4 | |
| VANCOMYCIN INJ 500MG | 4 | |
| VANCOMYCIN INJ 750MG | 4 | |

ANTIFUNGALS

| | | |
|--|---|---|
| ABELCET SUSP 5mg/ml | 4 | B/D |
| <i>amphotericin b</i> SOLR 50mg | 2 | B/D |
| <i>amphotericin b liposome</i> SUSR 50mg | 5 | B/D |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg | 2 | |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml; TABS 50mg, 100mg, 150mg, 200mg | 2 | |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml</i> | 2 | |
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 2 | |
| <i>flucytosine</i> CAPS 250mg, 500mg | 5 | PA |
| <i>griseofulvin microsize</i> SUSP 125mg/5ml; TABS 500mg | 2 | |
| <i>griseofulvin ultramicrosize</i> TABS 125mg, 250mg | 2 | |
| <i>itraconazole</i> CAPS 100mg | 2 | PA |
| <i>ketoconazole</i> TABS 200mg | 2 | PA |
| <i>miconazole sodium</i> SOLR 50mg, 100mg | 2 | |
| <i>nystatin</i> TABS 500000unit | 2 | |
| <i>posaconazole</i> SUSP 40mg/ml | 5 | QL (630 mL / 30 days), PA |
| <i>posaconazole</i> TBEC 100mg | 5 | QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl</i> TABS 250mg | 1 | QL (30 tabs / 30 days), PA; PA applies after a 90 day supply in a calendar year |
| <i>voriconazole</i> SOLR 200mg | 2 | PA |
| <i>voriconazole</i> SUSR 40mg/ml | 5 | QL (600 mL / 28 days), PA |
| <i>voriconazole</i> TABS 50mg | 2 | QL (480 tabs / 30 days) |
| <i>voriconazole</i> TABS 200mg | 2 | QL (120 tabs / 30 days) |

ANTIMALARIALS

| | | |
|--|---|----|
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 2 | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 2 | |
| <i>chloroquine phosphate</i> TABS 250mg, 500mg | 2 | |
| COARTEM TAB 20-120MG | 4 | |
| <i>mefloquine hcl</i> TABS 250mg | 2 | |
| <i>primaquine phosphate</i> TABS 26.3mg | 2 | |
| PRIMAQUINE PHOSPHATE TABS 26.3mg | 3 | |
| <i>quinine sulfate</i> CAPS 324mg | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| ANTIRETROVIRAL AGENTS | | |
| <i>abacavir sulfate</i> SOLN 20mg/ml; TABS 300mg | 2 | NM |
| APTIVUS CAPS 250mg | 5 | NM |
| <i>atazanavir sulfate</i> CAPS 150mg, 200mg, 300mg | 2 | NM |
| <i>darunavir</i> TABS 600mg | 5 | QL (60 tabs / 30 days), NM |
| <i>darunavir</i> TABS 800mg | 5 | QL (30 tabs / 30 days), NM |
| EDURANT TABS 25mg | 5 | NM |
| <i>efavirenz</i> TABS 600mg | 2 | NM |
| <i>emtricitabine</i> CAPS 200mg | 2 | NM |
| EMTRIVA SOLN 10mg/ml | 4 | NM |
| <i>etravirine</i> TABS 100mg, 200mg | 5 | NM |
| <i>fosamprenavir calcium</i> TABS 700mg | 5 | NM |
| FUZEON SOLR 90mg | 5 | NM |
| INTELENCE TABS 25mg | 4 | NM |
| ISENTRESS CHEW 25mg | 4 | NM |
| ISENTRESS CHEW 100mg; PACK 100mg; TABS 400mg | 5 | NM |
| ISENTRESS HD TABS 600mg | 5 | NM |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg, 300mg | 2 | NM |
| <i>maraviroc</i> TABS 150mg, 300mg | 5 | NM |
| <i>nevirapine</i> SUSP 50mg/5ml; TABS 200mg; TB24 400mg | 2 | NM |
| NORVIR PACK 100mg | 4 | NM |
| PIFELTRO TABS 100mg | 5 | NM |
| PREZISTA SUSP 100mg/ml | 5 | QL (400 mL / 30 days), NM |
| PREZISTA TABS 75mg | 4 | QL (480 tabs / 30 days), NM |
| PREZISTA TABS 150mg | 5 | QL (240 tabs / 30 days), NM |
| REYATAZ PACK 50mg | 5 | NM |
| <i>ritonavir</i> TABS 100mg | 2 | NM |
| RUKOBIA TB12 600mg | 5 | NM |
| SELZENTRY SOLN 20mg/ml; TABS 75mg | 5 | NM |
| SELZENTRY TABS 25mg | 4 | NM |
| SUNLENCA TBPK 300mg | 5 | NM |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg | 2 | NM |
| TIVICAY TABS 10mg | 3 | NM |
| TIVICAY TABS 25mg, 50mg | 5 | NM |
| TIVICAY PD TBSO 5mg | 5 | NM |
| TROGARZO SOLN 200mg/1.33ml | 5 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TYBOST TABS 150mg | 3 | NM |
| VIRACEPT TABS 250mg, 625mg | 5 | NM |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg | 5 | NM |
| <i>zidovudine</i> CAPS 100mg; SYRP 50mg/5ml; TABS 300mg | 2 | NM |

ANTIRETROVIRAL COMBINATION AGENTS

| | | |
|---|---|----------------------------|
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 2 | NM |
| BIKTARVY TAB 30-120-15 MG | 5 | NM |
| BIKTARVY TAB 50-200-25 MG | 5 | NM |
| CIMDUO TAB 300-300 | 5 | NM |
| COMPLERA TAB | 5 | NM |
| DELSTRIGO TAB | 5 | NM |
| DESCOVY TAB 120-15MG | 5 | QL (30 tabs / 30 days), NM |
| DESCOVY TAB 200/25MG | 5 | QL (30 tabs / 30 days), NM |
| DOVATO TAB 50-300MG | 5 | NM |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 5 | NM |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 5 | NM |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 5 | NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 5 | QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 5 | QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 5 | QL (30 tabs / 30 days), NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 2 | QL (30 tabs / 30 days), NM |
| EVOTAZ TAB 300-150 | 5 | NM |
| GENVOYA TAB | 5 | NM |
| JULUCA TAB 50-25MG | 5 | NM |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 2 | NM |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 2 | NM |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 2 | NM |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 2 | NM |
| ODEFSEY TAB | 5 | NM |
| PREZCOBIX TAB 800-150 | 5 | NM |
| STRIBILD TAB | 5 | NM |
| SYMTUZA TAB | 5 | NM |
| TRIUMEQ PD TAB | 3 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| TRIUMEQ TAB | 5 | NM |
| ANTITUBERCULAR AGENTS | | |
| <i>cycloserine</i> CAPS 250mg | 5 | |
| <i>ethambutol hcl</i> TABS 100mg, 400mg | 2 | |
| <i>isoniazid</i> SYRP 50mg/5ml | 2 | |
| <i>isoniazid</i> TABS 100mg, 300mg | 1 | |
| PRIFTIN TABS 150mg | 4 | |
| <i>pyrazinamide</i> TABS 500mg | 2 | |
| <i>rifabutin</i> CAPS 150mg | 2 | |
| <i>rifampin</i> CAPS 150mg, 300mg; SOLR 600mg | 2 | |
| SIRTURO TABS 20mg, 100mg | 5 | NM, PA |
| TRECTOR TABS 250mg | 4 | |
| ANTIVIRALS | | |
| <i>acyclovir</i> CAPS 200mg; TABS 400mg, 800mg | 1 | |
| <i>acyclovir</i> SUSP 200mg/5ml | 2 | |
| <i>acyclovir sodium</i> SOLN 50mg/ml | 2 | B/D |
| <i>adefovir dipivoxil</i> TABS 10mg | 2 | NM |
| BARACLUDE SOLN .05mg/ml | 5 | NM, ST |
| <i>entecavir</i> TABS .5mg, 1mg | 2 | NM |
| EPCLUSA PAK 150-37.5 | 5 | NM, PA |
| EPCLUSA PAK 200-50MG | 5 | NM, PA |
| EPCLUSA TAB 200-50MG | 5 | NM, PA |
| EPCLUSA TAB 400-100 | 5 | NM, PA |
| <i>famciclovir</i> TABS 125mg, 250mg, 500mg | 2 | |
| <i>ganciclovir sodium</i> SOLR 500mg | 2 | B/D |
| HARVONI PAK 33.75-150MG | 5 | NM, PA |
| HARVONI PAK 45-200MG | 5 | NM, PA |
| HARVONI TAB 45-200MG | 5 | NM, PA |
| HARVONI TAB 90-400MG | 5 | NM, PA |
| <i>lamivudine (hbv)</i> TABS 100mg | 2 | NM |
| LIVTENCITY TABS 200mg | 5 | QL (336 tabs / 28 days), NM, PA |
| MAVYRET PAK 50-20MG | 5 | NM, PA |
| MAVYRET TAB 100-40MG | 5 | NM, PA |
| <i>oseltamivir phosphate</i> CAPS 30mg | 2 | QL (168 caps / year) |
| <i>oseltamivir phosphate</i> CAPS 45mg, 75mg | 2 | QL (84 caps / year) |
| <i>oseltamivir phosphate</i> SUSR 6mg/ml | 2 | QL (1080 mL / year) |
| PAXLOVID TAB 150-100 | 5 | QL (40 tabs / 90 days) |
| PAXLOVID TAB 300-100 | 5 | QL (60 tabs / 90 days) |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml | 5 | NM, PA |
| PREVYMIS TABS 240mg, 480mg | 5 | QL (28 tabs / 28 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RELENZA DISKHALER AEPB 5mg/blister | 3 | QL (6 inhalers / year) |
| ribavirin (hepatitis c) CAPS 200mg; TABS 200mg | 2 | NM |
| rimantadine hydrochloride TABS 100mg | 2 | |
| valacyclovir hcl TABS 1gm, 500mg | 2 | |
| valganciclovir hcl SOLR 50mg/ml | 5 | |
| valganciclovir hcl TABS 450mg | 2 | |
| VOSEVI TAB | 5 | NM, PA |

CEPHALOSPORINS

| | | |
|--|---|--|
| cefaclor CAPS 250mg, 500mg | 2 | |
| cefadroxil CAPS 500mg | 1 | |
| cefadroxil SUSR 250mg/5ml, 500mg/5ml | 2 | |
| CEFAZOLIN SOLR 2gm, 3gm | 4 | |
| CEFAZOLIN INJ 1GM/50ML | 4 | |
| cefazolin sodium SOLR 1gm, 2gm, 3gm, 10gm, 500mg | 2 | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 4 | |
| cefdinir CAPS 300mg; SUSR 125mg/5ml, 250mg/5ml | 2 | |
| cefepime hcl SOLR 1gm, 2gm | 2 | |
| cefixime CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml | 2 | |
| cefotetan disodium SOLR 1gm, 2gm | 2 | |
| cefoxitin sodium SOLR 1gm, 2gm, 10gm | 2 | |
| cefpodoxime proxetil SUSR 50mg/5ml, 100mg/5ml; TABS 100mg, 200mg | 2 | |
| cefprozil SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | 2 | |
| ceftazidime SOLR 1gm, 2gm, 6gm | 2 | |
| ceftriaxone sodium SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 2 | |
| cefuroxime axetil TABS 250mg, 500mg | 2 | |
| cefuroxime sodium SOLR 1.5gm, 750mg | 2 | |
| cephalexin CAPS 250mg, 500mg | 1 | |
| cephalexin SUSR 125mg/5ml, 250mg/5ml | 2 | |
| tazicef SOLR 1gm, 2gm, 6gm | 2 | |
| TEFLARO SOLR 400mg, 600mg | 5 | |

ERYTHROMYCINS/MACROLIDES

| | | |
|---|---|--|
| azithromycin PACK 1gm; SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml | 2 | |
| azithromycin TABS 250mg, 500mg, 600mg | 1 | |
| clarithromycin SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg; TB24 500mg | 2 | |
| DIFICID SUSR 40mg/ml; TABS 200mg | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>e.e.s. 400</i> TABS 400mg | 2 | |
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg | 2 | |
| ERYTHROCIN LACTOBIONATE SOLR 500mg | 4 | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | 2 | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | 2 | |
| <i>erythromycin lactobionate</i> SOLR 500mg | 2 | |
| FLUOROQUINOLONES | | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 2 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 2 | |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin</i> SOLN 25mg/ml | 2 | |
| <i>levofloxacin</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 2 | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 2 | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 2 | |
| <i>moxifloxacin hcl</i> TABS 400mg | 2 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 2 | |
| PENICILLINS | | |
| <i>amoxicillin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg | 1 | |
| <i>amoxicillin</i> CHEW 125mg, 250mg | 2 | |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | 2 | |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 2 | |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | 2 | |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | 2 | |
| <i>amoxicillin & k clavulanate tab 250-125 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate tab 500-125 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate tab 875-125 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | 2 | |
| <i>ampicillin</i> CAPS 500mg | 1 | |
| <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 2 | |
| <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | 2 | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 2 | |
| <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | 2 | |
| <i>ampicillin sodium</i> SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg | 2 | |
| BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml | 4 | |
| <i>dicloxacillin sodium</i> CAPS 250mg, 500mg | 2 | |
| <i>nafcillin sodium</i> SOLR 1gm, 2gm | 2 | |
| <i>nafcillin sodium</i> SOLR 10gm | 5 | |
| <i>oxacillin sodium</i> SOLR 1gm, 2gm, 10gm | 2 | |
| <i>penicillin g potassium</i> SOLR 5000000unit, 20000000unit | 2 | |
| <i>penicillin g sodium</i> SOLR 5000000unit | 2 | |
| <i>penicillin v potassium</i> SOLR 125mg/5ml, 250mg/5ml | 2 | |
| <i>penicillin v potassium</i> TABS 250mg, 500mg | 1 | |
| <i>pfizerpen</i> SOLR 5000000unit, 20000000unit | 2 | |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 2 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 2 | |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 2 | |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 2 | |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 2 | |
| TETRACYCLINES | | |
| <i>doxy 100</i> SOLR 100mg | 2 | |
| <i>doxycycline (monohydrate)</i> CAPS 50mg, 100mg; SUSR 25mg/5ml; TABS 50mg, 75mg, 100mg | 2 | |
| <i>doxycycline hyclate</i> CAPS 50mg, 100mg; SOLR 100mg; TABS 20mg, 100mg | 2 | |
| <i>minocycline hcl</i> CAPS 50mg, 75mg, 100mg | 2 | |
| NUZYRA SOLR 100mg | 5 | NM |
| NUZYRA TABS 150mg | 5 | QL (30 tabs / 14 days), NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tetracycline hcl</i> CAPS 250mg, 500mg | 2 | |
| <i>tigecycline</i> SOLR 50mg | 5 | |

ANTINEOPLASTIC AGENTS

ALKYLATING AGENTS

| | | |
|---|---|---------|
| BENDAMUSTINE HYDROCHLORID SOLN 100mg/4ml | 5 | B/D, NM |
| BENDEKA SOLN 100mg/4ml | 5 | B/D, NM |
| <i>carboplatin</i> SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml | 2 | B/D |
| <i>cisplatin</i> SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml | 2 | B/D |
| <i>cyclophosphamide</i> CAPS 25mg, 50mg; SOLR 1gm, 500mg | 2 | B/D |
| CYCLOPHOSPHAMIDE SOLN 1gm/5ml, 500mg/2.5ml, 500mg/5ml, 1000mg/10ml, 2000mg/20ml | 5 | B/D |
| <i>cyclophosphamide</i> SOLR 2gm | 5 | B/D |
| CYCLOPHOSPHAMIDE TABS 25mg, 50mg | 4 | B/D |
| CYCLOPHOSPHAMIDE MONOHYDR SOLN 2gm/10ml | 5 | B/D |
| GLEOSTINE CAPS 10mg, 40mg | 4 | NM |
| GLEOSTINE CAPS 100mg | 5 | NM |
| <i>oxaliplatin</i> SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml; SOLR 50mg | 2 | B/D |
| <i>oxaliplatin</i> SOLR 100mg | 5 | B/D |

ANTIMETABOLITES

| | | |
|--|---|---------------------------------|
| <i>azacitidine</i> SUSR 100mg | 5 | B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | 2 | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | 2 | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | 2 | B/D |
| INQOVI TAB 35-100MG | 5 | QL (5 tabs / 28 days), NM, PA |
| LONSURF TAB 15-6.14 | 5 | QL (100 tabs / 28 days), NM, PA |
| LONSURF TAB 20-8.19 | 5 | QL (80 tabs / 28 days), NM, PA |
| <i>mercaptopurine</i> TABS 50mg | 2 | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | 2 | B/D |
| ONUREG TABS 200mg, 300mg | 5 | QL (14 tabs / 28 days), NM, PA |
| <i>pemetrexed disodium</i> SOLR 100mg, 500mg, 750mg, 1000mg | 5 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| PURIXAN SUSP 2000mg/100ml | 5 | NM |
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg | 5 | QL (120 tabs / 30 days), NM, PA |
| <i>abiraterone acetate</i> TABS 500mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 50/500MG | 5 | QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 100/500 | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>anastrozole</i> TABS 1mg | 1 | |
| <i>bicalutamide</i> TABS 50mg | 2 | |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg, 45mg | 4 | NM, PA |
| ERLEADA TABS 60mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ERLEADA TABS 240mg | 5 | QL (30 tabs / 30 days), NM, PA |
| EULEXIN CAPS 125mg | 5 | |
| <i>exemestane</i> TABS 25mg | 3 | |
| FIRMAGON SOLR 80mg | 4 | NM, PA |
| FIRMAGON SOLR 120mg/vial | 5 | NM, PA |
| <i>fulvestrant</i> SOSY 250mg/5ml | 5 | B/D |
| <i>letrozole</i> TABS 2.5mg | 1 | |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | 2 | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | 5 | NM, PA |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | 5 | NM, PA |
| LYSODREN TABS 500mg | 5 | NM |
| <i>megestrol acetate</i> TABS 20mg, 40mg | 2 | |
| <i>nilutamide</i> TABS 150mg | 5 | |
| NUBEQA TABS 300mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ORGOVYX TABS 120mg | 5 | NM, PA |
| ORSERDU TABS 86mg | 5 | QL (90 tabs / 30 days), NM, PA |
| ORSERDU TABS 345mg | 5 | QL (30 tabs / 30 days), NM, PA |
| SOLTAMOX SOLN 10mg/5ml | 5 | |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | 2 | |
| <i>toremifene citrate</i> TABS 60mg | 2 | PA |
| XTANDI CAPS 40mg | 5 | QL (120 caps / 30 days), NM, PA |
| XTANDI TABS 40mg | 5 | QL (120 tabs / 30 days), NM, PA |
| XTANDI TABS 80mg | 5 | QL (60 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | 5 | QL (28 caps / 28 days), NM, PA |
| <i>lenalidomide</i> CAPS 20mg, 25mg | 5 | QL (21 caps / 28 days), NM, PA |
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg | 5 | QL (21 caps / 28 days), NM, PA |
| THALOMID CAPS 50mg | 5 | QL (84 caps / 28 days), NM, PA |
| THALOMID CAPS 100mg | 5 | QL (112 caps / 28 days), NM, PA |
| THALOMID CAPS 150mg, 200mg | 5 | QL (56 caps / 28 days), NM, PA |
| MISCELLANEOUS | | |
| BESREMI SOSY 500mcg/ml | 5 | QL (2 syringes / 28 days), NM, PA |
| <i>bexarotene</i> CAPS 75mg | 5 | QL (300 caps / 30 days), NM, PA |
| <i>doxorubicin hcl</i> SOLN 2mg/ml | 2 | B/D |
| <i>doxorubicin hcl liposomal</i> SUSP 2mg/ml | 5 | B/D |
| <i>hydroxyurea</i> CAPS 500mg | 2 | |
| <i>irinotecan hcl</i> SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | 2 | B/D |
| IWILFIN TABS 192mg | 5 | QL (240 tabs / 30 days), NM, PA |
| MATULANE CAPS 50mg | 5 | NM |
| <i>tretinoin (chemotherapy)</i> CAPS 10mg | 5 | |
| WELIREG TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| MITOTIC INHIBITORS | | |
| <i>docetaxel</i> CONC 20mg/ml | 2 | B/D |
| <i>docetaxel</i> CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| <i>etoposide</i> SOLN 1gm/50ml, 100mg/5ml, 500mg/25ml | 2 | B/D |
| <i>paclitaxel</i> CONC 6mg/ml, 30mg/5ml, 150mg/25ml, 300mg/50ml | 2 | B/D |
| <i>vincristine sulfate</i> SOLN 1mg/ml | 2 | B/D |
| <i>vinorelbine tartrate</i> SOLN 10mg/ml, 50mg/5ml | 2 | B/D |
| MOLECULAR TARGET AGENTS | | |
| ALECENSA CAPS 150mg | 5 | QL (240 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| ALUNBRIG TABS 30mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ALUNBRIG TABS 90mg, 180mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ALUNBRIG PAK | 5 | QL (30 tabs / 30 days), NM, PA |
| AUGTYRO CAPS 40mg | 5 | QL (240 caps / 30 days), NM, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | 5 | QL (30 tabs / 30 days), NM, PA |
| BALVERSA TABS 3mg | 5 | QL (84 tabs / 28 days), NM, PA |
| BALVERSA TABS 4mg | 5 | QL (56 tabs / 28 days), NM, PA |
| BALVERSA TABS 5mg | 5 | QL (28 tabs / 28 days), NM, PA |
| BORTEZOMIB SOLR 1mg, 2.5mg | 4 | NM, PA |
| <i>bortezomib</i> SOLR 3.5mg | 5 | NM, PA |
| BOSULIF CAPS 50mg | 5 | QL (360 caps / 30 days), NM, PA |
| BOSULIF CAPS 100mg | 5 | QL (150 caps / 25 days), NM, PA |
| BOSULIF TABS 100mg | 5 | QL (180 tabs / 30 days), NM, PA |
| BOSULIF TABS 400mg, 500mg | 5 | QL (30 tabs / 30 days), NM, PA |
| BRAFTOVI CAPS 75mg | 5 | QL (180 caps / 30 days), NM, PA |
| BRUKINSA CAPS 80mg | 5 | QL (120 caps / 30 days), NM, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | 5 | QL (30 tabs / 30 days), NM, PA |
| CALQUENCE CAPS 100mg | 5 | QL (60 caps / 30 days), NM, PA |
| CALQUENCE TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 300mg | 5 | QL (30 tabs / 30 days), NM, PA |
| COMETRIQ (60MG DOSE) KIT 20mg | 5 | QL (84 caps / 28 days), NM, PA |
| COMETRIQ KIT 100MG | 5 | QL (56 caps / 28 days), NM, PA |
| COMETRIQ KIT 140MG | 5 | QL (112 caps / 28 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| COPIKTRA CAPS 15mg, 25mg | 5 | QL (56 caps / 28 days), NM, PA |
| COTELLIC TABS 20mg | 5 | QL (63 tabs / 28 days), NM, PA |
| DAURISMO TABS 25mg | 5 | QL (60 tabs / 30 days), NM, PA |
| DAURISMO TABS 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ERIVEDGE CAPS 150mg | 5 | QL (30 caps / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 25mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 2mg | 5 | QL (150 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 3mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 5mg | 5 | QL (60 tabs / 30 days), NM, PA |
| FOTIVDA CAPS .89mg, 1.34mg | 5 | QL (21 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 1mg | 5 | QL (84 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 5mg | 5 | QL (21 caps / 28 days), NM, PA |
| GAVRETO CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| <i>gefitinib</i> TABS 250mg | 5 | QL (60 tabs / 30 days), NM, PA |
| GILOTRIF TABS 20mg, 30mg, 40mg | 5 | QL (30 tabs / 30 days), NM, PA |
| HERCEP HYLEC SOL 60-10000 | 5 | NM, PA |
| HERCEPTIN SOLR 150mg | 5 | NM, PA |
| HERZUMA SOLR 150mg, 420mg | 5 | NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | 5 | QL (21 caps / 28 days), NM, PA |
| IBRANCE TABS 75mg, 100mg, 125mg | 5 | QL (21 tabs / 28 days), NM, PA |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg | 5 | QL (30 tabs / 30 days), NM, PA |
| IDHIFA TABS 50mg, 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 100mg | 5 | QL (90 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>imatinib mesylate</i> TABS 400mg | 5 | QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | 5 | QL (30 caps / 30 days), NM, PA |
| IMBRUVICA CAPS 140mg | 5 | QL (120 caps / 30 days), NM, PA |
| IMBRUVICA SUSP 70mg/ml | 5 | QL (216 mL / 27 days), NM, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg | 5 | QL (30 tabs / 30 days), NM, PA |
| INLYTA TABS 1mg | 5 | QL (180 tabs / 30 days), NM, PA |
| INLYTA TABS 5mg | 5 | QL (120 tabs / 30 days), NM, PA |
| INREBIC CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | 5 | QL (60 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 50mg | 5 | QL (30 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| KADCYLA SOLR 100mg, 160mg | 5 | B/D, NM |
| KANJINTI SOLR 150mg, 420mg | 5 | NM, PA |
| KEYTRUDA SOLN 100mg/4ml | 5 | NM, PA |
| KISQALI 200 DOSE TBPK 200mg | 5 | QL (21 tabs / 28 days), NM, PA |
| KISQALI 200 PAK FEMARA | 5 | QL (49 tabs / 28 days), NM, PA |
| KISQALI 400 DOSE TBPK 200mg | 5 | QL (42 tabs / 28 days), NM, PA |
| KISQALI 400 PAK FEMARA | 5 | QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | 5 | QL (63 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | 5 | QL (91 tabs / 28 days), NM, PA |
| KOSELUGO CAPS 10mg | 5 | QL (240 caps / 30 days), NM, PA |
| KOSELUGO CAPS 25mg | 5 | QL (120 caps / 30 days), NM, PA |
| KRAZATI TABS 200mg | 5 | QL (180 tabs / 30 days), NM, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | 5 | QL (180 tabs / 30 days), NM, PA |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | 5 | QL (30 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------|------------------|------------------------------------|
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | 5 | QL (30 caps / 30 days), NM, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | 5 | QL (90 caps / 30 days), NM, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 14 MG | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 18 MG | 5 | QL (90 caps / 30 days), NM, PA |
| LENVIMA CAP 24 MG | 5 | QL (90 caps / 30 days), NM, PA |
| LORBRENA TABS 25mg | 5 | QL (90 tabs / 30 days), NM, PA |
| LORBRENA TABS 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 120mg | 5 | QL (240 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 320mg | 5 | QL (90 tabs / 30 days), NM, PA |
| LYNPARZA TABS 100mg, 150mg | 5 | QL (120 tabs / 30 days), NM, PA |
| LYTGOBI (12 MG DAILY DOSE) TBPK 4mg | 5 | QL (84 tabs / 28 days), NM, PA |
| LYTGOBI (16 MG DAILY DOSE) TBPK 4mg | 5 | QL (112 tabs / 28 days), NM, PA |
| LYTGOBI (20 MG DAILY DOSE) TBPK 4mg | 5 | QL (140 tabs / 28 days), NM, PA |
| MEKINIST SOLR .05mg/ml | 5 | QL (1260 mL / 30 days), NM, PA |
| MEKINIST TABS 2mg | 5 | QL (30 tabs / 30 days), NM, PA |
| MEKINIST TABS .5mg | 5 | QL (90 tabs / 30 days), NM, PA |
| MEKTOVI TABS 15mg | 5 | QL (180 tabs / 30 days), NM, PA |
| MONJUVI SOLR 200mg | 5 | NM, PA |
| NERLYNX TABS 40mg | 5 | QL (180 tabs / 30 days), NM, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | 5 | QL (3 caps / 28 days), NM, PA |
| ODOMZO CAPS 200mg | 5 | QL (30 caps / 30 days), NM, PA |
| OGIVRI SOLR 150mg, 420mg | 5 | NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|---------------------------------------|
| OGSIVEO TABS 50mg | 5 | QL (180 tabs / 30 days), NM, PA |
| OGSIVEO TABS 100mg, 150mg | 5 | QL (56 tabs / 28 days), NM, PA |
| OJEMDA SUSR 25mg/ml | 5 | QL (96 mL / 28 days), NM, PA |
| OJEMDA TABS 100mg | 5 | QL (24 tabs / 28 days), NM, PA |
| OJJAARA TABS 100mg, 150mg, 200mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ONTRUZANT SOLR 150mg, 420mg | 5 | NM, PA |
| <i>pazopanib hcl</i> TABS 200mg | 5 | QL (120 tabs / 30 days), NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | 5 | QL (28 tabs / 28 days), NM, PA |
| PHESGO SOL | 5 | NM, PA |
| PIQRAY 200MG DAILY DOSE TBPK 200mg | 5 | QL (28 tabs / 28 days), NM, PA |
| PIQRAY 250MG TAB DOSE | 5 | QL (56 tabs / 28 days), NM, PA |
| PIQRAY 300MG DAILY DOSE TBPK 150mg | 5 | QL (56 tabs / 28 days), NM, PA |
| QINLOCK TABS 50mg | 5 | QL (90 tabs / 30 days), NM, PA |
| RETEVMO CAPS 40mg | 5 | QL (180 caps / 30 days), NM, PA |
| RETEVMO CAPS 80mg | 5 | QL (120 caps / 30 days), NM, PA |
| RETEVMO TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| RETEVMO TABS 80mg, 120mg, 160mg | 5 | QL (60 tabs / 30 days), NM, PA |
| REZLIDHIA CAPS 150mg | 5 | QL (60 caps / 30 days), NM, PA |
| ROZLYTREK CAPS 100mg | 5 | QL (180 caps / 30 days), NM, PA |
| ROZLYTREK CAPS 200mg | 5 | QL (90 caps / 30 days), NM, PA |
| ROZLYTREK PACK 50mg | 5 | QL (336 packets / 28 days), NM, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | 5 | QL (120 tabs / 30 days), NM, PA |
| RYDAPT CAPS 25mg | 5 | QL (224 caps / 28 days), NM, PA |
| SCSEMBLIX TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| SCSEMBLIX TABS 40mg | 5 | QL (300 tabs / 30 days), NM, PA |
| SCSEMBLIX TABS 100mg | 5 | QL (120 tabs / 30 days), NM, PA |
| <i>sorafenib tosylate</i> TABS 200mg | 5 | QL (120 tabs / 30 days), NM, PA |
| SPRYCEL TABS 20mg | 5 | QL (90 tabs / 30 days), NM, PA |
| SPRYCEL TABS 50mg, 70mg, 80mg, 100mg, 140mg | 5 | QL (30 tabs / 30 days), NM, PA |
| STIVARGA TABS 40mg | 5 | QL (84 tabs / 28 days), NM, PA |
| <i>sunitinib malate</i> CAPS 12.5mg, 25mg, 37.5mg, 50mg | 5 | QL (30 caps / 30 days), NM, PA |
| TABRECTA TABS 150mg, 200mg | 5 | QL (112 tabs / 28 days), NM, PA |
| TAFINLAR CAPS 50mg, 75mg | 5 | QL (120 caps / 30 days), NM, PA |
| TAFINLAR TBSO 10mg | 5 | QL (900 tabs / 30 days), NM, PA |
| TAGRISSE TABS 40mg, 80mg | 5 | QL (30 tabs / 30 days), NM, PA |
| TALZENNA CAPS .1mg, .35mg, .5mg, .75mg, 1mg | 5 | QL (30 caps / 30 days), NM, PA |
| TALZENNA CAPS .25mg | 5 | QL (90 caps / 30 days), NM, PA |
| TASIGNA CAPS 50mg | 5 | QL (120 caps / 30 days), NM, PA |
| TASIGNA CAPS 150mg, 200mg | 5 | QL (112 caps / 28 days), NM, PA |
| TAZVERIK TABS 200mg | 5 | QL (240 tabs / 30 days), NM, PA |
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | 5 | NM, PA |
| TEPMETKO TABS 225mg | 5 | QL (60 tabs / 30 days), NM, PA |
| TIBSOVO TABS 250mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>torpenz</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| TRAZIMERA SOLR 150mg, 420mg | 5 | NM, PA |
| TRUQAP TABS 160mg, 200mg | 5 | QL (64 tabs / 28 days), NM, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | 5 | NM, PA |
| TUKYSA TABS 50mg, 150mg | 5 | QL (120 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| TURALIO CAPS 125mg | 5 | QL (120 caps / 30 days), NM, PA |
| VANFLYTA TABS 17.7mg, 26.5mg | 5 | QL (56 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 10mg | 3 | QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 50mg | 5 | QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 100mg | 5 | QL (180 tabs / 30 days), NM, PA |
| VENCLEXTA TAB START PK | 5 | QL (42 tabs / 28 days), NM, PA |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | 5 | QL (56 tabs / 28 days), NM, PA |
| VITRAKVI CAPS 25mg | 5 | QL (180 caps / 30 days), NM, PA |
| VITRAKVI CAPS 100mg | 5 | QL (60 caps / 30 days), NM, PA |
| VITRAKVI SOLN 20mg/ml | 5 | QL (300 mL / 30 days), NM, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | 5 | QL (30 tabs / 30 days), NM, PA |
| VONJO CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| XALKORI CAPS 200mg, 250mg; CPSP 50mg | 5 | QL (120 caps / 30 days), NM, PA |
| XALKORI CPSP 20mg | 5 | QL (240 caps / 30 days), NM, PA |
| XALKORI CPSP 150mg | 5 | QL (180 caps / 30 days), NM, PA |
| XOSPATA TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| XPOVIO PAK (40 MG ONCE WEEKLY) TBPK 40mg | 5 | QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (40 MG TWICE WEEKLY) TBPK 40mg | 5 | QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG ONCE WEEKLY) TBPK 60mg | 5 | QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG TWICE WEEKLY) TBPK 20mg | 5 | QL (24 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG ONCE WEEKLY) TBPK 40mg | 5 | QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG TWICE WEEKLY) TBPK 20mg | 5 | QL (32 tabs / 28 days), NM, PA |
| XPOVIO PAK (100 MG ONCE WEEKLY) TBPK 50mg | 5 | QL (8 tabs / 28 days), NM, PA |
| ZEJULA TABS 100mg, 200mg, 300mg | 5 | QL (30 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|---------------------------------|
| ZELBORAF TABS 240mg | 5 | QL (240 tabs / 30 days), NM, PA |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | 5 | NM, PA |
| ZOLINZA CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| ZYDELIG TABS 100mg, 150mg | 5 | QL (60 tabs / 30 days), NM, PA |
| ZYKADIA TABS 150mg | 5 | QL (84 tabs / 28 days), NM, PA |

PROTECTIVE AGENTS

| | | |
|--|---|-----|
| <i>leucovorin calcium</i> SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | 2 | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg, 15mg, 25mg | 2 | |
| MESNEX TABS 400mg | 5 | |

CARDIOVASCULAR

ACE INHIBITOR COMBINATIONS

| | | |
|--|---|------------------------|
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>benazepril & hydrochlorothiazide tab 5-6.25mg</i> | 1 | |
| <i>benazepril & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>benazepril & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>benazepril & hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| <i>captopril & hydrochlorothiazide tab 25-15 mg</i> | 1 | |
| <i>captopril & hydrochlorothiazide tab 25-25 mg</i> | 1 | |
| <i>captopril & hydrochlorothiazide tab 50-15 mg</i> | 1 | |
| <i>captopril & hydrochlorothiazide tab 50-25 mg</i> | 1 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg</i> | 1 | |
| <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | 1 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| ACE INHIBITORS | | |
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i> | 3 | |
| <i>enalapril maleate TABS 2.5mg, 5mg, 10mg, 20mg</i> | 1 | |
| <i>fosinopril sodium TABS 10mg, 20mg, 40mg</i> | 1 | |
| <i>lisinopril TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg</i> | 1 | |
| <i>moexipril hcl TABS 7.5mg, 15mg</i> | 1 | |
| <i>perindopril erbumine TABS 2mg, 4mg, 8mg</i> | 1 | |
| <i>quinapril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | |
| <i>ramipril CAPS 1.25mg, 2.5mg, 5mg, 10mg</i> | 1 | |
| <i>trandolapril TABS 1mg, 2mg, 4mg</i> | 1 | |
| ALDOSTERONE RECEPTOR ANTAGONISTS | | |
| <i>eplerenone TABS 25mg, 50mg</i> | 2 | |
| <i>KERENDIA TABS 10mg, 20mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>spironolactone TABS 25mg, 50mg, 100mg</i> | 1 | |
| ALPHA BLOCKERS | | |
| <i>doxazosin mesylate TABS 1mg, 2mg, 4mg, 8mg</i> | 2 | |
| <i>prazosin hcl CAPS 1mg, 2mg, 5mg</i> | 2 | |
| <i>terazosin hcl CAPS 1mg, 2mg, 5mg, 10mg</i> | 1 | |
| ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS | | |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 1 | QL (30 tabs / 30 days) |
| ENTRESTO CAP 6-6MG | 3 | QL (240 caps / 30 days) |
| ENTRESTO CAP 15-16MG | 3 | QL (240 caps / 30 days) |
| ENTRESTO TAB 24-26MG | 3 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 49-51MG | 3 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 97-103MG | 3 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 1 | |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil TABS 32mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>irbesartan TABS 75mg, 150mg, 300mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>olmesartan medoxomil TABS 5mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil TABS 20mg, 40mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan TABS 20mg, 40mg, 80mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan TABS 40mg, 80mg, 160mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>valsartan TABS 320mg</i> | 1 | QL (30 tabs / 30 days) |
| ANTIARRHYTHMICS | | |
| <i>amiodarone hcl SOLN 50mg/ml, 900mg/18ml; TABS 100mg, 400mg</i> | 2 | |
| <i>amiodarone hcl TABS 200mg</i> | 1 | |
| <i>disopyramide phosphate CAPS 100mg, 150mg</i> | 4 | |
| <i>dofetilide CAPS 125mcg, 250mcg, 500mcg</i> | 4 | NM |
| <i>flecainide acetate TABS 50mg, 100mg, 150mg</i> | 2 | |
| <i>MULTAQ TABS 400mg</i> | 4 | QL (60 tabs / 30 days) |
| <i>pacerone TABS 100mg, 400mg</i> | 2 | |
| <i>pacerone TABS 200mg</i> | 1 | |
| <i>propafenone hcl CP12 225mg, 325mg, 425mg</i> | 4 | |
| <i>propafenone hcl TABS 150mg, 225mg, 300mg</i> | 2 | |
| <i>quinidine sulfate TABS 200mg, 300mg</i> | 2 | |
| <i>sotalol hcl TABS 80mg, 120mg, 160mg, 240mg</i> | 2 | |
| <i>sotalol hcl (afib/afI) TABS 80mg, 120mg, 160mg</i> | 2 | |
| ANTILIPEMICS, FIBRATES | | |
| <i>fenofibrate TABS 48mg, 54mg, 145mg, 160mg</i> | 2 | |
| <i>fenofibrate micronized CAPS 67mg, 134mg, 200mg</i> | 2 | |
| <i>gemfibrozil TABS 600mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | 1 | QL (60 tabs / 30 days) |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | 1 | QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| ANTILIPEMICS, MISCELLANEOUS | | |
| <i>cholestyramine</i> PACK 4gm | 3 | |
| <i>cholestyramine</i> POWD 4gm/dose | 2 | |
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | 2 | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | 2 | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm; TABS 1gm | 2 | |
| <i>ezetimibe</i> TABS 10mg | 2 | |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | 3 | QL (30 tabs / 30 days) |
| NEXLETOL TABS 180mg | 3 | QL (30 tabs / 30 days) |
| NEXLIZET TAB 180/10MG | 3 | QL (30 tabs / 30 days) |
| <i>niacin (antihyperlipidemic)</i> TBCR 500mg, 750mg, 1000mg | 2 | QL (60 tabs / 30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 3 | PA |
| <i>prevalite</i> PACK 4gm; POWD 4gm/dose | 2 | |
| REPATHA SOSY 140mg/ml | 3 | NM, PA |
| REPATHA PUSHTRONEX SYSTEM SOCT 420mg/3.5ml | 3 | NM, PA |
| REPATHA SURECLICK SOAJ 140mg/ml | 3 | NM, PA |
| VASCEPA CAPS .5gm, 1gm | 3 | |
| BETA-BLOCKER/DIURETIC COMBINATIONS | | |
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | 1 | |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | 1 | |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 1 | |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 1 | |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 1 | |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>metoprolol & hydrochlorothiazide tab 100-25 mg</i> | 2 | |
| <i>metoprolol & hydrochlorothiazide tab 100-50 mg</i> | 2 | |
| BETA-BLOCKERS | | |
| <i>acebutolol hcl CAPS 200mg, 400mg</i> | 2 | |
| <i>atenolol TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>bisoprolol fumarate TABS 5mg, 10mg</i> | 1 | |
| <i>carvedilol TABS 3.125mg, 6.25mg, 12.5mg, 25mg</i> | 1 | |
| <i>labetalol hcl TABS 100mg, 200mg, 300mg</i> | 2 | |
| <i>metoprolol succinate TB24 25mg, 50mg, 100mg, 200mg</i> | 1 | |
| <i>metoprolol tartrate SOLN 5mg/5ml</i> | 2 | |
| <i>metoprolol tartrate TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>nadolol TABS 20mg, 40mg, 80mg</i> | 2 | |
| <i>nebivolol hcl TABS 2.5mg, 5mg, 10mg</i> | 2 | QL (30 tabs / 30 days) |
| <i>nebivolol hcl TABS 20mg</i> | 2 | QL (60 tabs / 30 days) |
| <i>pindolol TABS 5mg, 10mg</i> | 2 | |
| <i>propranolol hcl CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml; TABS 10mg, 20mg, 40mg, 60mg, 80mg</i> | 2 | |
| <i>timolol maleate TABS 5mg, 10mg, 20mg</i> | 2 | |
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate TABS 2.5mg, 5mg, 10mg</i> | 1 | |
| <i>cartia xt CP24 120mg, 180mg, 240mg, 300mg</i> | 2 | |
| <i>dilt-xr CP24 120mg, 180mg, 240mg</i> | 2 | |
| <i>diltiazem hcl CP12 60mg, 90mg, 120mg; SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml</i> | 2 | |
| <i>diltiazem hcl TABS 30mg, 60mg, 90mg, 120mg</i> | 1 | |
| <i>diltiazem hcl coated beads CP24 120mg, 180mg, 240mg, 300mg, 360mg</i> | 2 | |
| <i>diltiazem hcl extended release beads CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg</i> | 2 | |
| <i>felodipine TB24 2.5mg, 5mg, 10mg</i> | 2 | |
| <i>nicardipine hcl CAPS 20mg, 30mg</i> | 2 | |
| <i>nifedipine TB24 30mg, 60mg, 90mg</i> | 2 | |
| <i>nimodipine CAPS 30mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | |
| <i>verapamil hcl</i> CP24 100mg, 120mg, 180mg, 200mg, 240mg, 300mg, 360mg; SOLN 2.5mg/ml | 2 | |
| <i>verapamil hcl</i> TABS 40mg, 80mg, 120mg; TBCR 120mg, 180mg, 240mg | 1 | |
| DIURETICS | | |
| <i>acetazolamide</i> CP12 500mg; TABS 125mg, 250mg | 2 | |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 1 | |
| <i>amiloride hcl</i> TABS 5mg | 1 | |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | 2 | |
| <i>chlorthalidone</i> TABS 25mg, 50mg | 2 | |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml; TABS 20mg, 40mg, 80mg | 1 | |
| <i>furosemide inj</i> SOLN 10mg/ml | 2 | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | 1 | |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | 1 | |
| <i>methazolamide</i> TABS 25mg, 50mg | 2 | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | 2 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 2 | |
| <i>toremide</i> TABS 5mg, 10mg, 20mg, 100mg | 1 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 75-50 mg</i> | 1 | |
| MISCELLANEOUS | | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | 4 | |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr | 2 | |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg | 1 | |
| CORLANOR SOLN 5mg/5ml | 4 | QL (450 mL / 30 days) |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml | 2 | |
| <i>digoxin</i> TABS 125mcg, 250mcg | 2 | QL (30 tabs / 30 days) |
| <i>droxidopa</i> CAPS 100mg | 5 | QL (90 caps / 30 days), NM, PA |
| <i>droxidopa</i> CAPS 200mg, 300mg | 5 | QL (180 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| <i>epinephrine (anaphylaxis)</i> SOLN 1mg/ml | 2 | |
| <i>guanfacine hcl</i> TABS 1mg, 2mg | 3 | PA; PA applies if 70 years and older |
| <i>hydralazine hcl</i> SOLN 20mg/ml | 2 | |
| <i>hydralazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 1 | |
| <i>ivabradine hcl</i> TABS 5mg, 7.5mg | 2 | QL (60 tabs / 30 days) |
| <i>metyrosine</i> CAPS 250mg | 5 | NM, PA |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg, 10mg | 2 | |
| <i>minoxidil</i> TABS 2.5mg, 10mg | 2 | |
| <i>ranolazine</i> TB12 500mg, 1000mg | 3 | |
| VERQUVO TABS 2.5mg, 5mg, 10mg | 3 | QL (30 tabs / 30 days), PA |

NITRATES

| | | |
|---|---|--|
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg | 2 | |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg; TB24 30mg, 60mg, 120mg | 1 | |
| NITRO-BID OINT 2% | 3 | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr; SUBL .3mg, .4mg, .6mg | 2 | |

PULMONARY ARTERIAL HYPERTENSION

| | | |
|---|---|---------------------------------|
| <i>alyq</i> TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | 2 | QL (360 tabs / 30 days), NM, PA |
| <i>tadalafil (pulmonary hypertension)</i> TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>treprostinil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | 5 | NM, PA |

CENTRAL NERVOUS SYSTEM

ANTI-ANXIETY

| | | |
|--|---|-------------------------|
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg | 1 | QL (150 tabs / 30 days) |
| <i>bupirone hcl</i> TABS 5mg, 10mg, 15mg | 1 | |
| <i>bupirone hcl</i> TABS 7.5mg, 30mg | 2 | |
| <i>flvoxamine maleate</i> TABS 25mg, 50mg, 100mg | 2 | |
| <i>lorazepam</i> CONC 2mg/ml | 2 | QL (150 mL / 30 days) |
| <i>lorazepam</i> SOLN 4mg/ml, 20mg/10ml | 2 | |
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg | 1 | QL (150 tabs / 30 days) |
| <i>lorazepam intensol</i> CONC 2mg/ml | 2 | QL (150 mL / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| ANTIDEMENTIA | | |
| <i>donepezil hydrochloride</i> TABS 5mg; TBDP 5mg | 1 | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride</i> TABS 10mg; TBDP 10mg | 1 | |
| <i>galantamine hydrobromide</i> CP24 8mg, 16mg, 24mg | 2 | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml | 2 | QL (200 mL / 30 days) |
| <i>galantamine hydrobromide</i> TABS 4mg, 8mg, 12mg | 2 | QL (60 tabs / 30 days) |
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg, 28mg | 3 | PA; PA applies if 29 years and younger |
| <i>memantine hcl</i> SOLN 2mg/ml; TABS 5mg, 10mg | 2 | PA; PA applies if 29 years and younger |
| NAMZARIC CAP 7-10MG | 4 | |
| NAMZARIC CAP 14-10MG | 4 | |
| NAMZARIC CAP 21-10MG | 4 | |
| NAMZARIC CAP 28-10MG | 4 | |
| NAMZARIC CAP PACK | 4 | |
| <i>rivastigmine</i> PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr | 3 | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg, 4.5mg, 6mg | 2 | QL (60 caps / 30 days) |
| ANTIDEPRESSANTS | | |
| <i>amitriptyline hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 2 | |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg, 150mg | 3 | |
| AUVELITY TAB 45-105MG | 4 | QL (60 tabs / 30 days), PA |
| <i>bupropion hcl</i> TABS 75mg, 100mg | 2 | |
| <i>bupropion hcl</i> TB12 100mg, 150mg, 200mg; TB24 150mg | 2 | QL (60 tabs / 30 days) |
| <i>bupropion hcl</i> TB24 300mg | 2 | QL (30 tabs / 30 days) |
| <i>citalopram hydrobromide</i> SOLN 10mg/5ml | 2 | |
| <i>citalopram hydrobromide</i> TABS 10mg, 20mg, 40mg | 1 | |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg, 75mg | 4 | PA |
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 4 | |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | 2 | QL (30 tabs / 30 days) |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml | 3 | |
| DRIZALMA SPRINKLE CSDR 20mg, 30mg, 40mg, 60mg | 4 | QL (60 caps / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | 2 | QL (60 caps / 30 days) |
| EMSAM PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | 5 | QL (30 patches / 30 days), PA |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml | 2 | |
| <i>escitalopram oxalate</i> TABS 5mg, 10mg, 20mg | 1 | |
| FETZIMA CP24 20mg, 40mg | 4 | QL (60 caps / 30 days), PA |
| FETZIMA CP24 80mg, 120mg | 4 | QL (30 caps / 30 days), PA |
| FETZIMA CAP TITRATIO | 4 | QL (2 packs / year), PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg | 1 | |
| <i>fluoxetine hcl</i> SOLN 20mg/5ml | 2 | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | 2 | |
| MARPLAN TABS 10mg | 4 | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg; TBDP 15mg, 30mg, 45mg | 2 | |
| <i>mirtazapine</i> TABS 15mg, 30mg, 45mg | 1 | |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | 2 | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg | 2 | |
| <i>nortriptyline hcl</i> SOLN 10mg/5ml | 4 | |
| <i>paroxetine hcl</i> SUSP 10mg/5ml | 4 | QL (900 mL / 30 days), PA |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | 2 | |
| <i>phenelzine sulfate</i> TABS 15mg | 2 | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | 4 | |
| <i>sertraline hcl</i> CONC 20mg/ml | 2 | |
| <i>sertraline hcl</i> TABS 25mg, 50mg, 100mg | 1 | |
| <i>tranylcypromine sulfate</i> TABS 10mg | 2 | |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | 1 | |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg | 4 | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | 4 | QL (60 caps / 30 days) |
| TRINTELLIX TABS 5mg, 10mg, 20mg | 4 | QL (30 tabs / 30 days), PA |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg | 1 | |
| <i>venlafaxine hcl</i> TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | 2 | |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg | 3 | QL (30 tabs / 30 days) |
| ZURZUVAE CAPS 20mg, 25mg | 5 | QL (28 caps / 14 days), NM, PA |
| ZURZUVAE CAPS 30mg | 5 | QL (14 caps / 14 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| ANTIPARKINSONIAN AGENTS | | |
| <i>amantadine hcl</i> CAPS 100mg | 2 | QL (120 caps / 30 days) |
| <i>amantadine hcl</i> SOLN 50mg/5ml; TABS 100mg | 2 | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | 2 | |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | 2 | PA; PA applies if 70 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | 2 | |
| <i>carb/levo orally disintegrating tab</i> 10-100mg | 2 | |
| <i>carb/levo orally disintegrating tab</i> 25-100mg | 2 | |
| <i>carb/levo orally disintegrating tab</i> 25-250mg | 2 | |
| <i>carbidopa & levodopa tab</i> 10-100 mg | 2 | |
| <i>carbidopa & levodopa tab</i> 25-100 mg | 2 | |
| <i>carbidopa & levodopa tab</i> 25-250 mg | 2 | |
| <i>carbidopa & levodopa tab er</i> 25-100 mg | 2 | |
| <i>carbidopa & levodopa tab er</i> 50-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 12.5-50-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 18.75-75-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 25-100-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 31.25-125-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 37.5-150-200 mg | 2 | |
| <i>carbidopa-levodopa-entacapone tabs</i> 50-200-200 mg | 2 | |
| <i>entacapone</i> TABS 200mg | 3 | |
| INBRIJA CAPS 42mg | 5 | QL (300 caps / 30 days), NM, PA |
| <i>pramipexole dihydrochloride</i> TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg | 1 | |
| <i>rasagiline mesylate</i> TABS .5mg, 1mg | 3 | QL (30 tabs / 30 days) |
| <i>ropinirole hydrochloride</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg | 1 | |
| <i>selegiline hcl</i> CAPS 5mg; TABS 5mg | 2 | |
| <i>trihexyphenidyl hcl</i> SOLN .4mg/ml | 3 | PA; PA applies if 70 years and older |
| <i>trihexyphenidyl hcl</i> TABS 2mg, 5mg | 2 | PA; PA applies if 70 years and older |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| ANTIPSYCHOTICS | | |
| <i>aripiprazole</i> SOLN 1mg/ml | 2 | QL (900 mL / 30 days) |
| <i>aripiprazole</i> TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg | 2 | QL (30 tabs / 30 days) |
| <i>aripiprazole</i> TBDP 10mg, 15mg | 2 | QL (60 tabs / 30 days), ST |
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml | 5 | QL (1 syringe / 28 days) |
| ARISTADA PRSY 1064mg/3.9ml | 5 | QL (1 syringe / 56 days) |
| ARISTADA INITIO PRSY 675mg/2.4ml | 5 | |
| <i>asenapine maleate</i> SUBL 2.5mg, 5mg, 10mg | 2 | QL (60 tabs / 30 days) |
| CAPLYTA CAPS 10.5mg, 21mg, 42mg | 5 | QL (30 caps / 30 days) |
| <i>chlorpromazine hcl</i> CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | 2 | |
| <i>clozapine</i> TABS 25mg, 50mg | 2 | |
| <i>clozapine</i> TABS 100mg | 2 | QL (270 tabs / 30 days) |
| <i>clozapine</i> TABS 200mg | 2 | QL (120 tabs / 30 days) |
| <i>clozapine</i> TBDP 12.5mg, 25mg | 2 | PA |
| <i>clozapine</i> TBDP 100mg | 2 | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | 2 | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | 2 | QL (120 tabs / 30 days), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | 5 | QL (60 tabs / 30 days), PA |
| FANAPT PAK | 4 | QL (2 packs / year), PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | 2 | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | 2 | |
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | 2 | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | 2 | |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | 2 | |
| INVEGA HAFYERA SUSY 1092mg/3.5ml, 1560mg/5ml | 5 | QL (1 injection / 180 days) |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | 4 | QL (1 syringe / 28 days) |
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 5 | QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.88ml, 410mg/1.32ml, 546mg/1.75ml, 819mg/2.63ml | 5 | QL (1 syringe / 90 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>loxapine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | 2 | |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg, 120mg | 3 | QL (30 tabs / 30 days) |
| <i>lurasidone hcl</i> TABS 80mg | 3 | QL (60 tabs / 30 days) |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | 2 | |
| NUPLAZID CAPS 34mg | 5 | QL (30 caps / 30 days), NM, PA |
| NUPLAZID TABS 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>olanzapine</i> SOLR 10mg | 2 | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg | 2 | QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg | 2 | QL (30 tabs / 30 days) |
| <i>olanzapine</i> TBDP 5mg, 15mg, 20mg | 2 | QL (30 tabs / 30 days), ST |
| <i>olanzapine</i> TBDP 10mg | 2 | QL (60 tabs / 30 days), ST |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | 2 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 6mg | 2 | QL (60 tabs / 30 days) |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | 2 | |
| <i>pimozide</i> TABS 1mg, 2mg | 2 | |
| <i>quetiapine fumarate</i> TABS 25mg | 2 | QL (180 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg, 150mg, 200mg | 2 | QL (90 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg | 2 | QL (60 tabs / 30 days) |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | 2 | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | 2 | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | 5 | QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | 5 | QL (60 tabs / 30 days) |
| <i>risperidone</i> SOLN 1mg/ml | 2 | QL (240 mL / 30 days) |
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | 1 | |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg | 2 | QL (60 tabs / 30 days), ST |
| <i>risperidone</i> TBDP 4mg | 2 | QL (120 tabs / 30 days), ST |
| <i>risperidone</i> TBDP .25mg, .5mg | 2 | QL (90 tabs / 30 days), ST |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg | 2 | QL (2 injections / 28 days) |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg | 5 | QL (2 injections / 28 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | 5 | QL (30 patches / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 2 | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | 2 | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | 2 | |
| VERSACLOZ SUSP 50mg/ml | 5 | QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | 5 | QL (60 caps / 30 days) |
| VRAYLAR CAPS 3mg, 4.5mg, 6mg | 5 | QL (30 caps / 30 days) |
| VRAYLAR CAP 1.5-3MG | 4 | QL (2 packs / year) |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | 2 | QL (60 caps / 30 days) |
| <i>ziprasidone mesylate</i> SOLR 20mg | 2 | QL (6 injections / 3 days) |
| ZYPREXA RELPREVV SUSR 210mg | 4 | QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 300mg | 5 | QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 405mg | 5 | QL (1 vial / 28 days), NM, PA |

ANTISEIZURE AGENTS

| | | |
|---|---|---|
| APTIOM TABS 200mg, 400mg | 5 | QL (30 tabs / 30 days) |
| APTIOM TABS 600mg, 800mg | 5 | QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | 5 | QL (600 mL / 30 days), PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | 5 | QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TABS 200mg; TB12 100mg, 200mg, 400mg | 2 | |
| <i>clobazam</i> SUSP 2.5mg/ml | 2 | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | 2 | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg | 1 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg | 1 | QL (90 tabs / 30 days) |
| <i>clonazepam</i> TBDP 2mg | 2 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TBDP .125mg, .25mg, .5mg, 1mg | 2 | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | 3 | QL (180 tabs / 30 days), PA; PA applies if 65 years and older |
| DIACOMIT CAPS 250mg | 5 | QL (360 caps / 30 days), NM, PA |
| DIACOMIT CAPS 500mg | 5 | QL (180 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| DIACOMIT PACK 250mg | 5 | QL (360 packets / 30 days), NM, PA |
| DIACOMIT PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| <i>diazepam</i> SOLN 5mg/5ml | 2 | QL (1200 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | 1 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | 2 | |
| <i>diazepam inj</i> SOLN 5mg/ml | 2 | |
| <i>diazepam intensol</i> CONC 5mg/ml | 2 | QL (240 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| DILANTIN CAPS 30mg | 4 | |
| <i>divalproex sodium</i> CSDR 125mg | 3 | |
| <i>divalproex sodium</i> TB24 250mg, 500mg; TBEC 125mg, 250mg, 500mg | 2 | |
| EPIDIOLEX SOLN 100mg/ml | 5 | QL (600 mL / 30 days), NM, PA |
| <i>epitol</i> TABS 200mg | 2 | |
| EPRONTIA SOLN 25mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>ethosuximide</i> CAPS 250mg; SOLN 250mg/5ml | 2 | |
| <i>felbamate</i> SUSP 600mg/5ml | 2 | |
| <i>felbamate</i> TABS 400mg, 600mg | 3 | |
| FINTEPLA SOLN 2.2mg/ml | 5 | QL (360 mL / 30 days), NM, PA |
| FYCOMPA SUSP .5mg/ml | 5 | QL (720 mL / 30 days), PA |
| FYCOMPA TABS 2mg | 4 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg, 12mg | 5 | QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg, 300mg | 1 | QL (360 caps / 30 days) |
| <i>gabapentin</i> CAPS 400mg | 1 | QL (270 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml, 300mg/6ml | 2 | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | 2 | QL (180 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>gabapentin</i> TABS 800mg | 2 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> SOLN 200mg/20ml | 2 | |
| <i>lacosamide</i> TABS 50mg | 3 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> TABS 100mg, 150mg, 200mg | 3 | QL (60 tabs / 30 days) |
| <i>lacosamide oral</i> SOLN 10mg/ml | 2 | QL (1200 mL / 30 days) |
| <i>lamotrigine</i> CHEW 5mg, 25mg | 2 | |
| <i>lamotrigine</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| <i>lamotrigine</i> TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg | 2 | ST |
| <i>levetiracetam</i> SOLN 100mg/ml, 500mg/5ml; TABS 250mg, 500mg, 750mg, 1000mg; TB24 500mg, 750mg | 2 | |
| <i>levetiracetam in sodium chloride iv soln</i> 500 mg/100ml | 2 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1000 mg/100ml | 2 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1500 mg/100ml | 2 | |
| LIBERVANT FILM 5mg, 7.5mg, 10mg, 12.5mg, 15mg | 4 | QL (10 buccal films / 30 days) |
| <i>methsuximide</i> CAPS 300mg | 2 | |
| NAYZILAM SOLN 5mg/0.1ml | 4 | QL (10 nasal units per 30 days) |
| <i>oxcarbazepine</i> SUSP 300mg/5ml; TABS 150mg, 300mg, 600mg | 2 | |
| <i>phenobarbital</i> ELIX 20mg/5ml | 4 | QL (1500 mL / 30 days), PA; PA applies if 70 years and older |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | 3 | QL (120 tabs / 30 days), PA; PA applies if 70 years and older |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml | 4 | PA; PA applies if 70 years and older |
| <i>phenytek</i> CAPS 200mg, 300mg | 2 | |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml | 2 | |
| <i>phenytoin sodium</i> SOLN 50mg/ml | 2 | |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg | 2 | |
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg | 2 | QL (120 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 200mg | 2 | QL (90 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 225mg, 300mg | 2 | QL (60 caps / 30 days), PA |
| <i>pregabalin</i> SOLN 20mg/ml | 2 | QL (900 mL / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>primidone</i> TABS 50mg, 125mg, 250mg | 1 | |
| <i>roweepra</i> TABS 500mg | 2 | |
| <i>rufinamide</i> SUSP 40mg/ml | 5 | QL (2400 mL / 30 days), PA |
| <i>rufinamide</i> TABS 200mg | 2 | QL (480 tabs / 30 days), PA |
| <i>rufinamide</i> TABS 400mg | 5 | QL (240 tabs / 30 days), PA |
| SPRITAM TB3D 250mg | 4 | QL (360 tabs / 30 days) |
| SPRITAM TB3D 500mg | 4 | QL (180 tabs / 30 days) |
| SPRITAM TB3D 750mg | 4 | QL (120 tabs / 30 days) |
| SPRITAM TB3D 1000mg | 4 | QL (90 tabs / 30 days) |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| SYMPAZAN FILM 5mg, 10mg, 20mg | 5 | QL (60 films / 30 days), PA |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg | 2 | |
| <i>topiramate</i> CPSP 15mg, 25mg | 2 | |
| <i>topiramate</i> TABS 25mg, 50mg, 100mg, 200mg | 1 | |
| <i>valproate sodium</i> SOLN 100mg/ml, 250mg/5ml | 2 | |
| <i>valproic acid</i> CAPS 250mg | 2 | |
| VALTOCO 5 MG DOSE LIQD 5mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 10 MG DOSE LIQD 10mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 15 MG DOSE LQPK 7.5mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 20 MG DOSE LQPK 10mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| <i>vigabatrin</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| <i>vigabatrin</i> TABS 500mg | 5 | QL (180 tabs / 30 days), NM, PA |
| <i>vigadrone</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| <i>vigadrone</i> TABS 500mg | 5 | QL (180 tabs / 30 days), NM, PA |
| VIGAFYDE SOLN 100mg/ml | 5 | QL (900 mL / 30 days), NM, PA |
| <i>vigpoder</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| XCOPRI TABS 25mg, 50mg, 100mg | 5 | QL (30 tabs / 30 days) |
| XCOPRI TABS 150mg, 200mg | 5 | QL (60 tabs / 30 days) |
| XCOPRI PAK 12.5-25 | 4 | QL (28 tabs / 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| XCOPRI PAK 50-100MG | 5 | QL (28 tabs / 28 days) |
| XCOPRI PAK 100-150 | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (TITRATION) | 5 | QL (28 tabs / 28 days) |
| ZONISADE SUSP 100mg/5ml | 5 | QL (900 mL / 30 days), PA |
| <i>zonisamide</i> CAPS 25mg, 50mg, 100mg | 2 | |
| ZTALMY SUSP 50mg/ml | 5 | QL (1100 mL / 30 days), NM, PA |

ATTENTION DEFICIT HYPERACTIVITY DISORDER

| | | |
|--|---|--|
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 2 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 2 | QL (90 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | 2 | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl</i> CAPS 10mg, 18mg, 25mg | 3 | QL (120 caps / 30 days) |
| <i>atomoxetine hcl</i> CAPS 40mg | 3 | QL (60 caps / 30 days) |
| <i>atomoxetine hcl</i> CAPS 60mg, 80mg, 100mg | 3 | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl</i> TABS 2.5mg, 5mg | 2 | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl</i> TABS 10mg | 2 | QL (60 tabs / 30 days), PA |
| <i>guanfacine hcl (adhd)</i> TB24 1mg, 2mg, 4mg | 3 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>guanfacine hcl (adhd)</i> TB24 3mg | 3 | QL (60 tabs / 30 days), PA; PA applies if 70 years and older |
| <i>methylphenidate hcl</i> SOLN 5mg/5ml | 2 | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl</i> SOLN 10mg/5ml | 2 | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl</i> TABS 5mg, 10mg | 2 | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl</i> TABS 20mg; TBCR 10mg, 20mg | 2 | QL (90 tabs / 30 days), PA |

HYPNOTICS

| | | |
|--|---|---|
| <i>DAYVIGO</i> TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep)</i> TABS 3mg, 6mg | 2 | QL (30 tabs / 30 days) |
| <i>tasimelteon</i> CAPS 20mg | 5 | QL (30 caps / 30 days), NM, PA |
| <i>temazepam</i> CAPS 7.5mg, 30mg | 1 | QL (30 caps / 30 days), PA; PA applies if 65 years and older |
| <i>temazepam</i> CAPS 15mg | 1 | QL (60 caps / 30 days), PA; PA applies if 65 years and older |
| <i>zaleplon</i> CAPS 5mg | 2 | QL (30 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zaleplon</i> CAPS 10mg | 2 | QL (60 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | 2 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

MIGRAINE

| | | |
|---|---|-------------------------------|
| <i>AIMOVIG</i> SOAJ 70mg/ml, 140mg/ml | 3 | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml | 5 | |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | 5 | QL (8 mL / 30 days), PA |
| <i>EMGALITY</i> SOAJ 120mg/ml | 3 | QL (2 pens / 30 days), NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| EMGALITY SOSY 100mg/ml | 3 | QL (3 syringes / 30 days), NM, PA |
| EMGALITY SOSY 120mg/ml | 3 | QL (2 syringes / 30 days), NM, PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 2 | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | 2 | QL (12 tabs / 30 days) |
| NURTEC TBDP 75mg | 3 | QL (16 tabs / 30 days), PA |
| QULIPTA TABS 10mg, 30mg, 60mg | 3 | QL (30 tabs / 30 days), PA |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | 2 | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | 2 | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | 2 | QL (12 units / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml; SOCT 4mg/0.5ml | 2 | QL (18 injections / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOLN 6mg/0.5ml | 3 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> SOCT 6mg/0.5ml | 2 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | 2 | QL (12 tabs / 30 days) |
| UBRELVY TABS 50mg, 100mg | 3 | QL (16 tabs / 30 days), PA |
| MISCELLANEOUS | | |
| AUSTEDO TABS 6mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AUSTEDO TABS 9mg, 12mg | 5 | QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 6mg | 5 | QL (90 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 12mg | 5 | QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 18mg, 24mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 30mg, 36mg, 42mg, 48mg | 5 | QL (30 tabs / 30 days), NM, PA |
| AUSTEDO XR TAB TITR KIT | 5 | QL (2 packs / year), NM, PA |
| <i>lithium</i> SOLN 8meq/5ml | 2 | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg; TABS 300mg | 1 | |
| <i>lithium carbonate</i> TBCR 300mg, 450mg | 2 | |
| NUDEXTA CAP 20-10MG | 5 | QL (60 caps / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------|------------------|------------------------------------|
| <i>riluzole</i> TABS 50mg | 2 | |
| <i>tetrabenazine</i> TABS 12.5mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | 5 | QL (120 tabs / 30 days), NM, PA |

MULTIPLE SCLEROSIS AGENTS

| | | |
|--|---|---------------------------------------|
| <i>BAFIERTAM</i> CPDR 95mg | 5 | QL (120 caps / 30 days), NM, PA |
| <i>BETASERON</i> KIT .3mg | 5 | QL (14 syringes / 28 days), NM, PA |
| <i>COPAXONE</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>COPAXONE</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>dalfampridine</i> TB12 10mg | 3 | QL (60 tabs / 30 days), NM, PA |
| <i> fingolimod hcl</i> CAPS .5mg | 5 | QL (30 caps / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>glatopa</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatopa</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>KESIMPTA</i> SOAJ 20mg/0.4ml | 5 | QL (16 pens / 365 days), NM, PA |

MUSCULOSKELETAL THERAPY AGENTS

| | | |
|--|---|--|
| <i>baclofen</i> TABS 5mg | 2 | QL (90 tabs / 30 days) |
| <i>baclofen</i> TABS 10mg, 20mg | 2 | |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg | 3 | QL (90 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | 2 | |
| <i>methocarbamol</i> TABS 500mg | 2 | QL (360 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>methocarbamol</i> TABS 750mg | 2 | QL (240 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>tizanidine hcl</i> TABS 2mg, 4mg | 2 | |
| NARCOLEPSY/CATAPLEXY | | |
| <i>armodafinil</i> TABS 50mg | 2 | QL (60 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | 2 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 100mg | 2 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 200mg | 2 | QL (60 tabs / 30 days), PA |
| SODIUM OXYBATE SOLN 500mg/ml | 5 | QL (540 mL / 30 days), NM, PA |
| PSYCHOTHERAPEUTIC-MISC | | |
| <i>acamprosate calcium</i> TBEC 333mg | 2 | |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg | 2 | QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 2 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 2 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 2 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 2 | QL (60 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | QL (90 tabs / 30 days) |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg | 2 | QL (60 tabs / 30 days) |
| <i>disulfiram</i> TABS 250mg, 500mg | 2 | |
| <i>naloxone hcl</i> LIQD 4mg/0.1ml; SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY .4mg/ml, 2mg/2ml | 2 | |
| <i>naltrexone hcl</i> TABS 50mg | 2 | |
| NICOTROL INHALER INHA 10mg | 4 | |
| NICOTROL NS SOLN 10mg/ml | 4 | |
| <i>varenicline tartrate</i> TABS .5mg, 1mg | 2 | QL (56 tabs / 28 days) |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 2 | QL (2 packs / year) |
| VIVITROL SUSR 380mg | 5 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

ENDOCRINE AND METABOLIC

ANDROGENS

| | | |
|---|---|-----------------------------|
| <i>danazol</i> CAPS 50mg, 100mg, 200mg | 2 | |
| <i>depo-testosterone</i> SOLN 100mg/ml, 200mg/ml | 2 | PA |
| <i>methyldosterone</i> CAPS 10mg | 5 | QL (600 caps / 30 days), PA |
| <i>testosterone</i> GEL 1% | 2 | QL (300 gm / 30 days), PA |
| <i>testosterone</i> GEL 1.62% | 3 | QL (150 gm / 30 days), PA |
| <i>testosterone</i> GEL 25mg/2.5gm, 50mg/5gm | 3 | QL (300 gm / 30 days), PA |
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | 2 | PA |
| <i>testosterone enanthate</i> SOLN 200mg/ml | 2 | PA |

ANTIDIABETICS

| | | |
|---|---|-------------------------|
| <i>acarbose</i> TABS 25mg, 50mg, 100mg | 2 | |
| FARXIGA TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| <i>glimepiride</i> TABS 1mg, 2mg | 1 | QL (90 tabs / 30 days) |
| <i>glimepiride</i> TABS 4mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide</i> TABS 5mg | 1 | QL (240 tabs / 30 days) |
| <i>glipizide</i> TABS 10mg | 1 | QL (120 tabs / 30 days) |
| <i>glipizide</i> TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| <i>glipizide</i> TB24 10mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide xl</i> TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| <i>glipizide xl</i> TB24 10mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 1 | QL (120 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 1 | QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | 3 | QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | 3 | QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | 3 | QL (60 tabs / 30 days) |
| JANUMET TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 100-1000 | 3 | QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | 3 | QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg, 25mg | 3 | QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | 3 | QL (30 tabs / 30 days) |
| <i>metformin hcl</i> TABS 500mg | 1 | QL (150 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>metformin hcl</i> TABS 850mg | 1 | QL (90 tabs / 30 days) |
| <i>metformin hcl</i> TABS 1000mg | 1 | QL (75 tabs / 30 days) |
| <i>metformin hcl</i> TB24 500mg | 1 | QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>metformin hcl</i> TB24 750mg | 1 | QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| MOUNJARO SOAJ 2.5mg/0.5ml, 5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml | 3 | QL (4 pens / 28 days), PA |
| <i>nateglinide</i> TABS 60mg, 120mg | 1 | QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SOPN 2mg/1.5ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml | 3 | QL (1 pen / 28 days), PA |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg | 1 | QL (30 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg</i> | 3 | QL (90 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-850 mg</i> | 3 | QL (90 tabs / 30 days) |
| <i>repaglinide</i> TABS 2mg | 1 | QL (240 tabs / 30 days) |
| <i>repaglinide</i> TABS .5mg, 1mg | 1 | QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | 3 | QL (30 tabs / 30 days), PA |
| SYNJARDY TAB 5-500MG | 3 | QL (120 tabs / 30 days) |
| SYNJARDY TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-500 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 10-1000 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 12.5-1000 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 25-1000 | 3 | QL (30 tabs / 30 days) |
| TRADJENTA TABS 5mg | 3 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 10-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5- 1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRULICITY SOAJ .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | 3 | QL (4 pens / 28 days), PA |
| XIGDUO XR TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| XIGDUO XR TAB 10-500MG | 3 | QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | 3 | QL (30 tabs / 30 days) |
| ANTIDIABETICS, INSULINS | | |
| ADMELOG SOLN 100unit/ml | 3 | |
| ADMELOG SOLOSTAR SOPN 100unit/ml | 3 | |
| ALCOHOL SWABS: BD-EMBECTA/MHC/RUGBY | 3 | PA |
| BASAGLAR KWIKPEN SOPN 100unit/ml | 3 | |
| FIASP SOLN 100unit/ml | 3 | |
| FIASP FLEXTOUCH SOPN 100unit/ml | 3 | |
| FIASP PENFILL SOCT 100unit/ml | 3 | |
| FIASP PUMPCART SOCT 100unit/ml | 3 | B/D |
| GAUZE PADS 2" X 2" | 3 | PA |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml | 5 | B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | 5 | |
| INSULIN PEN NEEDLES: BD-EMBECTA | 3 | PA |
| INSULIN SAFETY NEEDLES: BD-EMBECTA | 3 | PA |
| INSULIN SYRINGES: BD-EMBECTA | 3 | PA |
| NOVOLIN INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | 3 | (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLOG MIX INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | 3 | (brand RELION not covered) |
| OMNIPOD 5 DX KIT INT G7G6 | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 DX MIS POD G7G6 | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD 5 G7 KIT INTRO | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 G7 MIS PODS | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD DASH KIT INTRO | 4 | QL (1 kit / year), PA |
| OMNIPOD DASH MIS PODS | 4 | QL (15 pods / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| OMNIPOD GO KIT 10UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 15UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 20UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 25UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 30UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 35UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 40UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD MIS CLASSIC | 4 | QL (15 pods / 30 days), PA |
| SOLIQUA INJ 100/33 | 3 | QL (5 pens / 25 days) |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml | 3 | |
| TOUJEO SOLOSTAR SOPN 300unit/ml | 3 | |
| TRESIBA SOLN 100unit/ml | 3 | |
| TRESIBA FLEXTOUCH SOPN 100unit/ml, 200unit/ml | 3 | |
| XULTOPHY INJ 100/3.6 | 3 | QL (5 pens / 30 days) |
| CALCIUM REGULATORS | | |
| <i>alendronate sodium</i> TABS 10mg, 35mg, 70mg | 1 | |
| <i>calcitonin (salmon) spray</i> SOLN 200unit/act | 2 | B/D |
| <i>ibandronate sodium</i> TABS 150mg | 2 | B/D |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | 3 | B/D |
| <i>pamidronate disodium</i> SOLN 30mg/10ml, 90mg/10ml | 2 | B/D |
| PROLIA SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| TERIPARATIDE SOPN 620mcg/2.48ml | 5 | NM, PA |
| XGEVA SOLN 120mg/1.7ml | 5 | NM, PA |
| <i>zoledronic acid</i> CONC 4mg/5ml; SOLN 5mg/100ml | 2 | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | 5 | |
| <i>deferasirox</i> TABS 90mg; TBSO 125mg | 2 | NM, PA |
| <i>deferasirox</i> TABS 180mg, 360mg | 4 | NM, PA |
| <i>deferasirox</i> TBSO 250mg, 500mg | 5 | NM, PA |
| <i>kionex</i> SUSP 15gm/60ml | 2 | |
| LOKELMA PACK 5gm, 10gm | 3 | |
| <i>penicillamine</i> TABS 250mg | 5 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>sodium polystyrene sulfonate powder</i> | 2 | |
| <i>sps SUSP 15gm/60ml</i> | 2 | |
| <i>trientine hcl CAPS 250mg</i> | 5 | NM, PA |
| CONTRACEPTIVES | | |
| <i>afirmelle</i> | 2 | |
| <i>altavera</i> | 2 | |
| <i>alyacen 1/35</i> | 2 | |
| <i>alyacen 7/7/7</i> | 2 | |
| <i>apri</i> | 2 | |
| <i>aranelle</i> | 2 | |
| <i>aubra eq</i> | 2 | |
| <i>aurovela 1/20</i> | 2 | |
| <i>aurovela fe 1.5/30</i> | 2 | |
| <i>aurovela fe 1/20</i> | 2 | |
| <i>aviane</i> | 2 | |
| <i>ayuna</i> | 2 | |
| <i>azurette</i> | 2 | |
| <i>balziva</i> | 2 | |
| <i>blisovi fe 1.5/30</i> | 2 | |
| <i>briellyn</i> | 2 | |
| <i>camila TABS .35mg</i> | 2 | |
| <i>chateal eq</i> | 2 | |
| <i>cryselle-28</i> | 2 | |
| <i>cyred eq</i> | 2 | |
| <i>dasetta 1/35</i> | 2 | |
| <i>dasetta 7/7/7</i> | 2 | |
| <i>deblitane TABS .35mg</i> | 2 | |
| DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml | 3 | |
| <i>desogest-eth estrad & eth estrad tab 0.15- 0.02/0.01 mg(21/5)</i> | 2 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 2 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 2 | |
| <i>elinest</i> | 2 | |
| <i>eluryng</i> | 2 | |
| <i>emzahh TABS .35mg</i> | 2 | |
| <i>enilloring</i> | 2 | |
| <i>enpresse-28</i> | 2 | |
| <i>enskyce</i> | 2 | |
| <i>errin TABS .35mg</i> | 2 | |
| <i>estarylla</i> | 2 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 2 | |
| <i>etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 2 | |
| <i>falmina</i> | 2 | |
| <i>hailey 1.5/30</i> | 2 | |
| <i>haloette</i> | 2 | |
| <i>heather TABS .35mg</i> | 2 | |
| <i>iclevia</i> | 2 | |
| <i>incassia TABS .35mg</i> | 2 | |
| <i>introvale</i> | 2 | |
| <i>isibloom</i> | 2 | |
| <i>jasmiel</i> | 2 | |
| <i>jolessa</i> | 2 | |
| <i>juleber</i> | 2 | |
| <i>junel 1.5/30</i> | 2 | |
| <i>junel 1/20</i> | 2 | |
| <i>junel fe 1.5/30</i> | 2 | |
| <i>junel fe 1/20</i> | 2 | |
| <i>kariva</i> | 2 | |
| <i>kelnor 1/35</i> | 2 | |
| <i>kelnor 1/50</i> | 2 | |
| <i>kurvelo</i> | 2 | |
| <i>larin 1.5/30</i> | 2 | |
| <i>larin 1/20</i> | 2 | |
| <i>larin fe 1.5/30</i> | 2 | |
| <i>larin fe 1/20</i> | 2 | |
| <i>leena</i> | 2 | |
| <i>lessina</i> | 2 | |
| <i>levonest</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 2 | |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 2 | |
| <i>levora 0.15/30-28</i> | 2 | |
| <i>LILETTA IUD 20.1mcg/day</i> | 3 | NM |
| <i>loestrin 1.5/30-21</i> | 2 | |
| <i>loestrin 1/20-21</i> | 2 | |
| <i>loestrin fe 1.5/30</i> | 2 | |
| <i>loestrin fe 1/20</i> | 2 | |
| <i>loryna</i> | 2 | |
| <i>low-ogestrel</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>luter</i> | 2 | |
| <i>lyleq</i> TABS .35mg | 2 | |
| <i>lyza</i> TABS .35mg | 2 | |
| <i>marlissa</i> | 2 | |
| <i>medroxyprogesterone acetate</i> (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml | 2 | |
| <i>microgestin 1.5/30</i> | 2 | |
| <i>microgestin 1/20</i> | 2 | |
| <i>microgestin fe 1.5/30</i> | 2 | |
| <i>microgestin fe 1/20</i> | 2 | |
| <i>mili</i> | 2 | |
| <i>mono-linyah</i> | 2 | |
| <i>necon 0.5/35-28</i> | 2 | |
| NEXPLANON IMPL 68mg | 3 | NM |
| <i>nikki</i> | 2 | |
| <i>nora-be</i> TABS .35mg | 2 | |
| <i>norelgestromin-ethinyl estradiol td ptwk</i> 150-35 mcg/24hr | 2 | |
| <i>norethindrone (contraceptive)</i> TABS .35mg | 2 | |
| <i>norethindrone ac-ethinyl estrad-fe tab 1-</i> 20/1-30/1-35 mg-mcg | 2 | |
| <i>norethindrone ace & ethinyl estradiol tab 1</i> mg-20 mcg | 2 | |
| <i>norethindrone ace & ethinyl estradiol tab</i> 1.5 mg-30 mcg | 2 | |
| <i>norethindrone ace & ethinyl estradiol-fe</i> tab 1 mg-20 mcg | 2 | |
| <i>norgestimate & ethinyl estradiol tab 0.25</i> mg-35 mcg | 2 | |
| <i>norgestimate-eth estrad tab 0.18-</i> 25/0.215-25/0.25-25 mg-mcg | 2 | |
| <i>norgestimate-eth estrad tab 0.18-</i> 35/0.215-35/0.25-35 mg-mcg | 2 | |
| <i>norlyroc</i> TABS .35mg | 2 | |
| <i>nortrel 0.5/35 (28)</i> | 2 | |
| <i>nortrel 1/35 (21)</i> | 2 | |
| <i>nortrel 1/35 (28)</i> | 2 | |
| <i>nortrel 7/7/7</i> | 2 | |
| <i>nylia 1/35</i> | 2 | |
| <i>nylia 7/7/7</i> | 2 | |
| <i>nymyo</i> | 2 | |
| <i>ocella</i> | 2 | |
| <i>philith</i> | 2 | |
| <i>pimtrea</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>portia-28</i> | 2 | |
| <i>reclipsen</i> | 2 | |
| <i>setlakin</i> | 2 | |
| <i>sharobel</i> TABS .35mg | 2 | |
| <i>simliya</i> | 2 | |
| <i>sprintec 28</i> | 2 | |
| <i>sronyx</i> | 2 | |
| <i>syeda</i> | 2 | |
| <i>tarina fe 1/20 eq</i> | 2 | |
| <i>tilia fe</i> | 2 | |
| <i>tri-estarylla</i> | 2 | |
| <i>tri-legest fe</i> | 2 | |
| <i>tri-linyah</i> | 2 | |
| <i>tri-lo-estarylla</i> | 2 | |
| <i>tri-lo-marzia</i> | 2 | |
| <i>tri-lo-mili</i> | 2 | |
| <i>tri-lo-sprintec</i> | 2 | |
| <i>tri-mili</i> | 2 | |
| <i>tri-nymyo</i> | 2 | |
| <i>tri-sprintec</i> | 2 | |
| <i>tri-vylibra</i> | 2 | |
| <i>tri-vylibra lo</i> | 2 | |
| <i>trivora-28</i> | 2 | |
| <i>turqoz</i> | 2 | |
| <i>velivet</i> | 2 | |
| <i>vestura</i> | 2 | |
| <i>vienva</i> | 2 | |
| <i>viorele</i> | 2 | |
| <i>vyfemla</i> | 2 | |
| <i>vylibra</i> | 2 | |
| <i>wera</i> | 2 | |
| <i>xulane</i> | 2 | |
| <i>zafemy</i> | 2 | |
| <i>zovia 1/35</i> | 2 | |
| <i>zumandimine</i> | 2 | |
| ESTROGENS | | |
| <i>dotti</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr | 3 | |
| <i>estradiol</i> TABS .5mg, 1mg, 2mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 3 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 3 | |
| <i>estradiol vaginal</i> CREA .1mg/gm; TABS 10mcg | 2 | |
| <i>estradiol valerate</i> OIL 10mg/ml, 20mg/ml, 40mg/ml | 2 | |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 3 | |
| <i>fyavolv tab 1mg-5mcg</i> | 3 | |
| <i>jinteli</i> | 3 | |
| <i>lyllana</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>mimvey</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 3 | |
| PREMARIN CREA .625mg/gm; TABS .3mg, .45mg, .625mg, .9mg, 1.25mg | 3 | |
| <i>yuvaferm</i> TABS 10mcg | 2 | |
| GLUCOCORTICOIDS | | |
| <i>dexamethasone</i> ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg | 2 | |
| DEXAMETHASONE INTENSOL CONC 1mg/ml | 4 | |
| <i>dexamethasone sodium phosphate</i> SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml; SOSY 4mg/ml | 2 | |
| <i>fludrocortisone acetate</i> TABS .1mg | 2 | |
| <i>hydrocortisone</i> TABS 5mg, 10mg, 20mg | 2 | |
| <i>methylprednisolone</i> TABS 4mg, 8mg, 16mg, 32mg | 2 | B/D |
| <i>methylprednisolone</i> TBPK 4mg | 2 | |
| <i>methylprednisolone acetate</i> SUSP 40mg/ml, 80mg/ml | 2 | B/D |
| <i>methylprednisolone sod succ</i> SOLR 40mg, 125mg, 1000mg | 2 | B/D |
| <i>prednisolone</i> SOLN 15mg/5ml | 2 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 5mg/5ml, 15mg/5ml, 25mg/5ml | 2 | B/D |
| <i>prednisone</i> SOLN 5mg/5ml | 2 | B/D |
| <i>prednisone</i> TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg | 1 | B/D |
| <i>prednisone</i> TBPK 5mg, 10mg | 2 | |
| PREDNISONE INTENSOL CONC 5mg/ml | 4 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| SOLU-CORTEF SOLR 100mg, 250mg, 500mg, 1000mg | 4 | |
| GLUCOSE ELEVATING AGENTS | | |
| <i>diazoxide</i> SUSP 50mg/ml | 5 | |
| ZEGALOGUE SOAJ .6mg/0.6ml; SOSY .6mg/0.6ml | 3 | |
| MISCELLANEOUS | | |
| ALDURAZYME SOLN 2.9mg/5ml | 5 | NM, PA |
| <i>betaine powder for oral solution</i> | 5 | NM |
| <i>cabergoline</i> TABS .5mg | 2 | |
| <i>carglumic acid</i> TBSO 200mg | 5 | NM, PA |
| CERDELGA CAPS 84mg | 5 | NM, PA |
| CEREZYME SOLR 400unit | 5 | NM, PA |
| <i>cinacalcet hcl</i> TABS 30mg, 60mg | 2 | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | 5 | B/D, QL (120 tabs / 30 days), NM |
| CYSTAGON CAPS 50mg, 150mg | 4 | NM, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | 5 | |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | 2 | |
| <i>desmopressin acetate spray</i> SOLN .01% | 2 | |
| <i>desmopressin acetate spray refrigerated</i> SOLN .01% | 2 | |
| FABRAZYME SOLR 5mg, 35mg | 5 | NM, PA |
| GENOTROPIN CART 5mg, 12mg | 5 | NM, PA |
| GENOTROPIN MINIQUICK PRSY .2mg | 3 | NM, PA |
| GENOTROPIN MINIQUICK PRSY .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | 5 | NM, PA |
| INCRELEX SOLN 40mg/4ml | 5 | NM, PA |
| <i>javygtor</i> PACK 100mg, 500mg; TABS 100mg | 5 | NM, PA |
| <i>lanreotide acetate</i> SOLN 120mg/0.5ml | 5 | NM, PA |
| <i>levocarnitine (metabolic modifiers)</i> SOLN 1gm/10ml; TABS 330mg | 2 | B/D |
| LUMIZYME SOLR 50mg | 5 | NM, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg | 5 | NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg | 5 | NM, PA |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg | 5 | NM, PA |
| <i>mifepristone (hyperglycemia)</i> TABS 300mg | 5 | NM, PA |
| NAGLAZYME SOLN 1mg/ml | 5 | NM, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg | 5 | NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml; SOSY 50mcg/ml, 100mcg/ml | 2 | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml; SOSY 500mcg/ml | 5 | NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | 2 | |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | 5 | NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | 5 | NM, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | 5 | NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml, 120mg/0.5ml | 5 | NM, PA |
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | 5 | NM, PA |
| SYNAREL SOLN 2mg/ml | 5 | PA |
| VEOZAH TABS 45mg | 4 | PA |

PROGESTINS

| | | |
|--|---|----|
| <i>medroxyprogesterone acetate</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>megestrol acetate</i> SUSP 40mg/ml | 3 | |
| <i>megestrol acetate (appetite)</i> SUSP 625mg/5ml | 4 | PA |
| <i>norethindrone acetate</i> TABS 5mg | 2 | |
| <i>progesterone</i> CAPS 100mg, 200mg | 2 | |

THYROID AGENTS

| | | |
|---|---|--|
| <i>euthyrox</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| <i>levothyroxine sodium</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg, 50mcg | 2 | |
| <i>methimazole</i> TABS 5mg, 10mg | 1 | |
| <i>propylthiouracil</i> TABS 50mg | 2 | |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SYNTHROID TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 4 | |
| <i>unithroid</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |

VITAMIN D ANALOGS

| | | |
|---|---|-----|
| <i>calcitriol</i> CAPS .25mcg, .5mcg | 2 | B/D |
| <i>calcitriol (oral)</i> SOLN 1mcg/ml | 2 | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | 2 | B/D |

GASTROINTESTINAL

ANTIEMETICS

| | | |
|--|---|---|
| <i>aprepitant</i> CAPS 40mg, 80mg, 125mg | 2 | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 2 | B/D |
| <i>compro</i> SUPP 25mg | 2 | |
| <i>dronabinol</i> CAPS 2.5mg, 5mg, 10mg | 2 | B/D, QL (60 caps / 30 days) |
| <i>granisetron hcl</i> SOLN 1mg/ml, 4mg/4ml | 2 | |
| <i>granisetron hcl</i> TABS 1mg | 2 | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | 2 | |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml | 2 | |
| <i>metoclopramide hcl</i> TABS 5mg, 10mg | 1 | |
| <i>ondansetron</i> TBP 4mg, 8mg | 2 | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml; SOSY 4mg/2ml | 2 | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml; TABS 4mg, 8mg | 2 | B/D |
| <i>prochlorperazine</i> SUPP 25mg | 2 | |
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | 2 | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | 2 | |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml; TABS 12.5mg, 25mg, 50mg | 2 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>promethazine hcl</i> SOLN 25mg/ml, 50mg/ml | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>scopolamine</i> PT72 1mg/3days | 4 | QL (10 patches / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| ANTISPASMODICS | | |
| <i>dicyclomine hcl</i> CAPS 10mg; TABS 20mg | 3 | |
| <i>dicyclomine hcl</i> SOLN 10mg/5ml | 4 | |
| <i>glycopyrrolate</i> TABS 1mg | 2 | QL (90 tabs / 30 days) |
| <i>glycopyrrolate</i> TABS 2mg | 2 | QL (120 tabs / 30 days) |
| H2-RECEPTOR ANTAGONISTS | | |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml; SUSR 40mg/5ml | 2 | |
| <i>famotidine</i> TABS 20mg, 40mg | 1 | |
| <i>famotidine in nacl 0.9% iv soln</i> 20 mg/50ml | 2 | |
| <i>nizatidine</i> CAPS 150mg, 300mg | 2 | |
| INFLAMMATORY BOWEL DISEASE | | |
| <i>balsalazide disodium</i> CAPS 750mg | 3 | |
| <i>budesonide</i> CPEP 3mg | 3 | QL (90 caps / 30 days), PA |
| <i>budesonide</i> TB24 9mg | 5 | QL (30 tabs / 30 days), PA |
| <i>hydrocortisone (intrarectal)</i> ENEM 100mg/60ml | 2 | |
| <i>mesalamine</i> CP24 .375gm | 3 | QL (120 caps / 30 days) |
| <i>mesalamine</i> CPDR 400mg | 3 | QL (180 caps / 30 days) |
| <i>mesalamine</i> ENEM 4gm | 3 | QL (1680 mL / 28 days) |
| <i>mesalamine</i> SUPP 1000mg | 3 | QL (30 suppositories / 30 days) |
| <i>mesalamine</i> TBEC 1.2gm | 3 | QL (120 tabs / 30 days) |
| <i>mesalamine w/ cleanser</i> KIT 4gm | 2 | QL (28 bottles / 28 days) |
| <i>sulfasalazine</i> TABS 500mg; TBEC 500mg | 2 | |
| LAXATIVES | | |
| <i>constulose</i> SOLN 10gm/15ml | 2 | |
| <i>enulose</i> SOLN 10gm/15ml | 2 | |
| <i>gavilyte-c</i> | 1 | |
| <i>gavilyte-g</i> | 1 | |
| <i>gavilyte-n/flavor pack</i> | 1 | |
| <i>generlac</i> SOLN 10gm/15ml | 2 | |
| <i>lactulose</i> SOLN 10gm/15ml | 2 | |
| <i>lactulose (encephalopathy)</i> SOLN 10gm/15ml | 2 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln</i> 236 gm | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 1 | |
| PLENVU SOL | 4 | |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | 2 | |
| MISCELLANEOUS | | |
| <i>alose tron hcl TABS 1mg</i> | 5 | QL (60 tabs / 30 days), PA |
| <i>alose tron hcl TABS .5mg</i> | 2 | QL (60 tabs / 30 days), PA |
| CREON CAP 3000UNIT | 3 | |
| CREON CAP 6000UNIT | 3 | |
| CREON CAP 12000UNT | 3 | |
| CREON CAP 24000UNT | 3 | |
| CREON CAP 36000UNT | 3 | |
| <i>cromolyn sodium (mastocytosis) CONC 100mg/5ml</i> | 3 | |
| <i>diphenoxylate w/ atropine liq 2.5-0.025 mg/5ml</i> | 4 | |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg</i> | 3 | |
| GATTEX KIT 5mg | 5 | NM, PA |
| LINZESS CAPS 72mcg, 145mcg, 290mcg | 3 | QL (30 caps / 30 days) |
| <i>loperamide hcl CAPS 2mg</i> | 2 | |
| <i>misoprostol TABS 100mcg, 200mcg</i> | 2 | |
| MOVANTIK TABS 12.5mg, 25mg | 3 | QL (30 tabs / 30 days) |
| RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml | 5 | QL (28 syringes / 28 days), PA |
| <i>sucralfate TABS 1gm</i> | 2 | |
| <i>ursodiol CAPS 300mg; TABS 250mg, 500mg</i> | 3 | |
| VOWST CAP | 5 | QL (12 caps / 30 days), NM, PA |
| XERMELO TABS 250mg | 5 | QL (84 tabs / 28 days), NM, PA |
| XIFAXAN TABS 550mg | 5 | PA |
| ZENPEP CAP 3000UNIT | 4 | |
| ZENPEP CAP 5000UNIT | 4 | |
| ZENPEP CAP 10000UNT | 4 | |
| ZENPEP CAP 15000UNT | 4 | |
| ZENPEP CAP 20000UNT | 4 | |
| ZENPEP CAP 25000UNT | 4 | |
| ZENPEP CAP 40000UNT | 4 | |
| ZENPEP CAP 60000UNT | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PROTON PUMP INHIBITORS | | |
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg | 2 | QL (30 caps / 30 days), ST |
| <i>lansoprazole</i> CPDR 15mg, 30mg | 2 | QL (60 caps / 30 days) |
| <i>omeprazole</i> CPDR 10mg, 20mg, 40mg | 1 | |
| <i>pantoprazole sodium</i> SOLR 40mg | 2 | |
| <i>pantoprazole sodium</i> TBEC 20mg, 40mg | 1 | |
| GENITOURINARY | | |
| BENIGN PROSTATIC HYPERPLASIA | | |
| <i>alfuzosin hcl</i> TB24 10mg | 1 | QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | 2 | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | 2 | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | 1 | QL (30 tabs / 30 days) |
| <i>tadalafil</i> TABS 5mg | 2 | QL (30 tabs / 30 days), PA |
| <i>tamsulosin hcl</i> CAPS .4mg | 1 | QL (60 caps / 30 days) |
| MISCELLANEOUS | | |
| <i>acetic acid</i> SOLN .25% | 2 | |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | 2 | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | 2 | |
| URINARY ANTISPASMODICS | | |
| MYRBETRIQ SRER 8mg/ml | 4 | QL (300 mL / 28 days) |
| MYRBETRIQ TB24 25mg, 50mg | 4 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> SOLN 5mg/5ml | 2 | QL (600 mL / 30 days) |
| <i>oxybutynin chloride</i> TABS 5mg | 2 | QL (120 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 5mg | 2 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 10mg, 15mg | 2 | QL (60 tabs / 30 days) |
| <i>solifenacin succinate</i> TABS 5mg, 10mg | 2 | QL (30 tabs / 30 days) |
| <i>tolterodine tartrate</i> CP24 2mg, 4mg | 3 | QL (30 caps / 30 days), ST |
| <i>tolterodine tartrate</i> TABS 1mg, 2mg | 2 | QL (60 tabs / 30 days) |
| <i>trospium chloride</i> TABS 20mg | 2 | QL (60 tabs / 30 days) |
| VAGINAL ANTI-INFECTIVES | | |
| <i>clindamycin phosphate vaginal</i> CREA 2% | 2 | |
| <i>metronidazole vaginal</i> GEL .75% | 2 | |
| <i>terconazole vaginal</i> CREA .4%, .8%; SUPP 80mg | 2 | |
| HEMATOLOGIC | | |
| ANTICOAGULANTS | | |
| <i>dabigatran etexilate mesylate</i> CAPS 75mg, 150mg | 4 | QL (60 caps / 30 days) |
| <i>dabigatran etexilate mesylate</i> CAPS 110mg | 4 | QL (120 caps / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| ELIQUIS TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| ELIQUIS TABS 5mg | 3 | QL (74 tabs / 30 days) |
| ELIQUIS STARTER PACK TBPK 5mg | 3 | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium</i> SOLN 300mg/3ml; SOSY 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml | 4 | |
| <i>fondaparinux sodium</i> SOLN 2.5mg/0.5ml | 2 | |
| <i>fondaparinux sodium</i> SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml | 5 | |
| HEP SOD/NAACL INJ 25000UNT | 3 | |
| <i>heparin sodium (porcine)</i> SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml | 2 | B/D |
| <i>jantoven</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| <i>warfarin sodium</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| XARELTO SUSR 1mg/ml | 3 | QL (620 mL / 30 days) |
| XARELTO TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| XARELTO TABS 10mg, 15mg, 20mg | 3 | QL (30 tabs / 30 days) |
| XARELTO STAR TAB 15/20MG | 3 | QL (51 tabs / 30 days) |
| HEMATOPOIETIC GROWTH FACTORS | | |
| FULPHILA SOSY 6mg/0.6ml | 5 | QL (2 syringes / 28 days), NM, PA |
| PROCRIT SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | 3 | NM, PA |
| PROCRIT SOLN 20000unit/ml, 40000unit/ml | 5 | NM, PA |
| ZARXIO SOSY 300mcg/0.5ml, 480mcg/0.8ml | 5 | NM, PA |
| MISCELLANEOUS | | |
| ALVAIZ TABS 9mg, 54mg | 5 | QL (60 tabs / 30 days), NM, PA |
| ALVAIZ TABS 18mg, 36mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | 2 | |
| BERINERT KIT 500unit | 5 | QL (24 boxes / 30 days), NM, PA |
| <i>cilostazol</i> TABS 50mg, 100mg | 1 | |
| DOPTELET TABS 20mg | 5 | NM, PA |
| DROXIA CAPS 200mg, 300mg, 400mg | 3 | |
| HAEGARDA SOLR 2000unit | 5 | QL (30 vials / 30 days), NM, PA |
| HAEGARDA SOLR 3000unit | 5 | QL (20 vials / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>icatibant acetate</i> SOSY 30mg/3ml | 5 | QL (9 syringes / 30 days), NM, PA |
| <i>l-glutamine (sickle cell)</i> PACK 5gm | 5 | NM, PA |
| <i>pentoxifylline</i> TBCR 400mg | 1 | |
| <i>sajazir</i> SOSY 30mg/3ml | 5 | QL (9 syringes / 30 days), NM, PA |
| TAVNEOS CAPS 10mg | 5 | QL (180 caps / 30 days), NM, PA |
| <i>tranexamic acid</i> SOLN 1000mg/10ml; TABS 650mg | 2 | |

PLATELET AGGREGATION INHIBITORS

| | | |
|---|---|--------------------------------------|
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 3 | |
| BRILINTA TABS 60mg, 90mg | 3 | |
| <i>clopidogrel bisulfate</i> TABS 75mg | 1 | |
| <i>dipyridamole</i> TABS 25mg, 50mg, 75mg | 3 | PA; PA applies if 70 years and older |
| <i>prasugrel hcl</i> TABS 5mg, 10mg | 2 | |

IMMUNOLOGIC AGENTS

AUTOIMMUNE AGENTS

| | | |
|---|---|-------------------------------------|
| ADALIMUMAB-AACF (2 PEN) AJKT 40mg/0.8ml | 5 | QL (56 pens / 365 days), NM, PA |
| ADALIMUMAB-AACF (2 SYRING PSKT 40mg/0.8ml | 5 | QL (56 syringes / 365 days), NM, PA |
| COSENTYX SOLN 125mg/5ml | 5 | NM, PA |
| COSENTYX SOSY 75mg/0.5ml | 5 | QL (16 syringes / 365 days), NM, PA |
| COSENTYX SOSY 150mg/ml | 5 | QL (32 syringes / 365 days), NM, PA |
| COSENTYX SENSOREADY PEN SOAJ 150mg/ml | 5 | QL (32 pens / 365 days), NM, PA |
| COSENTYX UNOREADY SOAJ 300mg/2ml | 5 | QL (16 pens / 365 days), NM, PA |
| DUPIXENT SOAJ 200mg/1.14ml, 300mg/2ml | 5 | QL (4 pens / 28 days), NM, PA |
| DUPIXENT SOSY 100mg/0.67ml | 5 | NM, PA |
| DUPIXENT SOSY 200mg/1.14ml, 300mg/2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| ENBREL SOLN 25mg/0.5ml | 5 | QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | 5 | QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | 5 | QL (8 cartridges / 28 days), NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| ENBREL SURECLICK SOAJ 50mg/ml | 5 | QL (8 pens / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml | 5 | QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 20mg/0.2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEN AJKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN AJKT 80mg/0.8ml | 5 | QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN KIT PS/UV | 5 | QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-CD/UC/HS START AJKT 80mg/0.8ml | 5 | QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-PEDIATRIC UC S AJKT 80mg/0.8ml | 5 | QL (4 pens / 28 days), NM, PA |
| IDACIO (2 PEN) AJKT 40mg/0.8ml | 5 | QL (56 pens / 365 days), NM, PA |
| IDACIO (2 SYRINGE) PSKT 40mg/0.8ml | 5 | QL (56 syringes / 365 days), NM, PA |
| IDACIO CROHN INJ DISEASE AJKT 40mg/0.8ml | 5 | QL (2 packs / year), NM, PA |
| IDACIO PLAQU INJ PSORIASIS AJKT 40mg/0.8ml | 5 | QL (2 packs / year), NM, PA |
| INFLIXIMAB SOLR 100mg | 5 | NM, PA |
| REMICADE SOLR 100mg | 5 | NM, PA |
| RENFLIXIS SOLR 100mg | 5 | NM, PA |
| RINVOQ TB24 15mg, 30mg | 5 | QL (30 tabs / 30 days), NM, PA |
| RINVOQ TB24 45mg | 5 | QL (168 tabs / year), NM, PA |
| RINVOQ LQ SOLN 1mg/ml | 5 | QL (360 mL / 30 days), NM, PA |
| SKYRIZI SOCT 180mg/1.2ml, 360mg/2.4ml | 5 | QL (1 cartridge / 56 days), NM, PA |
| SKYRIZI SOLN 600mg/10ml | 5 | NM, PA |
| SKYRIZI SOSY 150mg/ml | 5 | QL (6 syringes / 365 days), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | 5 | QL (6 pens / 365 days), NM, PA |
| SOTYKTU TABS 6mg | 5 | QL (30 tabs / 30 days), NM, PA |
| STELARA SOLN 45mg/0.5ml | 5 | QL (1 vial / 28 days), NM, PA |
| STELARA SOLN 130mg/26ml | 5 | NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| STELARA SOSY 45mg/0.5ml, 90mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| TREMFYA SOAJ 100mg/ml | 5 | QL (1 pen / 28 days), NM, PA |
| TREMFYA SOSY 100mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| TYENNE SOAJ 162mg/0.9ml | 5 | QL (4 pens / 28 days), NM, PA |
| TYENNE SOLN 80mg/4ml, 200mg/10ml, 400mg/20ml | 5 | NM, PA |
| TYENNE SOSY 162mg/0.9ml | 5 | QL (4 syringes / 28 days), NM, PA |
| VELSIPITY TABS 2mg | 5 | QL (30 tabs / 30 days), NM, PA |
| XELJANZ SOLN 1mg/ml | 5 | QL (480 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | 5 | QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | 5 | QL (30 tabs / 30 days), NM, PA |

DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDS)

| | | |
|--|---|------------------------|
| <i>hydroxychloroquine sulfate</i> TABS 200mg | 2 | |
| JYLAMVO SOLN 2mg/ml | 4 | B/D |
| <i>leflunomide</i> TABS 10mg, 20mg | 3 | QL (30 tabs / 30 days) |
| <i>methotrexate sodium</i> TABS 2.5mg | 2 | |
| XATMEP SOLN 2.5mg/ml | 4 | B/D |

IMMUNOGLOBULINS

| | | |
|--|---|---------|
| ALYGLO SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | PA |
| BIVIGAM SOLN 5gm/50ml, 10% | 5 | NM, PA |
| FLEBOGAMMA DIF SOLN 5gm/100ml, 10gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMASTAN INJ | 4 | B/D, NM |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | 5 | NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |
| IMMUNOMODULATORS | | |
| ACTIMMUNE SOLN 100mcg/0.5ml | 5 | NM, PA |
| ARCALYST SOLR 220mg | 5 | NM, PA |
| IMMUNOSUPPRESSANTS | | |
| ASTAGRAF XL CP24 5mg | 5 | B/D, NM |
| ASTAGRAF XL CP24 .5mg, 1mg | 4 | B/D, NM |
| <i>azathioprine</i> TABS 50mg | 2 | B/D |
| BENLYSTA SOAJ 200mg/ml; SOSY 200mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| BENLYSTA SOLR 120mg, 400mg | 5 | NM, PA |
| <i>cyclosporine</i> CAPS 25mg, 100mg | 2 | B/D, NM |
| <i>cyclosporine modified (for microemulsion)</i> CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml | 2 | B/D, NM |
| <i>everolimus (immunosuppressant)</i> TABS .25mg, .5mg, .75mg, 1mg | 5 | B/D, NM |
| <i>gengraf</i> CAPS 25mg, 100mg; SOLN 100mg/ml | 2 | B/D, NM |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg | 2 | B/D, NM |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml | 5 | B/D, NM |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg | 3 | B/D, NM |
| NULOJIX SOLR 250mg | 5 | B/D, NM |
| PROGRAF PACK .2mg, 1mg | 4 | B/D, NM |
| REZUROCK TABS 200mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>sirolimus</i> SOLN 1mg/ml | 5 | B/D, NM |
| <i>sirolimus</i> TABS .5mg, 1mg, 2mg | 3 | B/D, NM |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg | 2 | B/D, NM |
| VACCINES | | |
| ABRYSVO SOLR 120mcg/0.5ml | 1 | |
| ACTHIB INJ | 1 | |
| ADACEL INJ | 1 | |
| AREXVY SUSR 120mcg/0.5ml | 1 | |
| BCG VACCINE SOLR 50mg | 1 | |
| BEXSERO INJ | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| BOOSTRIX INJ | 1 | |
| DAPTACEL INJ | 1 | |
| DENGVAIXIA SUS | 1 | |
| DIP/TET PED INJ 25-5LFU | 1 | B/D |
| ENGERIX-B SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml | 1 | B/D |
| GARDASIL 9 INJ | 1 | |
| HAVRIX SUSP 720elu/0.5ml, 1440elu/ml | 1 | |
| HEPLISAV-B SOSY 20mcg/0.5ml | 1 | B/D |
| HIBERIX SOLR 10mcg | 1 | |
| IMOVAX RABIES (H.D.C.V.) SUSR 2.5unit/ml | 1 | B/D |
| INFANRIX INJ | 1 | |
| IPOL INJ INACTIVE | 1 | |
| IXCHIQ INJ | 1 | |
| IXIARO INJ | 1 | |
| JYNNEOS SUSP .5ml | 1 | B/D |
| KINRIX INJ | 1 | |
| M-M-R II INJ | 1 | |
| MENACTRA INJ | 1 | |
| MENQUADFI INJ | 1 | |
| MENVEO INJ | 1 | |
| MENVEO SOL | 1 | |
| MRESVIA SUSY 50mcg/0.5ml | 1 | |
| PEDIARIX INJ 0.5ML | 1 | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | 1 | |
| PENBRAYA INJ | 1 | |
| PENTACEL INJ | 1 | |
| PREHEVBRIO SUSP 10mcg/ml | 1 | B/D |
| PRIORIX INJ | 1 | |
| PROQUAD INJ | 1 | |
| QUADRACEL INJ | 1 | |
| QUADRACEL INJ 0.5ML | 1 | |
| RABAVERT INJ | 1 | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml, 10mcg/ml | 1 | B/D |
| ROTARIX SUS | 1 | |
| ROTATEQ SOL | 1 | |
| SHINGRIX SUSR 50mcg/0.5ml | 1 | QL (2 vials per lifetime) |
| TDVAX INJ 2-2 LF | 1 | B/D |
| TENIVAC INJ 5-2LF | 1 | B/D |
| TICOVAC SUSY 1.2mcg/0.25ml, 2.4mcg/0.5ml | 1 | |
| TRUMENBA INJ | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TWINRIX INJ | 1 | |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY 25mcg/0.5ml | 1 | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml | 1 | |
| VARIVAX SUSR 1350pfu/0.5ml | 1 | |
| YF-VAX INJ | 1 | |

NUTRITIONAL/SUPPLEMENTS

ELECTROLYTES/MINERALS, INJECTABLE

| | | |
|---|---|--|
| D2.5W/NACL INJ 0.45% | 4 | |
| D10W/NACL INJ 0.2% | 3 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 2 | |
| <i>dextrose 5% in lactated ringers</i> | 2 | |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | 2 | |
| <i>dextrose 5% w/ sodium chloride 0.3%</i> | 2 | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 2 | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | 2 | |
| <i>dextrose 5% w/ sodium chloride 0.225%</i> | 2 | |
| <i>dextrose 10% w/ sodium chloride 0.45%</i> | 2 | |
| ISOLYTE-P INJ /D5W | 4 | |
| ISOLYTE-S INJ PH 7.4 | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 2 | |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 2 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 2 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj</i> | 2 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 2 | |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | 2 | |
| KCL/D5W/NACL INJ 0.3/0.9% | 4 | |
| <i>lactated ringer's solution</i> | 2 | |
| MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml | 3 | |
| <i>magnesium sulfate SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50%</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | 3 | |
| <i>multiple electrolytes ph 5.5</i> | 2 | |
| <i>multiple electrolytes ph 7.4</i> | 2 | |
| POT CHL 20MEQ/L IN NAACL 0.9% INJ | 4 | |
| POT CHL 20MEQ/L IN NAACL 0.45% INJ | 4 | |
| POT CHL 40MEQ/L IN NAACL 0.9% INJ | 4 | |
| <i>potassium chloride SOLN 2meq/ml, 10meq/100ml, 10meq/50ml, 20meq/100ml, 20meq/50ml, 40meq/100ml</i> | 2 | |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 2 | |
| <i>sodium chloride SOLN .45%, .9%, 2.5meq/ml, 3%, 5%</i> | 2 | |
| TPN ELECTROL INJ | 4 | B/D |
| <i>ELECTROLYTES/MINERALS/VITAMINS, ORAL</i> | | |
| <i>klor-con PACK 20meq</i> | 2 | |
| <i>klor-con 8 TBCR 8meq</i> | 1 | |
| <i>klor-con 10 TBCR 10meq</i> | 1 | |
| <i>klor-con m10 TBCR 10meq</i> | 1 | |
| <i>klor-con m15 TBCR 15meq</i> | 2 | |
| <i>klor-con m20 TBCR 20meq</i> | 1 | |
| M-NATAL PLUS TAB | 3 | |
| <i>potassium chloride CPCR 8meq, 10meq; PACK 20meq; SOLN 10%, 20%</i> | 2 | |
| <i>potassium chloride TBCR 8meq, 10meq, 20meq</i> | 1 | |
| <i>potassium chloride microencapsulated crystals er TBCR 10meq, 20meq</i> | 1 | |
| <i>potassium chloride microencapsulated crystals er TBCR 15meq</i> | 2 | |
| PRENATAL TAB 27-1MG | 3 | |
| PRENATAL TAB PLUS | 3 | |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f) mg/ml soln</i> | 2 | |
| WESTAB PLUS TAB 27-1MG | 3 | |
| <i>IV NUTRITION</i> | | |
| CLINIMIX INJ 4.25/D5W | 4 | B/D |
| CLINIMIX INJ 4.25/D10 | 4 | B/D |
| CLINIMIX INJ 5%/D15W | 4 | B/D |
| CLINIMIX INJ 5%/D20W | 4 | B/D |
| CLINIMIX INJ 6/5 | 4 | B/D |
| CLINIMIX INJ 8/10 | 4 | B/D |
| CLINIMIX INJ 8/14 | 4 | B/D |
| <i>clinisol sf 15%</i> | 2 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLINOLIPID EMU 20% | 4 | B/D |
| <i>dextrose</i> SOLN 5%, 10% | 2 | |
| <i>dextrose</i> SOLN 50%, 70% | 2 | B/D |
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | 4 | B/D |
| NUTRILIPID EMUL 20gm/100ml | 4 | B/D |
| <i>plenamine</i> | 2 | B/D |
| PREMASOL SOL 10% | 5 | B/D |
| PROSOL INJ 20% | 4 | B/D |
| TRAVASOL INJ 10% | 4 | B/D |
| TROPHAMINE INJ 10% | 4 | B/D |

OPHTHALMIC

ANTI-INFECTIVE/ANTI-INFLAMMATORY

| | | |
|--|---|--|
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 2 | |
| <i>neo-polycin hc ophth oint 1%</i> | 2 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 1 | |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-hc ophth susp</i> | 2 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | |
| TOBRADEX OIN 0.3-0.1% | 3 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 2 | |
| ZYLET SUS 0.5-0.3% | 3 | |

ANTI-INFECTIVES

| | | |
|---|---|----------------------|
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | 2 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 1 | |
| BESIVANCE SUSP .6% | 3 | |
| CILOXAN OINT .3% | 3 | |
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i> | 1 | |
| <i>erythromycin (ophth) OINT 5mg/gm</i> | 1 | |
| <i>gatifloxacin (ophth) SOLN .5%</i> | 2 | |
| <i>gentamicin sulfate (ophth) SOLN .3%</i> | 1 | |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i> | 2 | QL (12 mL / 30 days) |
| <i>neo-polycin 5(3.5)mg-400unt-10000unt op oin</i> | 2 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 2 | |
| <i>neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml</i> | 2 | |
| <i>ofloxacin (ophth) SOLN .3%</i> | 2 | |
| <i>polycin ophth oint</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>polymyxin b-trimethoprim ophth soln</i> 10000 unit/ml-0.1% | 1 | |
| <i>sulfacetamide sodium (ophth)</i> OINT 10%; SOLN 10% | 2 | |
| <i>tobramycin (ophth)</i> SOLN .3% | 1 | |
| <i>trifluridine</i> SOLN 1% | 2 | |
| XDEMVY SOLN .25% | 5 | NM, PA |
| ZIRGAN GEL .15% | 4 | |

ANTI-INFLAMMATORIES

| | | |
|---|---|--|
| <i>bromfenac sodium (ophth)</i> SOLN .07%, .075% | 2 | |
| <i>dexamethasone sodium phosphate (ophth)</i> SOLN .1% | 2 | |
| <i>diclofenac sodium (ophth)</i> SOLN .1% | 2 | |
| FLAREX SUSP .1% | 4 | |
| <i>fluorometholone (ophth)</i> SUSP .1% | 2 | |
| <i>flurbiprofen sodium</i> SOLN .03% | 2 | |
| <i>ketorolac tromethamine (ophth)</i> SOLN .4%, .5% | 2 | |
| LOTEMAX OINT .5% | 3 | |
| <i>loteprednol etabonate</i> SUSP .2% | 2 | |
| <i>prednisolone acetate (ophth)</i> SUSP 1% | 2 | |
| PREDNISOLONE SODIUM PHOSP SOLN 1% | 3 | |

ANTIALLERGICS

| | | |
|---|---|--|
| <i>azelastine hcl (ophth)</i> SOLN .05% | 2 | |
| <i>cromolyn sodium (ophth)</i> SOLN 4% | 1 | |

ANTI GLAUCOMA

| | | |
|---|---|--|
| <i>betaxolol hcl (ophth)</i> SOLN .5% | 2 | |
| BETOPTIC-S SUSP .25% | 4 | |
| <i>brimonidine tartrate</i> SOLN .2% | 1 | |
| <i>brimonidine tartrate</i> SOLN .15% | 2 | |
| <i>brinzolamide</i> SUSP 1% | 2 | |
| <i>carteolol hcl (ophth)</i> SOLN 1% | 2 | |
| COMBIGAN SOL 0.2/0.5% | 3 | |
| <i>dorzolamide hcl</i> SOLN 2% | 1 | |
| <i>dorzolamide hcl-timolol maleate ophth soln</i> 2-0.5% | 1 | |
| <i>latanoprost</i> SOLN .005% | 1 | |
| <i>levobunolol hcl</i> SOLN .5% | 2 | |
| LUMIGAN SOLN .01% | 3 | |
| <i>pilocarpine hcl</i> SOLN 1%, 2%, 4% | 2 | |
| RHOPRESSA SOLN .02% | 4 | |
| ROCKLATAN DRO | 4 | |
| SIMBRINZA SUS 1-0.2% | 4 | |
| <i>timolol maleate (ophth)</i> SOLG .25%, .5% | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>timolol maleate (ophth)</i> SOLN .25%, .5% | 1 | |
| <i>travoprost</i> SOLN .004% | 3 | |
| VYZULTA SOLN .024% | 4 | |

MISCELLANEOUS

| | | |
|--|---|--------|
| ATROPINE SULFATE SOLN 1% | 3 | |
| <i>atropine sulfate (ophthalmic)</i> SOLN 1% | 2 | |
| CYSTADROPS SOLN .37% | 5 | NM, PA |
| CYSTARAN SOLN .44% | 5 | NM, PA |
| EYSUVIS SUSP .25% | 4 | |
| MIEBO SOLN 1.338gm/ml | 3 | |
| <i>proparacaine hcl</i> SOLN .5% | 2 | |
| RESTASIS EMUL .05% | 3 | |
| RESTASIS MULTIDOSE EMUL .05% | 3 | |
| XIIDRA SOLN 5% | 3 | |

OTIC

OTIC AGENTS

| | | |
|---|---|--|
| <i>acetic acid (otic)</i> SOLN 2% | 2 | |
| <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i> | 2 | |
| <i>flac</i> OIL .01% | 2 | |
| <i>fluocinolone acetonide (otic)</i> OIL .01% | 2 | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 2 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 2 | |
| <i>ofloxacin (otic)</i> SOLN .3% | 2 | |

RESPIRATORY

ANTICHOLINERGIC/BETA AGONIST COMBINATIONS

| | | |
|--|---|----------------------------|
| ANORO ELLIPT AER 62.5-25 | 3 | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 3 | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | 4 | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 2 | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |

ANTICHOLINERGICS

| | | |
|-----------------------------|---|---------------------------|
| ATROVENT HFA AERS 17mcg/act | 4 | QL (2 inhalers / 30 days) |
|-----------------------------|---|---------------------------|

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | 3 | QL (30 blisters / 30 days) |
| <i>ipratropium bromide</i> SOLN .02% | 2 | B/D |
| <i>ipratropium bromide (nasal)</i> SOLN .03%, .06% | 2 | |

ANTI-HISTAMINES

| | | |
|--|---|---|
| <i>azelastine hcl</i> SOLN .1% | 2 | |
| <i>cetirizine hcl</i> SOLN 5mg/5ml | 1 | QL (300 mL / 30 days) |
| <i>cyproheptadine hcl</i> SYRP 2mg/5ml; TABS 4mg | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>diphenhydramine hcl</i> SOLN 50mg/ml | 2 | |
| <i>hydroxyzine hcl</i> SOLN 25mg/ml, 50mg/ml | 4 | PA; PA applies if 70 years and older |
| <i>hydroxyzine hcl</i> SYRP 10mg/5ml | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>hydroxyzine hcl</i> TABS 10mg, 25mg, 50mg | 2 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>hydroxyzine pamoate</i> CAPS 25mg, 50mg | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>levocetirizine dihydrochloride</i> SOLN 2.5mg/5ml | 2 | QL (300 mL / 30 days) |
| <i>levocetirizine dihydrochloride</i> TABS 5mg | 2 | QL (30 tabs / 30 days) |

BETA AGONISTS

| | | |
|---|---|---|
| <i>albuterol sulfate</i> AERS 108mcg/act | 2 | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 2 | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 2 | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| <i>albuterol sulfate</i> NEBU .083%, .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | 2 | B/D |
| <i>albuterol sulfate</i> SYRP 2mg/5ml; TABS 2mg, 4mg | 2 | |
| <i>levalbuterol tartrate</i> AERO 45mcg/act | 2 | QL (2 inhalers / 30 days), ST |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| SEREVENT DISKUS AEPB 50mcg/dose | 3 | QL (60 inhalations / 30 days) |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg | 2 | |
| VENTOLIN HFA AERS 108mcg/act | 3 | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | 3 | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium</i> CHEW 4mg, 5mg; PACK 4mg | 2 | |
| <i>montelukast sodium</i> TABS 10mg | 1 | |
| <i>zafirlukast</i> TABS 10mg, 20mg | 2 | |
| MISCELLANEOUS | | |
| <i>acetylcysteine</i> SOLN 10%, 20% | 2 | B/D |
| ARALAST NP SOLR 500mg, 1000mg | 5 | NM, PA |
| BRONCHITOL CAPS 40mg | 5 | QL (560 caps / 28 days), NM, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml | 2 | B/D |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml | 2 | (generic of EpiPen) |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | 2 | (generic of Adrenaclick) |
| FASENRA SOSY 10mg/0.5ml, 30mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| FASENRA PEN SOAJ 30mg/ml | 5 | QL (1 pen / 28 days), NM, PA |
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg | 5 | QL (56 packets / 28 days), NM, PA |
| KALYDECO TABS 150mg | 5 | QL (60 tabs / 30 days), NM, PA |
| OFEV CAPS 100mg, 150mg | 5 | QL (60 caps / 30 days), NM, PA |
| ORKAMBI GRA 75-94MG | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 100-125 | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 150-188 | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI TAB 100-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| ORKAMBI TAB 200-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| <i>pirfenidone</i> CAPS 267mg | 5 | QL (270 caps / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 267mg | 5 | QL (270 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>pirfenidone</i> TABS 534mg, 801mg | 5 | QL (90 tabs / 30 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml | 5 | NM, PA |
| PULMOZYME SOLN 2.5mg/2.5ml | 5 | NM, PA |
| <i>roflumilast</i> TABS 250mcg | 3 | QL (56 tabs / year) |
| <i>roflumilast</i> TABS 500mcg | 3 | QL (30 tabs / 30 days) |
| SYMDEKO TAB 50-75MG | 5 | QL (56 tabs / 28 days), NM, PA |
| SYMDEKO TAB 100-150 | 5 | QL (56 tabs / 28 days), NM, PA |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg; TB24 400mg, 600mg | 2 | |
| TRIKAFTA PAK 59.5MG | 5 | QL (56 packs / 28 days), NM, PA |
| TRIKAFTA PAK 75MG | 5 | QL (56 packs / 28 days), NM, PA |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 5 | QL (84 tabs / 28 days), NM, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | 5 | QL (84 tabs / 28 days), NM, PA |
| XOLAIR SOAJ 75mg/0.5ml, 300mg/2ml | 5 | QL (4 pens / 28 days), NM, PA |
| XOLAIR SOAJ 150mg/ml | 5 | QL (8 pens / 28 days), NM, PA |
| XOLAIR SOLR 150mg | 5 | QL (8 vials / 28 days), NM, PA |
| XOLAIR SOSY 75mg/0.5ml, 300mg/2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| XOLAIR SOSY 150mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg | 5 | NM, PA |
| NASAL STEROIDS | | |
| <i>flunisolide (nasal)</i> SOLN .025% | 2 | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | 2 | QL (1 bottle / 30 days) |
| <i>mometasone furoate (nasal)</i> SUSP 50mcg/act | 2 | QL (2 inhalers / 30 days) |
| XHANCE EXHU 93mcg/act | 4 | QL (32 mL / 30 days), PA |
| STEROID INHALANTS | | |
| ALVESCO AERS 80mcg/act | 4 | QL (3 inhalers / 30 days) |
| ALVESCO AERS 160mcg/act | 4 | QL (2 inhalers / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| ARNUIITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | 3 | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation) SUSP .25mg/2ml, .5mg/2ml</i> | 2 | B/D |

STEROID/BETA-AGONIST COMBINATIONS

| | | |
|---|---|---|
| ADVAIR HFA AER 45/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | 3 | QL (1 inhaler / 30 days) |
| BREO ELLIPTA INH 50-25MCG | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25 | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | 3 | QL (60 blisters / 30 days) |
| <i>breyana</i> | 2 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 2 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 2 | QL (3 inhalers / 30 days) |
| DULERA AER 50-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 100-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 200-5MCG | 4 | QL (3 inhalers / 30 days) |
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 2 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 2 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 2 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>wixela inhub</i> | 2 | QL (60 inhalations / 30 days) |

TOPICAL

DERMATOLOGY, ACNE

| | | |
|---|---|------------------------|
| <i>acutane</i> CAPS 10mg, 20mg, 30mg, 40mg | 2 | PA |
| <i>amnesteem</i> CAPS 10mg, 20mg, 40mg | 2 | PA |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 2 | QL (46.6 gm / 30 days) |
| <i>claravis</i> CAPS 10mg, 20mg, 30mg, 40mg | 2 | PA |
| <i>clindamycin phosphate (topical) GEL 1%</i> | 2 | QL (75 mL / 30 days) |
| <i>clindamycin phosphate (topical) LOTN 1%; SOLN 1%</i> | 2 | QL (60 mL / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ery</i> PADS 2% | 2 | QL (60 pledgets / 30 days) |
| <i>erythromycin (acne aid)</i> GEL 2% | 2 | QL (60 gm / 30 days) |
| <i>erythromycin (acne aid)</i> SOLN 2% | 2 | QL (60 mL / 30 days) |
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg, 40mg | 2 | PA |
| <i>sulfacetamide sodium (acne)</i> LOTN 10% | 2 | QL (118 mL / 30 days) |
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL .01%, .025% | 2 | QL (45 gm / 30 days), PA |
| <i>twice-daily clindamycin phosphate (topical)</i> GEL 1% | 2 | QL (75 gm / 30 days) |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg | 2 | PA |
| DERMATOLOGY, ANTIBIOTICS | | |
| <i>gentamicin sulfate (topical)</i> CREA .1%; OINT .1% | 2 | QL (30 gm / 30 days) |
| <i>mupirocin</i> OINT 2% | 1 | QL (220 gm / 30 days) |
| <i>silver sulfadiazine</i> CREA 1% | 2 | |
| <i>ssd</i> CREA 1% | 2 | |
| SULFAMYLON CREA 85mg/gm | 4 | QL (453.6 gm / 30 days) |
| DERMATOLOGY, ANTIFUNGALS | | |
| <i>ciclopirox</i> SHAM 1% | 2 | QL (120 mL / 30 days) |
| <i>ciclopirox olamine</i> CREA .77% | 2 | QL (90 gm / 30 days) |
| <i>ciclopirox olamine</i> SUSP .77% | 2 | QL (60 mL / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | 2 | QL (45 gm / 30 days) |
| <i>clotrimazole (topical)</i> SOLN 1% | 2 | QL (60 mL / 30 days) |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 2 | QL (45 gm / 30 days) |
| <i>econazole nitrate</i> CREA 1% | 2 | QL (85 gm / 30 days) |
| <i>ketoconazole (topical)</i> CREA 2% | 2 | QL (60 gm / 30 days) |
| <i>ketoconazole (topical)</i> SHAM 2% | 1 | QL (120 mL / 30 days) |
| <i>klayesta</i> POWD 100000unit/gm | 2 | QL (60 gm / 30 days) |
| <i>nyamyc</i> POWD 100000unit/gm | 2 | QL (60 gm / 30 days) |
| <i>nystatin (topical)</i> CREA 100000unit/gm; OINT 100000unit/gm | 2 | QL (30 gm / 30 days) |
| <i>nystatin (topical)</i> POWD 100000unit/gm | 2 | QL (60 gm / 30 days) |
| <i>nystop</i> POWD 100000unit/gm | 2 | QL (60 gm / 30 days) |
| <i>selenium sulfide</i> LOTN 2.5% | 2 | |
| DERMATOLOGY, ANTIPSORIATICS | | |
| <i>acitretin</i> CAPS 10mg, 17.5mg, 25mg | 4 | PA |
| <i>calcipotriene</i> CREA .005% | 3 | QL (120 gm / 30 days), PA |
| <i>calcipotriene</i> OINT .005% | 2 | QL (120 gm / 30 days), PA |
| <i>calcipotriene</i> SOLN .005% | 2 | QL (120 mL / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------|------------------|------------------------------|
| <i>calcitrene</i> OINT .005% | 2 | QL (120 gm / 30 days), PA |
| ENSTILAR AER | 5 | QL (120 gm / 30 days), PA |
| <i>tazarotene</i> CREA .1% | 2 | QL (60 gm / 30 days), PA |
| TAZORAC CREA .05% | 4 | QL (60 gm / 30 days), PA |

DERMATOLOGY, CORTICOSTEROIDS

| | | |
|---|---|-----------------------------|
| <i>ala-cort</i> CREA 1% | 1 | |
| <i>alclometasone dipropionate</i> CREA .05%; OINT .05% | 2 | QL (60 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> CREA .05%; OINT .05% | 2 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> LOTN .05% | 2 | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate augmented</i> CREA .05%; GEL .05%; OINT .05% | 2 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> LOTN .05% | 2 | QL (120 mL / 30 days) |
| <i>betamethasone valerate</i> CREA .1%; OINT .1% | 2 | QL (120 gm / 30 days) |
| <i>betamethasone valerate</i> LOTN .1% | 2 | QL (120 mL / 30 days) |
| <i>clobetasol propionate</i> CREA .05%; GEL .05%; OINT .05% | 2 | QL (60 gm / 30 days) |
| <i>clobetasol propionate</i> SOLN .05% | 2 | QL (50 mL / 30 days) |
| <i>clobetasol propionate e</i> CREA .05% | 2 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide</i> CREA .01% | 2 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide</i> CREA .025%; OINT .025% | 2 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide</i> OIL .01% | 2 | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide</i> SOLN .01% | 2 | QL (60 mL / 30 days) |
| <i>fluocinonide</i> CREA .05% | 2 | QL (120 gm / 30 days) |
| <i>fluocinonide</i> GEL .05%; OINT .05% | 2 | QL (60 gm / 30 days) |
| <i>fluocinonide</i> SOLN .05% | 3 | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base</i> CREA .05% | 2 | QL (120 gm / 30 days) |
| <i>fluticasone propionate</i> CREA .05%; OINT .005% | 2 | |
| <i>halobetasol propionate</i> CREA .05%; OINT .05% | 2 | QL (50 gm / 30 days) |
| <i>hydrocortisone (topical)</i> CREA 1%, 2.5% | 1 | |
| <i>hydrocortisone (topical)</i> LOTN 2.5%; OINT 2.5% | 2 | |
| <i>hydrocortisone (topical)</i> OINT 1% | 2 | QL (30 gm / 30 days) |
| <i>hydrocortisone valerate</i> CREA .2% | 2 | QL (60 gm / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mometasone furoate</i> CREA .1%; OINT .1%; SOLN .1% | 2 | |
| <i>triamcinolone acetonide (topical)</i> CREA .025%, .1%, .5% | 1 | QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical)</i> LOTN .025%, .1% | 2 | |
| <i>triamcinolone acetonide (topical)</i> OINT .025%, .1%, .5% | 1 | |
| <i>triderm</i> CREA .5% | 1 | QL (454 gm / 30 days) |

DERMATOLOGY, LOCAL ANESTHETICS

| | | |
|--|---|----------------------------|
| <i>glydo</i> PRSY 2% | 2 | QL (60 mL / 30 days), PA |
| <i>lidocaine</i> OINT 5% | 2 | QL (50 gm / 30 days), PA |
| <i>lidocaine</i> PTCH 5% | 2 | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl</i> SOLN 4% | 2 | QL (50 mL / 30 days), PA |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 2 | B/D, QL (30 gm / 30 days) |
| <i>lidocan</i> PTCH 5% | 2 | QL (3 patches / 1 day), PA |
| <i>tridacaine ii</i> PTCH 5% | 2 | QL (3 patches / 1 day), PA |

DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE

| | | |
|--|---|------------------------------|
| <i>bexarotene (topical)</i> GEL 1% | 5 | QL (60 gm / 30 days), NM, PA |
| <i>diclofenac sodium (topical)</i> SOLN 1.5% | 2 | QL (300 mL / 28 days) |
| <i>fluorouracil (topical)</i> CREA 5% | 3 | QL (40 gm / 30 days) |
| <i>fluorouracil (topical)</i> SOLN 2%, 5% | 2 | QL (10 mL / 30 days) |
| <i>hydrocortisone (rectal)</i> CREA 1%, 2.5% | 2 | |
| <i>imiquimod</i> CREA 5% | 2 | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate)</i> CREA 12%; LOTN 12% | 2 | |
| <i>metronidazole (topical)</i> CREA .75%; GEL .75% | 2 | QL (45 gm / 30 days) |
| <i>metronidazole (topical)</i> LOTN .75% | 2 | QL (59 mL / 30 days) |
| <i>nitroglycerin (intra-anal)</i> OINT .4% | 2 | QL (30 gm / 30 days) |
| PANRETIN GEL .1% | 5 | QL (60 gm / 30 days), PA |
| <i>pimecrolimus</i> CREA 1% | 2 | QL (100 gm / 30 days), PA |
| <i>podofilox</i> SOLN .5% | 2 | QL (7 mL / 28 days) |
| <i>procto-med hc</i> CREA 2.5% | 2 | |
| <i>proctocort</i> CREA 1% | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>proctosol hc</i> CREA 2.5% | 2 | |
| <i>proctozone-hc</i> CREA 2.5% | 2 | |
| <i>tacrolimus (topical)</i> OINT .03%, .1% | 2 | QL (100 gm / 30 days), PA |
| VALCHLOR GEL .016% | 5 | QL (60 gm / 30 days), NM, PA |
| DERMATOLOGY, SCABICIDES AND PEDICULIDES | | |
| <i>malathion</i> LOTN .5% | 2 | QL (59 mL / 30 days) |
| <i>permethrin</i> CREA 5% | 2 | QL (60 gm / 30 days) |
| DERMATOLOGY, WOUND CARE AGENTS | | |
| REGRANEX GEL .01% | 5 | QL (30 gm / 30 days), PA |
| SANTYL OINT 250unit/gm | 4 | QL (180 gm / 30 days) |
| <i>sodium chloride (gu irrigant)</i> SOLN .9% | 2 | |
| <i>water for irrigation, sterile irrigation soln</i> | 2 | |
| MOUTH/THROAT/DENTAL AGENTS | | |
| <i>chlorhexidine gluconate (mouth-throat)</i> SOLN .12% | 1 | |
| <i>clotrimazole</i> TROC 10mg | 2 | QL (150 lozenges / 30 days) |
| <i>kourzeq</i> PSTE .1% | 2 | |
| <i>lidocaine hcl (mouth-throat)</i> SOLN 2% | 2 | |
| <i>nystatin (mouth-throat)</i> SUSP 100000unit/ml | 2 | |
| <i>periogard</i> SOLN .12% | 1 | |
| <i>pilocarpine hcl (oral)</i> TABS 5mg, 7.5mg | 2 | |
| <i>triamcinolone acetonide (mouth)</i> PSTE .1% | 2 | |

Index

| | |
|--|----|
| A | |
| <i>abacavir sulfate</i> | 6 |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 7 |
| ABELCET | 5 |
| <i>abiraterone acetate</i> | 13 |
| ABRYSVO | 63 |
| <i>acamprosate calcium</i> | 43 |
| <i>acarbose</i> | 44 |
| <i>accutane</i> | 73 |
| <i>acebutolol hcl</i> | 27 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 2 |
| <i>acetazolamide</i> | 28 |
| <i>acetic acid</i> | 58 |
| <i>acetic acid (otic)</i> | 69 |
| <i>acetylcysteine</i> | 71 |
| <i>acitretin</i> | 74 |
| ACTHIB INJ | 63 |
| ACTIMMUNE | 63 |
| <i>acyclovir</i> | 8 |
| <i>acyclovir sodium</i> | 8 |
| ADACEL INJ..... | 63 |
| ADALIMUMAB-AACF (2 PEN) | 60 |
| ADALIMUMAB-AACF (2 SYRING)..... | 60 |
| <i>adefovir dipivoxil</i> | 8 |
| ADMELOG | 46 |
| ADMELOG SOLOSTAR | 46 |
| ADVAIR HFA AER 115/21 | 73 |
| ADVAIR HFA AER 230/21 | 73 |
| ADVAIR HFA AER 45/21 | 73 |
| <i>afirmelle</i> | 48 |
| AIMOVIG | 40 |
| AKEEGA TAB 100/500..... | 13 |
| AKEEGA TAB 50/500MG | 13 |
| <i>ala-cort</i> | 75 |
| <i>albendazole</i> | 3 |
| <i>albuterol sulfate</i> | 70 |
| <i>alclometasone dipropionate</i> | 75 |
| ALCOHOL SWABS: BD-EMBECTA/MHC/RUGBY..... | 46 |
| ALDURAZYME | 53 |
| ALECENSA | 14 |
| <i>alendronate sodium</i> | 47 |
| <i>alfuzosin hcl</i> | 58 |
| <i>aliskiren fumarate</i> | 28 |
| <i>allopurinol</i> | 1 |
| <i>alose tron hcl</i> | 57 |
| <i>alprazolam</i> | 29 |
| <i>altavera</i> | 48 |
| ALUNBRIG..... | 15 |
| ALUNBRIG PAK | 15 |
| ALVAIZ | 59 |
| ALVESCO | 72 |
| <i>alyacen 1/35</i> | 48 |
| <i>alyacen 7/7/7</i> | 48 |
| ALYGLO | 62 |
| <i>alyq</i> | 29 |
| <i>amantadine hcl</i> | 32 |
| <i>ambrisentan</i> | 29 |
| <i>amikacin sulfate</i> | 3 |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 28 |
| <i>amiloride hcl</i> | 28 |
| <i>amiodarone hcl</i> | 25 |
| <i>amitriptyline hcl</i> | 30 |
| <i>amlodipine besylate</i> | 27 |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 22 |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 22 |
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i> | 22 |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i> | 22 |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i> | 22 |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i> | 22 |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 24 |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 24 |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 23 |

| | | | |
|---|----|---|----|
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 23 | <i>amphetamine-dextroamphetamine tab 15 mg</i> | 39 |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 20 mg</i> | 39 |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 30 mg</i> | 39 |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 5 mg</i> | 39 |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 39 |
| <i>amnestem</i> | 73 | <i>amphotericin b</i> | 5 |
| <i>amoxapine</i> | 30 | <i>amphotericin b liposome</i> | 5 |
| <i>amoxicillin</i> | 10 | <i>ampicillin</i> | 10 |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 10 | <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | 10 |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 11 |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | 11 |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | 11 |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 11 |
| <i>amoxicillin & k clavulanate tab 250-125 mg</i> | 10 | <i>ampicillin sodium</i> | 11 |
| <i>amoxicillin & k clavulanate tab 500-125 mg</i> | 10 | <i>anagrelide hcl</i> | 59 |
| <i>amoxicillin & k clavulanate tab 875-125 mg</i> | 10 | <i>anastrozole</i> | 13 |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | 10 | <i>ANORO ELLIPT AER 62.5-25</i> | 69 |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 39 | <i>aprepitant</i> | 55 |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 39 | <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 55 |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 39 | <i>apri</i> | 48 |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 39 | <i>APTIOM</i> | 35 |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 39 | <i>APTIVUS</i> | 6 |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 39 | <i>ARALAST NP</i> | 71 |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 39 | <i>aranelle</i> | 48 |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 39 | <i>ARCALYST</i> | 63 |
| | | <i>AREXVY</i> | 63 |
| | | <i>ARIKAYCE</i> | 3 |
| | | <i>aripiprazole</i> | 33 |
| | | <i>ARISTADA</i> | 33 |
| | | <i>ARISTADA INITIO</i> | 33 |
| | | <i>armodafinil</i> | 43 |
| | | <i>ARNUITY ELLIPTA</i> | 73 |
| | | <i>asenapine maleate</i> | 33 |
| | | <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 60 |
| | | <i>ASTAGRAF XL</i> | 63 |

| | | | |
|---|----|--|----|
| <i>atazanavir sulfate</i> | 6 | BCG VACCINE..... | 63 |
| <i>atenolol</i> | 27 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atenolol & chlorthalidone tab 100-25</i> | | <i>10-12.5 mg</i> | 22 |
| <i>mg</i> | 26 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | | <i>20-12.5 mg</i> | 22 |
| | 26 | <i>benazepril & hydrochlorothiazide tab</i> | |
| <i>atomoxetine hcl</i> | 39 | <i>20-25 mg</i> | 22 |
| <i>atorvastatin calcium</i> | 26 | <i>benazepril & hydrochlorothiazide tab 5-</i> | |
| <i>atovaquone</i> | 3 | <i>6.25mg</i> | 22 |
| <i>atovaquone-proguanil hcl tab 250-100</i> | | <i>benazepril hcl</i> | 23 |
| <i>mg</i> | 5 | BENDAMUSTINE HYDROCHLORID..... | 12 |
| <i>atovaquone-proguanil hcl tab 62.5-25</i> | | BENDEKA..... | 12 |
| <i>mg</i> | 5 | BENLYSTA..... | 63 |
| ATROPINE SULFATE..... | 69 | <i>benzoyl peroxide-erythromycin gel 5-</i> | |
| <i>atropine sulfate (ophthalmic)</i> | 69 | <i>3%</i> | 73 |
| ATROVENT HFA..... | 69 | <i>benztropine mesylate</i> | 32 |
| <i>aubra eq</i> | 48 | BERINERT | 59 |
| AUGTYRO..... | 15 | BESIVANCE | 67 |
| <i>aurovela 1/20</i> | 48 | BESREMI..... | 14 |
| <i>aurovela fe 1/20</i> | 48 | <i>betaine powder for oral solution</i> | 53 |
| <i>aurovela fe 1.5/30</i> | 48 | <i>betamethasone dipropionate (topical)</i> | |
| AUSTEDO..... | 41 | | 75 |
| AUSTEDO XR..... | 41 | <i>betamethasone dipropionate</i> | |
| AUSTEDO XR TAB TITR KIT | 41 | <i>augmented</i> | 75 |
| AUVELITY TAB 45-105MG | 30 | <i>betamethasone valerate</i> | 75 |
| <i>aviane</i> | 48 | BETASERON | 42 |
| <i>ayuna</i> | 48 | <i>betaxolol hcl (ophth)</i> | 68 |
| AYVAKIT | 15 | <i>bethanechol chloride</i> | 58 |
| <i>azacitidine</i> | 12 | BETOPTIC-S | 68 |
| <i>azathioprine</i> | 63 | BEVESPI AER 9-4.8MCG | 69 |
| <i>azelastine hcl</i> | 70 | <i>bexarotene</i> | 14 |
| <i>azelastine hcl (ophth)</i> | 68 | <i>bexarotene (topical)</i> | 76 |
| <i>azithromycin</i> | 9 | BEXSERO INJ | 63 |
| <i>aztreonam</i> | 3 | <i>bicalutamide</i> | 13 |
| <i>azurette</i> | 48 | BICILLIN L-A | 11 |
| B | | BIKTARVY TAB 30-120-15 MG | 7 |
| <i>bacitracin (ophthalmic)</i> | 67 | BIKTARVY TAB 50-200-25 MG | 7 |
| <i>bacitracin-polymyxin b ophth oint</i> | 67 | <i>bisoprolol & hydrochlorothiazide tab</i> | |
| <i>bacitracin-polymyxin-neomycin-hc</i> | | <i>10-6.25 mg</i> | 26 |
| <i>ophth oint 1%</i> | 67 | <i>bisoprolol & hydrochlorothiazide tab</i> | |
| <i>baclofen</i> | 42 | <i>2.5-6.25 mg</i> | 26 |
| BAFIERTAM | 42 | <i>bisoprolol & hydrochlorothiazide tab 5-</i> | |
| <i>balsalazide disodium</i> | 56 | <i>6.25 mg</i> | 26 |
| BALVERSA..... | 15 | <i>bisoprolol fumarate</i> | 27 |
| <i>balziva</i> | 48 | BIVIGAM..... | 62 |
| BARACLUDGE | 8 | <i>blisovi fe 1.5/30</i> | 48 |
| BASAGLAR KWIKPEN | 46 | BOOSTRIX INJ | 64 |

| | | | |
|---|----|--|----|
| <i>bortezomib</i> | 15 | CABOMETYX | 15 |
| BORTEZOMIB | 15 | <i>calcipotriene</i> | 74 |
| <i>bosentan</i> | 29 | <i>calcitonin (salmon) spray</i> | 47 |
| BOSULIF | 15 | <i>calcitrene</i> | 75 |
| BRAFTOVI | 15 | <i>calcitriol</i> | 55 |
| BREO ELLIPTA INH 100-25 | 73 | <i>calcitriol (oral)</i> | 55 |
| BREO ELLIPTA INH 200-25 | 73 | CALQUENCE | 15 |
| BREO ELLIPTA INH 50-25MCG | 73 | <i>camila</i> | 48 |
| <i>breyna</i> | 73 | <i>candesartan cilexetil</i> | 25 |
| BREZTRI AERO AER SPHERE | 69 | CAPLYTA..... | 33 |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 69 | CAPRELSA..... | 15 |
| <i>briellyn</i> | 48 | <i>captopril</i> | 23 |
| BRILINTA | 60 | <i>captopril & hydrochlorothiazide tab 25- 15 mg</i> | 22 |
| <i>brimonidine tartrate</i> | 68 | <i>captopril & hydrochlorothiazide tab 25- 25 mg</i> | 22 |
| <i>brinzolamide</i> | 68 | <i>captopril & hydrochlorothiazide tab 50- 15 mg</i> | 22 |
| BRIVIACT..... | 35 | <i>captopril & hydrochlorothiazide tab 50- 25 mg</i> | 22 |
| <i>bromfenac sodium (ophth)</i> | 68 | <i>carb/levo orally disintegrating tab 10- 100mg</i> | 32 |
| <i>bromocriptine mesylate</i> | 32 | <i>carb/levo orally disintegrating tab 25- 100mg</i> | 32 |
| BRONCHITOL..... | 71 | <i>carb/levo orally disintegrating tab 25- 250mg</i> | 32 |
| BRUKINSA | 15 | <i>carbamazepine</i> | 35 |
| <i>budesonide</i> | 56 | <i>carbidopa & levodopa tab 10-100 mg</i> 32 | |
| <i>budesonide (inhalation)</i> | 73 | <i>carbidopa & levodopa tab 25-100 mg</i> 32 | |
| <i>budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 73 | <i>carbidopa & levodopa tab 25-250 mg</i> 32 | |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 73 | <i>carbidopa & levodopa tab er 25-100 mg</i> | 32 |
| <i>bumetanide</i> | 28 | <i>carbidopa & levodopa tab er 50-200 mg</i> | 32 |
| <i>buprenorphine hcl</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 43 | <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | 32 |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 43 | <i>carboplatin</i> | 12 |
| <i>bupropion hcl</i> | 30 | | |
| <i>bupropion hcl (smoking deterrent)</i> ... | 43 | | |
| <i>buspirone hcl</i> | 29 | | |
| <i>butorphanol tartrate</i> | 2 | | |
| C | | | |
| <i>cabergoline</i> | 53 | | |

| | | | |
|---|----|--|----|
| <i>carglumic acid</i> | 53 | <i>ciprofloxacin hcl</i> | 10 |
| <i>carteolol hcl (ophth)</i> | 68 | <i>ciprofloxacin hcl (ophth)</i> | 67 |
| <i>cartia xt</i> | 27 | <i>cisplatin</i> | 12 |
| <i>carvedilol</i> | 27 | <i>citalopram hydrobromide</i> | 30 |
| <i>caspofungin acetate</i> | 5 | <i>claravis</i> | 73 |
| CAYSTON | 3 | <i>clarithromycin</i> | 9 |
| <i>cefaclor</i> | 9 | <i>clindamycin hcl</i> | 3 |
| <i>cefadroxil</i> | 9 | <i>clindamycin palmitate hydrochloride</i> ... | 3 |
| CEFAZOLIN | 9 | <i>clindamycin phosphate</i> | 3 |
| CEFAZOLIN INJ 1GM/50ML | 9 | <i>clindamycin phosphate (topical)</i> | 73 |
| <i>cefazolin sodium</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 9 | 300 mg/50ml | 3 |
| <i>cefdinir</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> | |
| <i>cefepime hcl</i> | 9 | 600 mg/50ml | 3 |
| <i>cefixime</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> | |
| <i>cefotetan disodium</i> | 9 | 900 mg/50ml | 3 |
| <i>cefoxitin sodium</i> | 9 | <i>clindamycin phosphate vaginal</i> | 58 |
| <i>cefpodoxime proxetil</i> | 9 | CLINDMYC/NAC INJ 300/50ML | 3 |
| <i>cefprozil</i> | 9 | CLINDMYC/NAC INJ 600/50ML | 3 |
| <i>ceftazidime</i> | 9 | CLINDMYC/NAC INJ 900/50ML | 3 |
| <i>ceftriaxone sodium</i> | 9 | CLINIMIX INJ 4.25/D10 | 66 |
| <i>cefuroxime axetil</i> | 9 | CLINIMIX INJ 4.25/D5W | 66 |
| <i>cefuroxime sodium</i> | 9 | CLINIMIX INJ 5%/D15W | 66 |
| <i>celecoxib</i> | 1 | CLINIMIX INJ 5%/D20W | 66 |
| <i>cephalexin</i> | 9 | CLINIMIX INJ 6/5 | 66 |
| CERDELGA | 53 | CLINIMIX INJ 8/10 | 66 |
| CEREZYME | 53 | CLINIMIX INJ 8/14 | 66 |
| <i>cetirizine hcl</i> | 70 | <i>clinisol sf 15%</i> | 66 |
| <i>chateal eq</i> | 48 | CLINOLIPID EMU 20% | 67 |
| CHEMET | 47 | <i>clobazam</i> | 35 |
| <i>chlorhexidine gluconate (mouth-throat)</i> | | <i>clobetasol propionate</i> | 75 |
| | 77 | <i>clobetasol propionate e</i> | 75 |
| <i>chloroquine phosphate</i> | 5 | <i>clomipramine hcl</i> | 30 |
| <i>chlorpromazine hcl</i> | 33 | <i>clonazepam</i> | 35 |
| <i>chlorthalidone</i> | 28 | <i>clonidine</i> | 28 |
| <i>cholestyramine</i> | 26 | <i>clonidine hcl</i> | 28 |
| <i>cholestyramine light</i> | 26 | <i>clopidogrel bisulfate</i> | 60 |
| <i>ciclopirox</i> | 74 | <i>clorazepate dipotassium</i> | 35 |
| <i>ciclopirox olamine</i> | 74 | <i>clotrimazole</i> | 77 |
| <i>cilostazol</i> | 59 | <i>clotrimazole (topical)</i> | 74 |
| CILOXAN | 67 | <i>clotrimazole w/ betamethasone cream</i> | |
| CIMDUO TAB 300-300 | 7 | 1-0.05% | 74 |
| <i>cinacalcet hcl</i> | 53 | <i>clozapine</i> | 33 |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> .. | 10 | COARTEM TAB 20-120MG | 5 |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> .. | 10 | <i>colchicine</i> | 1 |
| <i>ciprofloxacin-dexamethasone otic susp</i> | | <i>colchicine w/ probenecid tab 0.5-500</i> | |
| 0.3-0.1% | 69 | mg | 1 |

| | | | |
|---|----|---|----|
| <i>colesevelam hcl</i> | 26 | <i>dantrolene sodium</i> | 42 |
| <i>colestipol hcl</i> | 26 | <i>dapsone</i> | 3 |
| <i>colistimethate sodium</i> | 3 | DAPTACEL INJ | 64 |
| COMBIGAN SOL 0.2/0.5% | 68 | <i>daptomycin</i> | 3 |
| COMBIVENT AER 20-100..... | 69 | DAPTOMYCIN | 3 |
| COMETRIQ (60MG DOSE) | 15 | <i>darunavir</i> | 6 |
| COMETRIQ KIT 100MG..... | 15 | <i>dasetta 1/35</i> | 48 |
| COMETRIQ KIT 140MG..... | 15 | <i>dasetta 7/7/7</i> | 48 |
| COMPLERA TAB | 7 | DAURISMO..... | 16 |
| <i>compro</i> | 55 | DAYVIGO | 40 |
| <i>constulose</i> | 56 | <i>deblitane</i> | 48 |
| COPAXONE..... | 42 | <i>deferasirox</i> | 47 |
| COPIKTRA | 16 | DELSTRIGO TAB | 7 |
| CORLANOR..... | 28 | DENGVAXIA SUS..... | 64 |
| COSENTYX | 60 | DEPO-SUBQ PROVERA 104 | 48 |
| COSENTYX SENSOREADY PEN..... | 60 | <i>depo-testosterone</i> | 44 |
| COSENTYX UNOREADY..... | 60 | DESCOVY TAB 120-15MG..... | 7 |
| COTELLIC | 16 | DESCOVY TAB 200/25MG..... | 7 |
| CREON CAP 12000UNT | 57 | <i>desipramine hcl</i> | 30 |
| CREON CAP 24000UNT | 57 | <i>desmopressin acetate</i> | 53 |
| CREON CAP 3000UNIT | 57 | <i>desmopressin acetate spray</i> | 53 |
| CREON CAP 36000UNT | 57 | <i>desmopressin acetate spray</i> | |
| CREON CAP 6000UNIT | 57 | <i>refrigerated</i> | 53 |
| <i>cromolyn sodium</i> | 71 | <i>desogest-eth estrad & eth estrad tab</i> | |
| <i>cromolyn sodium (mastocytosis)</i> | 57 | 0.15-0.02/0.01 mg(21/5)..... | 48 |
| <i>cromolyn sodium (ophth)</i> | 68 | <i>desvenlafaxine succinate</i> | 30 |
| <i>cryselle-28</i> | 48 | <i>dexamethasone</i> | 52 |
| <i>cyclobenzaprine hcl</i> | 42 | DEXAMETHASONE INTENSOL..... | 52 |
| <i>cyclophosphamide</i> | 12 | <i>dexamethasone sodium phosphate</i> .. | 52 |
| CYCLOPHOSPHAMIDE | 12 | (<i>ophth</i>) | 68 |
| CYCLOPHOSPHAMIDE MONOHYDR.... | 12 | <i>dexmethylphenidate hcl</i> | 39 |
| <i>cycloserine</i> | 8 | <i>dextrose</i> | 67 |
| <i>cyclosporine</i> | 63 | <i>dextrose 10% w/ sodium chloride</i> | |
| <i>cyclosporine modified (for</i> | | 0.45% | 65 |
| <i>microemulsion)</i> | 63 | <i>dextrose 2.5% w/ sodium chloride</i> | |
| <i>cyproheptadine hcl</i> | 70 | 0.45% | 65 |
| <i>cyred eq</i> | 48 | <i>dextrose 5% in lactated ringers</i> | 65 |
| CYSTADROPS | 69 | <i>dextrose 5% w/ sodium chloride 0.2%</i> | |
| CYSTAGON..... | 53 | | 65 |
| CYSTARAN | 69 | <i>dextrose 5% w/ sodium chloride</i> | |
| <i>cytarabine</i> | 12 | 0.225% | 65 |
| D | | <i>dextrose 5% w/ sodium chloride 0.3%</i> | |
| D10W/NACL INJ 0.2% | 65 | | 65 |
| D2.5W/NACL INJ 0.45%..... | 65 | <i>dextrose 5% w/ sodium chloride 0.45%</i> | |
| <i>dabigatran etexilate mesylate</i> | 58 | | 65 |
| <i>dalfampridine</i> | 42 | | |
| <i>danazol</i> | 44 | | |

| | | | |
|--|--------|---|--------|
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | | <i>doxorubicin hcl liposomal</i> | 14 |
| | 65 | <i>doxy 100</i> | 11 |
| DIACOMIT | 35, 36 | <i>doxycycline (monohydrate)</i> | 11 |
| <i>diazepam</i> | 36 | <i>doxycycline hyclate</i> | 11 |
| <i>diazepam (anticonvulsant)</i> | 36 | DRIZALMA SPRINKLE..... | 30 |
| <i>diazepam inj</i> | 36 | <i>dronabinol</i> | 55 |
| <i>diazepam intensol</i> | 36 | <i>drospirenone-ethinyl estradiol tab 3-</i> | |
| <i>diazoxide</i> | 53 | <i>0.02 mg</i> | 48 |
| <i>diclofenac potassium</i> | 1 | <i>drospirenone-ethinyl estradiol tab 3-</i> | |
| <i>diclofenac sodium</i> | 1 | <i>0.03 mg</i> | 48 |
| <i>diclofenac sodium (ophth)</i> | 68 | DROXIA | 59 |
| <i>diclofenac sodium (topical)</i> | 76 | <i>droxidopa</i> | 28 |
| <i>dicloxacillin sodium</i> | 11 | DULERA AER 100-5MCG..... | 73 |
| <i>dicyclomine hcl</i> | 56 | DULERA AER 200-5MCG..... | 73 |
| DIFICID..... | 9 | DULERA AER 50-5MCG..... | 73 |
| <i>diflunisal</i> | 1 | <i>duloxetine hcl</i> | 31 |
| <i>digoxin</i> | 28 | DUPIXENT | 60 |
| <i>dihydroergotamine mesylate</i> | 40 | <i>dutasteride</i> | 58 |
| DILANTIN | 36 | <i>dutasteride-tamsulosin hcl cap 0.5-0.4</i> | |
| <i>diltiazem hcl</i> | 27 | <i>mg</i> | 58 |
| <i>diltiazem hcl coated beads</i> | 27 | E | |
| <i>diltiazem hcl extended release beads</i> | 27 | <i>e.e.s. 400</i> | 10 |
| <i>dilt-xr</i> | 27 | <i>econazole nitrate</i> | 74 |
| DIP/TET PED INJ 25-5LFU | 64 | EDURANT | 6 |
| <i>diphenhydramine hcl</i> | 70 | <i>efavirenz</i> | 6 |
| <i>diphenoxylate w/ atropine liq 2.5-0.025</i> | | <i>efavirenz-emtricitabine-tenofovir df tab</i> | |
| <i>mg/5ml</i> | 57 | <i>600-200-300 mg</i> | 7 |
| <i>diphenoxylate w/ atropine tab 2.5-</i> | | <i>efavirenz-lamivudine-tenofovir df tab</i> | |
| <i>0.025 mg</i> | 57 | <i>400-300-300 mg</i> | 7 |
| <i>dipyridamole</i> | 60 | <i>efavirenz-lamivudine-tenofovir df tab</i> | |
| <i>disopyramide phosphate</i> | 25 | <i>600-300-300 mg</i> | 7 |
| <i>disulfiram</i> | 43 | ELIGARD..... | 13 |
| <i>divalproex sodium</i> | 36 | <i>elinest</i> | 48 |
| <i>docetaxel</i> | 14 | ELIQUIS | 59 |
| DOCETAXEL | 14 | ELIQUIS STARTER PACK | 59 |
| <i>dofetilide</i> | 25 | <i>eluryng</i> | 48 |
| <i>donepezil hydrochloride</i> | 30 | EMGALITY..... | 40, 41 |
| DOPTELET..... | 59 | EMSAM | 31 |
| <i>dorzolamide hcl</i> | 68 | <i>emtricitabine</i> | 6 |
| <i>dorzolamide hcl-timolol maleate ophth</i> | | <i>emtricitabine-tenofovir disoproxil</i> | |
| <i>soln 2-0.5%</i> | 68 | <i>fumarate tab 100-150 mg</i> | 7 |
| <i>dotti</i> | 51 | <i>emtricitabine-tenofovir disoproxil</i> | |
| DOVATO TAB 50-300MG | 7 | <i>fumarate tab 133-200 mg</i> | 7 |
| <i>doxazosin mesylate</i> | 23 | <i>emtricitabine-tenofovir disoproxil</i> | |
| <i>doxepin hcl</i> | 30 | <i>fumarate tab 167-250 mg</i> | 7 |
| <i>doxepin hcl (sleep)</i> | 40 | <i>emtricitabine-tenofovir disoproxil</i> | |
| <i>doxorubicin hcl</i> | 14 | <i>fumarate tab 200-300 mg</i> | 7 |

| | | | |
|--|--------|--|----|
| EMTRIVA | 6 | ERYTHROCIN LACTOBIONATE | 10 |
| EMVERM | 3 | erythromycin (acne aid) | 74 |
| emzahh | 48 | erythromycin (ophth) | 67 |
| enalapril maleate | 23 | erythromycin base | 10 |
| enalapril maleate & hydrochlorothiazide tab 10-25 mg | 23 | erythromycin ethylsuccinate | 10 |
| enalapril maleate & hydrochlorothiazide tab 5-12.5 mg | 23 | erythromycin lactobionate | 10 |
| ENBREL | 60 | escitalopram oxalate | 31 |
| ENBREL MINI..... | 60 | esomeprazole magnesium | 58 |
| ENBREL SURECLICK | 61 | estarylla | 48 |
| endocet tab 10-325mg | 2 | estradiol | 51 |
| endocet tab 2.5-325mg | 2 | estradiol & norethindrone acetate tab 0.5-0.1 mg..... | 52 |
| endocet tab 5-325mg | 2 | estradiol & norethindrone acetate tab 1-0.5 mg..... | 52 |
| endocet tab 7.5-325mg | 2 | estradiol vaginal | 52 |
| ENGERIX-B | 64 | estradiol valerate | 52 |
| enilloring | 48 | ethambutol hcl | 8 |
| enoxaparin sodium..... | 59 | ethosuximide..... | 36 |
| enpresse-28 | 48 | ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg | 48 |
| enskyce | 48 | ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg | 49 |
| ENSTILAR AER..... | 75 | etodolac | 1 |
| entacapone | 32 | etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr | 49 |
| entecavir | 8 | etoposide..... | 14 |
| ENTRESTO CAP 15-16MG | 24 | etravirine..... | 6 |
| ENTRESTO CAP 6-6MG..... | 24 | EULEXIN | 13 |
| ENTRESTO TAB 24-26MG | 24 | euthyrox | 54 |
| ENTRESTO TAB 49-51MG | 24 | everolimus | 16 |
| ENTRESTO TAB 97-103MG | 24 | everolimus (immunosuppressant)..... | 63 |
| enulose..... | 56 | EVOTAZ TAB 300-150 | 7 |
| EPCLUSA PAK 150-37.5 | 8 | exemestane | 13 |
| EPCLUSA PAK 200-50MG | 8 | EYSUVIS..... | 69 |
| EPCLUSA TAB 200-50MG | 8 | ezetimibe..... | 26 |
| EPCLUSA TAB 400-100 | 8 | ezetimibe-simvastatin tab 10-10 mg..... | 26 |
| EPIDIOLEX..... | 36 | ezetimibe-simvastatin tab 10-20 mg..... | 26 |
| epinephrine (anaphylaxis)..... | 29, 71 | ezetimibe-simvastatin tab 10-40 mg..... | 26 |
| epitol..... | 36 | ezetimibe-simvastatin tab 10-80 mg..... | 26 |
| eplerenone..... | 23 | F | |
| EPRONTIA..... | 36 | FABRAZYME | 53 |
| ergotamine w/ caffeine tab 1-100 mg | 41 | falmina | 49 |
| ERIVEDGE..... | 16 | famciclovir | 8 |
| ERLEADA | 13 | famotidine | 56 |
| erlotinib hcl..... | 16 | famotidine in nacl 0.9% iv soln 20 mg/50ml..... | 56 |
| errin..... | 48 | FANAPT | 33 |
| ertapenem sodium | 3 | | |
| ery..... | 74 | | |
| ery-tab | 10 | | |

| | | | |
|---|----|--|--------|
| FANAPT PAK | 33 | <i>fluticasone-salmeterol aer powder ba</i> | |
| FARXIGA..... | 44 | 100-50 mcg/act | 73 |
| FASENRA | 71 | <i>fluticasone-salmeterol aer powder ba</i> | |
| FASENRA PEN..... | 71 | 250-50 mcg/act | 73 |
| <i>felbamate</i> | 36 | <i>fluticasone-salmeterol aer powder ba</i> | |
| <i>felodipine</i> | 27 | 500-50 mcg/act | 73 |
| <i>fenofibrate</i> | 25 | <i>fluvoxamine maleate</i> | 29 |
| <i>fenofibrate micronized</i> | 25 | <i>fondaparinux sodium</i> | 59 |
| <i>fentanyl</i> | 1 | <i>fosamprenavir calcium</i> | 6 |
| <i>fentanyl citrate</i> | 2 | <i>fosinopril sodium</i> | 23 |
| FETZIMA..... | 31 | <i>fosinopril sodium & hydrochlorothiazide</i> | |
| FETZIMA CAP TITRATIO | 31 | <i>tab 10-12.5 mg</i> | 23 |
| FIASP | 46 | <i>fosinopril sodium & hydrochlorothiazide</i> | |
| FIASP FLEXTOUCH | 46 | <i>tab 20-12.5 mg</i> | 23 |
| FIASP PENFILL..... | 46 | FOTIVDA..... | 16 |
| FIASP PUMPCART | 46 | FRUZAQLA | 16 |
| <i>finasteride</i> | 58 | FULPHILA..... | 59 |
| <i>fingolimod hcl</i> | 42 | <i>fulvestrant</i> | 13 |
| FINTEPLA | 36 | <i>furosemide</i> | 28 |
| FIRMAGON | 13 | <i>furosemide inj</i> | 28 |
| <i>flac</i> | 69 | FUZEON | 6 |
| FLAREX..... | 68 | <i>fyavolv tab 0.5mg-2.5mcg</i> | 52 |
| FLEBOGAMMA DIF | 62 | <i>fyavolv tab 1mg-5mcg</i> | 52 |
| <i>flecainide acetate</i> | 25 | FYCOMPA | 36 |
| <i>fluconazole</i> | 5 | G | |
| <i>fluconazole in nacl 0.9% inj 200</i> | | <i>gabapentin</i> | 36, 37 |
| <i>mg/100ml</i> | 5 | <i>galantamine hydrobromide</i> | 30 |
| <i>fluconazole in nacl 0.9% inj 400</i> | | GAMASTAN INJ | 62 |
| <i>mg/200ml</i> | 5 | GAMMAGARD LIQUID | 62 |
| <i>flucytosine</i> | 5 | GAMMAGARD S/D IGA LESS TH | 62 |
| <i>fludrocortisone acetate</i> | 52 | GAMMAKED..... | 62 |
| <i>flunisolide (nasal)</i> | 72 | GAMMAPLEX..... | 62 |
| <i>fluocinolone acetonide</i> | 75 | GAMUNEX-C | 62 |
| <i>fluocinolone acetonide (otic)</i> | 69 | <i>ganciclovir sodium</i> | 8 |
| <i>fluocinonide</i> | 75 | GARDASIL 9 INJ | 64 |
| <i>fluocinonide emulsified base</i> | 75 | <i>gatifloxacin (ophth)</i> | 67 |
| <i>fluorometholone (ophth)</i> | 68 | GATTEX | 57 |
| <i>fluorouracil</i> | 12 | GAUZE PADS 2 | 46 |
| <i>fluorouracil (topical)</i> | 76 | <i>gavilyte-c</i> | 56 |
| <i>fluoxetine hcl</i> | 31 | <i>gavilyte-g</i> | 56 |
| <i>fluphenazine decanoate</i> | 33 | <i>gavilyte-n/flower pack</i> | 56 |
| <i>fluphenazine hcl</i> | 33 | GAVRETO..... | 16 |
| <i>flurbiprofen</i> | 1 | <i>gefitinib</i> | 16 |
| <i>flurbiprofen sodium</i> | 68 | <i>gemcitabine hcl</i> | 12 |
| <i>fluticasone propionate</i> | 75 | <i>gemfibrozil</i> | 25 |
| <i>fluticasone propionate (nasal)</i> | 72 | <i>generlac</i> | 56 |
| | | <i>gengraf</i> | 63 |

| | | | |
|--|--------|--|----|
| GENOTROPIN | 53 | HEPLISAV-B | 64 |
| GENOTROPIN MINIQUICK..... | 53 | HEP SOD/NACL INJ 25000UNT | 59 |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 3 | HERCEP HYLEC SOL 60-10000 | 16 |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 3 | HERCEPTIN | 16 |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 3 | HERZUMA | 16 |
| <i>gentamicin in saline inj 1 mg/ml</i> | 3 | HIBERIX | 64 |
| <i>gentamicin in saline inj 2 mg/ml</i> | 3 | HUMIRA..... | 61 |
| <i>gentamicin sulfate</i> | 3 | HUMIRA PEN | 61 |
| <i>gentamicin sulfate (ophth)</i> | 67 | HUMIRA PEN-CD/UC/HS START | 61 |
| <i>gentamicin sulfate (topical)</i> | 74 | HUMIRA PEN KIT PS/UV | 61 |
| GENVOYA TAB | 7 | HUMIRA PEN-PEDIATRIC UC S | 61 |
| GILOTRIF | 16 | HUMULIN R U-500 (CONCENTR | 46 |
| <i>glatiramer acetate</i> | 42 | HUMULIN R U-500 KWIKPEN..... | 46 |
| <i>glatopa</i> | 42 | <i>hydralazine hcl</i> | 29 |
| GLEOSTINE | 12 | <i>hydrochlorothiazide</i> | 28 |
| <i>glimepiride</i> | 44 | <i>hydrocodone-acetaminophen soln 7.5-</i> <i>325 mg/15ml</i> | 2 |
| <i>glipizide</i> | 44 | <i>hydrocodone-acetaminophen tab 10-</i> <i>325 mg</i> | 2 |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 44 | <i>hydrocodone-acetaminophen tab 5-325</i> <i>mg</i> | 2 |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 44 | <i>hydrocodone-acetaminophen tab 7.5-</i> <i>325 mg</i> | 2 |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 44 | <i>hydrocodone bitartrate</i> | 1 |
| <i>glipizide xl</i> | 44 | <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 2 |
| <i>glycopyrrolate</i> | 56 | <i>hydrocortisone</i> | 52 |
| <i>glydo</i> | 76 | <i>hydrocortisone (intrarectal)</i> | 56 |
| GLYXAMBI TAB 10-5 MG | 44 | <i>hydrocortisone (rectal)</i> | 76 |
| GLYXAMBI TAB 25-5 MG | 44 | <i>hydrocortisone (topical)</i> | 75 |
| <i>granisetron hcl</i> | 55 | <i>hydrocortisone valerate</i> | 75 |
| <i>griseofulvin microsize</i> | 5 | <i>hydromorphone hcl</i> | 2 |
| <i>griseofulvin ultramicrosize</i> | 5 | <i>hydroxychloroquine sulfate</i> | 62 |
| <i>guanfacine hcl</i> | 29 | <i>hydroxyurea</i> | 14 |
| <i>guanfacine hcl (adhd)</i> | 39, 40 | <i>hydroxyzine hcl</i> | 70 |
| H | | <i>hydroxyzine pamoate</i> | 70 |
| HAEGARDA..... | 59 | I | |
| <i>hailey 1.5/30</i> | 49 | <i>ibandronate sodium</i> | 47 |
| <i>halobetasol propionate</i> | 75 | IBRANCE..... | 16 |
| <i>haloette</i> | 49 | <i>ibu</i> | 1 |
| <i>haloperidol</i> | 33 | <i>ibuprofen</i> | 1 |
| <i>haloperidol decanoate</i> | 33 | <i>icatibant acetate</i> | 60 |
| <i>haloperidol lactate</i> | 33 | <i>iclevia</i> | 49 |
| HARVONI PAK 33.75-150MG | 8 | ICLUSIG | 16 |
| HARVONI PAK 45-200MG | 8 | IDACIO (2 PEN) | 61 |
| HARVONI TAB 45-200MG | 8 | IDACIO (2 SYRINGE) | 61 |
| HARVONI TAB 90-400MG | 8 | IDACIO CROHN INJ DISEASE..... | 61 |
| HAVRIX | 64 | | |
| <i>heather</i> | 49 | | |
| <i>heparin sodium (porcine)</i> | 59 | | |

| | | | |
|---|--------|-------------------------------------|----|
| IDACIO PLAQU INJ PSORIASIS..... | 61 | ISOLYTE-P INJ /D5W | 65 |
| IDHIFA | 16 | ISOLYTE-S INJ PH 7.4..... | 65 |
| <i>imatinib mesylate</i> | 16, 17 | <i>isoniazid</i> | 8 |
| IMBRUVICA | 17 | <i>isosorbide dinitrate</i> | 29 |
| <i>imipenem-cilastatin intravenous for</i> | | <i>isosorbide mononitrate</i> | 29 |
| <i>soln 250 mg</i> | 4 | <i>isotretinoin</i> | 74 |
| <i>imipenem-cilastatin intravenous for</i> | | <i>itraconazole</i> | 5 |
| <i>soln 500 mg</i> | 4 | <i>ivabradine hcl</i> | 29 |
| <i>imipramine hcl</i> | 31 | <i>ivermectin</i> | 4 |
| <i>imiquimod</i> | 76 | IWILFIN..... | 14 |
| IMOVAX RABIES (H.D.C.V.) | 64 | IXCHIQ INJ | 64 |
| IMPAVIDO..... | 4 | IXIARO INJ..... | 64 |
| INBRIJA..... | 32 | J | |
| <i>incassia</i> | 49 | JAKAFI | 17 |
| INCRELEX | 53 | <i>jantoven</i> | 59 |
| INCRUSE ELLIPTA | 70 | JANUMET TAB 50-1000 | 44 |
| <i>indapamide</i> | 28 | JANUMET TAB 50-500MG | 44 |
| INFANRIX INJ | 64 | JANUMET XR TAB 100-1000..... | 44 |
| INFLIXIMAB..... | 61 | JANUMET XR TAB 50-1000 | 44 |
| INLYTA | 17 | JANUMET XR TAB 50-500MG..... | 44 |
| INQOVI TAB 35-100MG..... | 12 | JANUVIA | 44 |
| INREBIC | 17 | JARDIANCE | 44 |
| INSULIN PEN NEEDLES: BD-EMBECTA | | <i>jasmiel</i> | 49 |
| | 46 | <i>javygtor</i> | 53 |
| INSULIN SAFETY NEEDLES: BD- | | JAYPIRCA..... | 17 |
| EMBECTA | 46 | JENTADUETO TAB 2.5-1000..... | 44 |
| INSULIN SYRINGES: BD-EMBECTA ... | 46 | JENTADUETO TAB 2.5-500 | 44 |
| INTELENCE | 6 | JENTADUETO TAB 2.5-850 | 44 |
| INTRALIPID..... | 67 | JENTADUETO TAB XR 2.5-1000MG ... | 44 |
| <i>introvale</i> | 49 | JENTADUETO TAB XR 5-1000MG | 44 |
| INVEGA HAFYERA..... | 33 | <i>jinteli</i> | 52 |
| INVEGA SUSTENNA | 33 | <i>jolessa</i> | 49 |
| INVEGA TRINZA..... | 33 | <i>juleber</i> | 49 |
| IPOL INJ INACTIVE..... | 64 | JULUCA TAB 50-25MG | 7 |
| <i>ipratropium-albuterol nebu soln 0.5-</i> | | <i>junel 1/20</i> | 49 |
| <i>2.5(3) mg/3ml</i> | 69 | <i>junel 1.5/30</i> | 49 |
| <i>ipratropium bromide</i> | 70 | <i>junel fe 1/20</i> | 49 |
| <i>ipratropium bromide (nasal)</i> | 70 | <i>junel fe 1.5/30</i> | 49 |
| <i>irbesartan</i> | 25 | JYLAMVO | 62 |
| <i>irbesartan-hydrochlorothiazide tab</i> | | JYNNEOS | 64 |
| <i>150-12.5 mg</i> | 24 | K | |
| <i>irbesartan-hydrochlorothiazide tab</i> | | KADCYLA | 17 |
| <i>300-12.5 mg</i> | 24 | KALYDECO | 71 |
| <i>irinotecan hcl</i> | 14 | KANJINTI | 17 |
| ISENTRESS | 6 | <i>kariva</i> | 49 |
| ISENTRESS HD | 6 | KCL/D5W/NAACL INJ 0.3/0.9%..... | 65 |
| <i>isibloom</i> | 49 | | |

| | | | |
|--|----|---|----|
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 65 | <i>kurvelo</i> | 49 |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 65 | L | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 65 | <i>labetalol hcl</i> | 27 |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 65 | <i>lacosamide</i> | 37 |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | 65 | <i>lacosamide oral</i> | 37 |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 65 | <i>lactated ringer's solution</i> | 65 |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 65 | <i>lactic acid (ammonium lactate)</i> | 76 |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 65 | <i>lactulose</i> | 56 |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 65 | <i>lactulose (encephalopathy)</i> | 56 |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj</i> | 65 | <i>lamivudine</i> | 6 |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | 65 | <i>lamivudine (hcv)</i> | 8 |
| <i>kelnor 1/35</i> | 49 | <i>lamivudine-zidovudine tab 150-300 mg</i> | 7 |
| <i>kelnor 1/50</i> | 49 | <i>lamotrigine</i> | 37 |
| KERENDIA..... | 23 | <i>lanreotide acetate</i> | 53 |
| KESIMPTA | 42 | <i>lansoprazole</i> | 58 |
| <i>ketoconazole</i> | 5 | <i>lapatinib ditosylate</i> | 17 |
| <i>ketoconazole (topical)</i> | 74 | <i>larin 1/20</i> | 49 |
| <i>ketorolac tromethamine (ophth)</i> | 68 | <i>larin 1.5/30</i> | 49 |
| KEYTRUDA | 17 | <i>larin fe 1/20</i> | 49 |
| KINRIX INJ..... | 64 | <i>larin fe 1.5/30</i> | 49 |
| <i>kionex</i> | 47 | <i>latanoprost</i> | 68 |
| KISQALI 200 DOSE | 17 | <i>leena</i> | 49 |
| KISQALI 200 PAK FEMARA..... | 17 | <i>leflunomide</i> | 62 |
| KISQALI 400 DOSE | 17 | <i>lenalidomide</i> | 14 |
| KISQALI 400 PAK FEMARA..... | 17 | LENVIMA 10 MG DAILY DOSE | 18 |
| KISQALI 600 DOSE | 17 | LENVIMA 12MG DAILY DOSE | 18 |
| KISQALI 600 PAK FEMARA..... | 17 | LENVIMA 20 MG DAILY DOSE | 18 |
| <i>klayesta</i> | 74 | LENVIMA 4 MG DAILY DOSE | 17 |
| <i>klor-con</i> | 66 | LENVIMA 8 MG DAILY DOSE | 18 |
| <i>klor-con 10</i> | 66 | LENVIMA CAP 14 MG | 18 |
| <i>klor-con 8</i> | 66 | LENVIMA CAP 18 MG | 18 |
| <i>klor-con m10</i> | 66 | LENVIMA CAP 24 MG | 18 |
| <i>klor-con m15</i> | 66 | <i>lessina</i> | 49 |
| <i>klor-con m20</i> | 66 | <i>letrozole</i> | 13 |
| KOSELUGO..... | 17 | <i>leucovorin calcium</i> | 22 |
| <i>kourzeq</i> | 77 | <i>leuprolide acetate</i> | 13 |
| KRAZATI..... | 17 | <i>levalbuterol tartrate</i> | 70 |
| | | <i>levetiracetam</i> | 37 |
| | | <i>levetiracetam in sodium chloride iv soln 1000 mg/100ml</i> | 37 |
| | | <i>levetiracetam in sodium chloride iv soln 1500 mg/100ml</i> | 37 |
| | | <i>levetiracetam in sodium chloride iv soln 500 mg/100ml</i> | 37 |
| | | <i>levobunolol hcl</i> | 68 |
| | | <i>levocarnitine (metabolic modifiers)</i> ... | 53 |

| | | | |
|--|----|--|----|
| <i>levocetirizine dihydrochloride</i> | 70 | <i>loestrin fe 1.5/30</i> | 49 |
| <i>levofloxacin</i> | 10 | LOKELMA | 47 |
| <i>levofloxacin in d5w iv soln 250</i> <i>mg/50ml</i> | 10 | LONSURF TAB 15-6.14..... | 12 |
| <i>levofloxacin in d5w iv soln 500</i> <i>mg/100ml</i> | 10 | LONSURF TAB 20-8.19..... | 12 |
| <i>levofloxacin in d5w iv soln 750</i> <i>mg/150ml</i> | 10 | <i>loperamide hcl</i> | 57 |
| <i>levonest</i> | 49 | <i>lopinavir-ritonavir soln 400-100</i> <i>mg/5ml (80-20 mg/ml)</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol (91-</i> <i>day) tab 0.15-0.03 mg</i> | 49 | <i>lopinavir-ritonavir tab 100-25 mg</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol tab</i> <i>0.15 mg-30 mcg</i> | 49 | <i>lopinavir-ritonavir tab 200-50 mg</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol tab</i> <i>0.1 mg-20 mcg</i> | 49 | <i>lorazepam</i> | 29 |
| <i>levonorgestrel-eth estra tab 0.05-</i> <i>30/0.075-40/0.125-30mg-mcg</i> | 49 | <i>lorazepam intensol</i> | 29 |
| <i>levora 0.15/30-28</i> | 49 | LORBRENA | 18 |
| <i>levo-t</i> | 54 | <i>loryna</i> | 49 |
| <i>levothyroxine sodium</i> | 54 | <i>losartan potassium</i> | 25 |
| <i>levoxyl</i> | 54 | <i>losartan potassium &</i> <i>hydrochlorothiazide tab 100-12.5 mg</i> | 24 |
| <i>l-glutamine (sickle cell)</i> | 60 | <i>losartan potassium &</i> <i>hydrochlorothiazide tab 100-25 mg</i> 24 | |
| LIBERVANT | 37 | <i>losartan potassium &</i> <i>hydrochlorothiazide tab 50-12.5 mg</i> | 24 |
| <i>lidocaine</i> | 76 | LOTEMAX | 68 |
| <i>lidocaine hcl</i> | 76 | <i>loteprednol etabonate</i> | 68 |
| <i>lidocaine hcl (local anesth.)</i> | 1 | <i>lovastatin</i> | 26 |
| <i>lidocaine hcl (mouth-throat)</i> | 77 | <i>low-ogestrel</i> | 49 |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> .76 | | <i>loxapine succinate</i> | 34 |
| <i>lidocan</i> | 76 | LUMAKRAS | 18 |
| LILETTA | 49 | LUMIGAN | 68 |
| <i>linezolid</i> | 4 | LUMIZYME | 53 |
| LINEZOLID INJ 2MG/ML..... | 4 | LUPRON DEPOT (1-MONTH)..... | 13 |
| LINZESS | 57 | LUPRON DEPOT (3-MONTH)..... | 13 |
| <i>liothyronine sodium</i> | 54 | LUPRON DEPOT-PED (1-MONTH | 53 |
| <i>lisinopril</i> | 23 | LUPRON DEPOT-PED (3-MONTH | 53 |
| <i>lisinopril & hydrochlorothiazide tab 10-</i> <i>12.5 mg</i> | 23 | LUPRON DEPOT-PED (6-MONTH | 53 |
| <i>lisinopril & hydrochlorothiazide tab 20-</i> <i>12.5 mg</i> | 23 | <i>lurasidone hcl</i> | 34 |
| <i>lisinopril & hydrochlorothiazide tab 20-</i> <i>25 mg</i> | 23 | <i>lutura</i> | 50 |
| <i>lithium</i> | 41 | <i>lyleq</i> | 50 |
| <i>lithium carbonate</i> | 41 | <i>lyllana</i> | 52 |
| LIVTENCITY | 8 | LYNPARZA..... | 18 |
| <i>loestrin 1/20-21</i> | 49 | LYSODREN | 13 |
| <i>loestrin 1.5/30-21</i> | 49 | LYTGOBI (12 MG DAILY DOSE) | 18 |
| <i>loestrin fe 1/20</i> | 49 | LYTGOBI (16 MG DAILY DOSE) | 18 |
| | | LYTGOBI (20 MG DAILY DOSE) | 18 |
| | | <i>lyza</i> | 50 |
| | | M | |
| | | <i>magnesium sulfate</i> | 65 |

| | | | |
|--|--------|---|----|
| MAGNESIUM SULFATE | 65 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| <i>magnesium sulfate in dextrose 5% iv</i> | | 100-25 mg | 27 |
| <i>soln 1 gm/100ml</i> | 66 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| <i>malathion</i> | 77 | 100-50 mg | 27 |
| <i>maraviroc</i> | 6 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| <i>marlissa</i> | 50 | 50-25 mg | 26 |
| MARPLAN | 31 | <i>metoprolol succinate</i> | 27 |
| MATULANE | 14 | <i>metoprolol tartrate</i> | 27 |
| MAVYRET PAK 50-20MG | 8 | <i>metronidazole</i> | 4 |
| MAVYRET TAB 100-40MG | 8 | <i>metronidazole (topical)</i> | 76 |
| <i>meclizine hcl</i> | 55 | <i>metronidazole vaginal</i> | 58 |
| <i>medroxyprogesterone acetate</i> | 54 | <i>metyrosine</i> | 29 |
| <i>(contraceptive)</i> | 50 | <i>miconazole sodium</i> | 5 |
| <i>mefloquine hcl</i> | 5 | <i>microgestin 1/20</i> | 50 |
| <i>megestrol acetate</i> | 13, 54 | <i>microgestin 1.5/30</i> | 50 |
| <i>megestrol acetate (appetite)</i> | 54 | <i>microgestin fe 1/20</i> | 50 |
| MEKINIST | 18 | <i>microgestin fe 1.5/30</i> | 50 |
| MEKTOVI | 18 | <i>midodrine hcl</i> | 29 |
| <i>meloxicam</i> | 1 | MIEBO | 69 |
| <i>memantine hcl</i> | 30 | <i>mifepristone (hyperglycemia)</i> | 53 |
| MENACTRA INJ | 64 | <i>mili</i> | 50 |
| MENQUADFI INJ | 64 | <i>mimvey</i> | 52 |
| MENVEO INJ | 64 | <i>minocycline hcl</i> | 11 |
| MENVEO SOL | 64 | <i>minoxidil</i> | 29 |
| <i>mercaptapurine</i> | 12 | <i>mirtazapine</i> | 31 |
| <i>meropenem</i> | 4 | <i>misoprostol</i> | 57 |
| <i>mesalamine</i> | 56 | MITIGARE | 1 |
| <i>mesalamine w/ cleanser</i> | 56 | M-M-R II INJ | 64 |
| MESNEX | 22 | M-NATAL PLUS TAB | 66 |
| <i>metformin hcl</i> | 44, 45 | <i>modafinil</i> | 43 |
| <i>methadone hcl</i> | 1, 2 | <i>moexipril hcl</i> | 23 |
| <i>methadone hydrochloride i</i> | 2 | <i>molindone hcl</i> | 34 |
| <i>methazolamide</i> | 28 | <i>mometasone furoate</i> | 76 |
| <i>methenamine hippurate</i> | 4 | <i>mometasone furoate (nasal)</i> | 72 |
| <i>methimazole</i> | 54 | MONJUVI | 18 |
| <i>methocarbamol</i> | 42, 43 | <i>mono-linyah</i> | 50 |
| <i>methotrexate sodium</i> | 12, 62 | <i>montelukast sodium</i> | 71 |
| <i>methsuximide</i> | 37 | <i>morphine sulfate</i> | 2 |
| <i>methylphenidate hcl</i> | 40 | MOUNJARO | 45 |
| <i>methylprednisolone</i> | 52 | MOVANTIK | 57 |
| <i>methylprednisolone acetate</i> | 52 | <i>moxifloxacin hcl</i> | 10 |
| <i>methylprednisolone sod succ</i> | 52 | <i>moxifloxacin hcl (ophth)</i> | 67 |
| <i>methyltestosterone</i> | 44 | <i>moxifloxacin hcl 400 mg/250ml in</i> | |
| <i>metoclopramide hcl</i> | 55 | <i>sodium chloride 0.8% inj</i> | 10 |
| <i>metolazone</i> | 28 | MRESVIA | 64 |
| | | MULTAQ | 25 |
| | | <i>multiple electrolytes ph 5.5</i> | 66 |

| | | | |
|--|----|---|----|
| <i>multiple electrolytes ph 7.4</i> | 66 | NEXPLANON | 50 |
| <i>mupirocin</i> | 74 | <i>niacin (antihyperlipidemic)</i> | 26 |
| <i>mycophenolate mofetil</i> | 63 | <i>nicardipine hcl</i> | 27 |
| <i>mycophenolate sodium</i> | 63 | NICOTROL INHALER | 43 |
| MYRBETRIQ..... | 58 | NICOTROL NS..... | 43 |
| N | | <i>nifedipine</i> | 27 |
| <i>nabumetone</i> | 1 | <i>nikki</i> | 50 |
| <i>nadolol</i> | 27 | <i>nilutamide</i> | 13 |
| <i>nafticillin sodium</i> | 11 | <i>nimodipine</i> | 27 |
| NAGLAZYME | 53 | NINLARO | 18 |
| <i>nalbuphine hcl</i> | 2 | <i>nitazoxanide</i> | 4 |
| <i>naloxone hcl</i> | 43 | <i>nitisinone</i> | 53 |
| <i>naltrexone hcl</i> | 43 | NITRO-BID..... | 29 |
| NAMZARIC CAP 14-10MG | 30 | <i>nitrofurantoin macrocrystal</i> | 4 |
| NAMZARIC CAP 21-10MG | 30 | <i>nitrofurantoin monohyd macro</i> | 4 |
| NAMZARIC CAP 28-10MG | 30 | <i>nitroglycerin</i> | 29 |
| NAMZARIC CAP 7-10MG..... | 30 | <i>nitroglycerin (intra-anal)</i> | 76 |
| NAMZARIC CAP PACK | 30 | <i>nizatidine</i> | 56 |
| <i>naproxen</i> | 1 | <i>nora-be</i> | 50 |
| <i>naproxen dr</i> | 1 | <i>norelgestromin-ethinyl estradiol td</i> | |
| <i>naproxen sodium</i> | 1 | <i>ptwk 150-35 mcg/24hr</i> | 50 |
| <i>naratriptan hcl</i> | 41 | <i>norethindrone (contraceptive)</i> | 50 |
| <i>nateglinide</i> | 45 | <i>norethindrone ace & ethinyl estradiol-fe</i> | |
| NAYZILAM..... | 37 | <i>tab 1 mg-20 mcg</i> | 50 |
| <i>nebivolol hcl</i> | 27 | <i>norethindrone ace & ethinyl estradiol</i> | |
| <i>necon 0.5/35-28</i> | 50 | <i>tab 1.5 mg-30 mcg</i> | 50 |
| <i>nefazodone hcl</i> | 31 | <i>norethindrone ace & ethinyl estradiol</i> | |
| <i>neomycin-bacitrac zn-polymyx</i> | | <i>tab 1 mg-20 mcg</i> | 50 |
| <i>5(3.5)mg-400unt-10000unt op oin 67</i> | | <i>norethindrone acetate</i> | 54 |
| <i>neomycin-polymy-gramicid op sol</i> | | <i>norethindrone acetate-ethinyl estradiol</i> | |
| <i>1.75-10000-0.025mg-unt-mg/ml ..67</i> | | <i>tab 0.5 mg-2.5 mcg</i> | 52 |
| <i>neomycin-polymyxin-dexamethasone</i> | | <i>norethindrone acetate-ethinyl estradiol</i> | |
| <i>ophth oint 0.1%</i> | 67 | <i>tab 1 mg-5 mcg</i> | 52 |
| <i>neomycin-polymyxin-dexamethasone</i> | | <i>norethindrone ac-ethinyl estrad-fe tab</i> | |
| <i>ophth susp 0.1%</i> | 67 | <i>1-20/1-30/1-35 mg-mcg</i> | 50 |
| <i>neomycin-polymyxin-hc ophth susp</i> .. | 67 | <i>norgestimate & ethinyl estradiol tab</i> | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 69 | <i>0.25 mg-35 mcg</i> | 50 |
| <i>neomycin-polymyxin-hc otic susp 3.5</i> | | <i>norgestimate-eth estrad tab 0.18-</i> | |
| <i>mg/ml-10000 unit/ml-1%</i> | 69 | <i>25/0.215-25/0.25-25 mg-mcg</i> | 50 |
| <i>neomycin sulfate</i> | 4 | <i>norgestimate-eth estrad tab 0.18-</i> | |
| <i>neo-polycin 5(3.5)mg-400unt-</i> | | <i>35/0.215-35/0.25-35 mg-mcg</i> | 50 |
| <i>10000unt op oin</i> | 67 | <i>norlyroc</i> | 50 |
| <i>neo-polycin hc ophth oint 1%</i> | 67 | <i>nortrel 0.5/35 (28)</i> | 50 |
| NERLYNX | 18 | <i>nortrel 1/35 (21)</i> | 50 |
| <i>nevirapine</i> | 6 | <i>nortrel 1/35 (28)</i> | 50 |
| NEXLETOL..... | 26 | <i>nortrel 7/7/7</i> | 50 |
| NEXLIZET TAB 180/10MG..... | 26 | <i>nortriptyline hcl</i> | 31 |

| | |
|---|----|
| NORVIR..... | 6 |
| NOVOLIN INJ 70/30 | 46 |
| NOVOLIN INJ 70/30 FP | 46 |
| NOVOLIN N | 46 |
| NOVOLIN N FLEXPEN | 46 |
| NOVOLIN R | 46 |
| NOVOLIN R FLEXPEN | 46 |
| NOVOLOG MIX INJ 70/30 | 46 |
| NOVOLOG MIX INJ FLEXPEN | 46 |
| NUBEQA | 13 |
| NUDEXTA CAP 20-10MG | 41 |
| NULOJIX | 63 |
| NUPLAZID | 34 |
| NURTEC..... | 41 |
| NUTRILIPID..... | 67 |
| NUZYRA..... | 11 |
| <i>nyamyc</i> | 74 |
| <i>nylia 1/35</i> | 50 |
| <i>nylia 7/7/7</i> | 50 |
| <i>nymyo</i> | 50 |
| <i>nystatin</i> | 5 |
| <i>nystatin (mouth-throat)</i> | 77 |
| <i>nystatin (topical)</i> | 74 |
| <i>nystop</i> | 74 |
| o | |
| <i>ocella</i> | 50 |
| OCTAGAM | 63 |
| <i>octreotide acetate</i> | 54 |
| ODEFSEY TAB..... | 7 |
| ODOMZO | 18 |
| OFEV | 71 |
| <i>ofloxacin (ophth)</i> | 67 |
| <i>ofloxacin (otic)</i> | 69 |
| OGIVRI..... | 18 |
| OGSIVEO | 19 |
| OJEMDA..... | 19 |
| OJJAARA..... | 19 |
| <i>olanzapine</i> | 34 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 20-5-12.5</i> <i>mg</i> | 24 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-10-12.5</i> <i>mg</i> | 24 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-10-25 mg</i> | 24 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-5-12.5</i> <i>mg</i> | 24 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-5-25 mg</i> | 24 |
| <i>olmesartan medoxomil</i> | 25 |
| <i>olmesartan medoxomil-</i> <i>hydrochlorothiazide tab 20-12.5 mg</i> | 24 |
| <i>olmesartan medoxomil-</i> <i>hydrochlorothiazide tab 40-12.5 mg</i> | 24 |
| <i>olmesartan medoxomil-</i> <i>hydrochlorothiazide tab 40-25 mg</i> . | 24 |
| <i>omega-3-acid ethyl esters cap 1 gm</i> . | 26 |
| <i>omeprazole</i> | 58 |
| OMNIPOD 5 DX KIT INT G7G6 | 46 |
| OMNIPOD 5 DX MIS POD G7G6 | 46 |
| OMNIPOD 5 G7 KIT INTRO | 46 |
| OMNIPOD 5 G7 MIS PODS | 46 |
| OMNIPOD DASH KIT INTRO | 46 |
| OMNIPOD DASH MIS PODS | 46 |
| OMNIPOD GO KIT 10UNT/DY | 47 |
| OMNIPOD GO KIT 15UNT/DY | 47 |
| OMNIPOD GO KIT 20UNT/DY | 47 |
| OMNIPOD GO KIT 25UNT/DY | 47 |
| OMNIPOD GO KIT 30UNT/DY | 47 |
| OMNIPOD GO KIT 35UNT/DY | 47 |
| OMNIPOD GO KIT 40UNT/DY | 47 |
| OMNIPOD MIS CLASSIC | 47 |
| <i>ondansetron</i> | 55 |
| <i>ondansetron hcl</i> | 55 |
| ONTRUZANT | 19 |
| ONUREG | 12 |
| ORGOVYX | 13 |
| ORKAMBI GRA 100-125 | 71 |
| ORKAMBI GRA 150-188 | 71 |
| ORKAMBI GRA 75-94MG | 71 |
| ORKAMBI TAB 100-125..... | 71 |
| ORKAMBI TAB 200-125 | 71 |
| ORSERDU | 13 |
| <i>oseltamivir phosphate</i> | 8 |
| <i>oxacillin sodium</i> | 11 |
| <i>oxaliplatin</i> | 12 |
| <i>oxcarbazepine</i> | 37 |
| <i>oxybutynin chloride</i> | 58 |

| | | | |
|---|----|---|--------|
| <i>oxycodone hcl</i> | 2 | <i>permethrin</i> | 77 |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | <i>perphenazine</i> | 34 |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | 2 | <i>pfizerpen</i> | 11 |
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | 3 | <i>phenelzine sulfate</i> | 31 |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | <i>phenobarbital</i> | 37 |
| OZEMPIC (0.25 OR 0.5MG/DOSE) | 45 | <i>phenobarbital sodium</i> | 37 |
| OZEMPIC (0.25 OR 0.5 MG/DOSE).... | 45 | <i>phenytek</i> | 37 |
| OZEMPIC (1MG/DOSE) | 45 | <i>phenytoin</i> | 37 |
| OZEMPIC (2MG/DOSE) | 45 | <i>phenytoin sodium</i> | 37 |
| P | | <i>phenytoin sodium extended</i> | 37 |
| <i>pacerone</i> | 25 | PHESGO SOL..... | 19 |
| <i>paclitaxel</i> | 14 | <i>philith</i> | 50 |
| <i>paliperidone</i> | 34 | PIFELTRO | 6 |
| <i>pamidronate disodium</i> | 47 | <i>pilocarpine hcl</i> | 68 |
| PAMIDRONATE DISODIUM..... | 47 | <i>pilocarpine hcl (oral)</i> | 77 |
| PANRETIN | 76 | <i>pimecrolimus</i> | 76 |
| <i>pantoprazole sodium</i> | 58 | <i>pimozide</i> | 34 |
| PANZYGA | 63 | <i>pimtrea</i> | 50 |
| <i>paricalcitol</i> | 55 | <i>pindolol</i> | 27 |
| <i>paroxetine hcl</i> | 31 | <i>pioglitazone hcl</i> | 45 |
| PAXLOVID TAB 150-100 | 8 | <i>pioglitazone hcl-metformin hcl tab 15-500 mg</i> | 45 |
| PAXLOVID TAB 300-100 | 8 | <i>pioglitazone hcl-metformin hcl tab 15-850 mg</i> | 45 |
| <i>pazopanib hcl</i> | 19 | <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 11 |
| PEDIARIX INJ 0.5ML..... | 64 | <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 11 |
| PEDVAX HIB..... | 64 | <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 11 |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 56 | <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 11 |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 57 | <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 11 |
| PEGASYS | 8 | PIQRAY 200MG DAILY DOSE..... | 19 |
| PEMAZYRE | 19 | PIQRAY 250MG TAB DOSE..... | 19 |
| <i>pemetrexed disodium</i> | 12 | PIQRAY 300MG DAILY DOSE..... | 19 |
| PENBRAYA INJ | 64 | <i>pirfenidone</i> | 71, 72 |
| <i>penicillamine</i> | 47 | <i>piroxicam</i> | 1 |
| <i>penicillin g potassium</i> | 11 | <i>plenamine</i> | 67 |
| <i>penicillin g sodium</i> | 11 | PLENVU SOL..... | 57 |
| <i>penicillin v potassium</i> | 11 | <i>podofilox</i> | 76 |
| PENTACEL INJ | 64 | <i>polycin ophth oint</i> | 67 |
| <i>pentamidine isethionate inh</i> | 4 | <i>polymyxin b sulfate</i> | 4 |
| <i>pentamidine isethionate inj</i> | 4 | <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 68 |
| <i>pentoxifylline</i> | 60 | POMALYST | 14 |
| <i>perindopril erbumine</i> | 23 | | |
| <i>periogard</i> | 77 | | |

| | | | |
|---|----|-------------------------------------|----|
| <i>portia-28</i> | 51 | <i>procto-med hc</i> | 76 |
| <i>posaconazole</i> | 5 | <i>proctosol hc</i> | 77 |
| <i>potassium chloride</i> | 66 | <i>proctozone-hc</i> | 77 |
| <i>potassium chloride 20 meq/l (0.15%)</i> <i>in dextrose 5% inj</i> | 66 | <i>progesterone</i> | 54 |
| <i>potassium chloride microencapsulated</i> <i>crystals er</i> | 66 | PROGRAF | 63 |
| <i>potassium citrate (alkalinizer)</i> | 58 | PROLASTIN-C | 72 |
| POT CHL 20MEQ/L IN NAACL 0.45% INJ | 66 | PROLIA | 47 |
| POT CHL 20MEQ/L IN NAACL 0.9% INJ | 66 | <i>promethazine hcl</i> | 55 |
| POT CHL 40MEQ/L IN NAACL 0.9% INJ | 66 | <i>propafenone hcl</i> | 25 |
| <i>pramipexole dihydrochloride</i> | 32 | <i>proparacaine hcl</i> | 69 |
| <i>prasugrel hcl</i> | 60 | <i>propranolol hcl</i> | 27 |
| <i>pravastatin sodium</i> | 26 | <i>propylthiouracil</i> | 54 |
| <i>praziquantel</i> | 4 | PROQUAD INJ | 64 |
| <i>prazosin hcl</i> | 23 | PROSOL INJ 20% | 67 |
| <i>prednisolone</i> | 52 | <i>protriptyline hcl</i> | 31 |
| <i>prednisolone acetate (ophth)</i> | 68 | PULMOZYME | 72 |
| PREDNISOLONE SODIUM PHOSP | 68 | PURIXAN | 13 |
| <i>prednisolone sodium phosphate</i> | 52 | <i>pyrazinamide</i> | 8 |
| <i>prednisone</i> | 52 | <i>pyridostigmine bromide</i> | 41 |
| PREDNISON INTENSOL | 52 | <i>pyrimethamine</i> | 4 |
| <i>pregabalin</i> | 37 | Q | |
| PREHEVBRIO | 64 | QINLOCK | 19 |
| PREMARIN | 52 | QUADRACEL INJ | 64 |
| PREMASOL SOL 10% | 67 | QUADRACEL INJ 0.5ML | 64 |
| PRENATAL TAB 27-1MG | 66 | <i>quetiapine fumarate</i> | 34 |
| PRENATAL TAB PLUS | 66 | <i>quinapril hcl</i> | 23 |
| <i>prevalite</i> | 26 | <i>quinidine sulfate</i> | 25 |
| PREVYMIS | 8 | <i>quinine sulfate</i> | 5 |
| PREZCOBIX TAB 800-150 | 7 | QULIPTA | 41 |
| PREZISTA | 6 | R | |
| PRIFTIN | 8 | RABAVERT INJ | 64 |
| <i>primaquine phosphate</i> | 5 | <i>raloxifene hcl</i> | 54 |
| PRIMAQUINE PHOSPHATE | 5 | <i>ramipril</i> | 23 |
| <i>primidone</i> | 38 | <i>ranolazine</i> | 29 |
| PRIORIX INJ | 64 | <i>rasagiline mesylate</i> | 32 |
| PRIVIGEN | 63 | <i>reclipsen</i> | 51 |
| <i>probenecid</i> | 1 | RECOMBIVAX HB | 64 |
| <i>prochlorperazine</i> | 55 | REGRANEX | 77 |
| <i>prochlorperazine edisylate</i> | 55 | RELENZA DISKHALER | 9 |
| <i>prochlorperazine maleate</i> | 55 | RELISTOR | 57 |
| PROCRIT | 59 | REMICADE | 61 |
| <i>proctocort</i> | 76 | RENFLXIS | 61 |
| | | <i>repaglinide</i> | 45 |
| | | REPATHA | 26 |
| | | REPATHA PUSHTRONEX SYSTEM | 26 |
| | | REPATHA SURECLICK | 26 |
| | | RESTASIS | 69 |

| | | | |
|--|--------|---|--------|
| RESTASIS MULTIDOSE..... | 69 | SHINGRIX..... | 64 |
| RETEVMO..... | 19 | SIGNIFOR..... | 54 |
| REXULTI..... | 34 | <i>sildenafil citrate (pulmonary</i> | |
| REYATAZ..... | 6 | <i>hypertension)</i> | 29 |
| REZLIDHIA..... | 19 | <i>silver sulfadiazine</i> | 74 |
| REZUROCK..... | 63 | SIMBRINZA SUS 1-0.2%..... | 68 |
| RHOPRESSA..... | 68 | <i>simliya</i> | 51 |
| <i>ribavirin (hepatitis c)</i> | 9 | <i>simvastatin</i> | 26 |
| <i>rifabutin</i> | 8 | <i>sirolimus</i> | 63 |
| <i>rifampin</i> | 8 | SIRTURO..... | 8 |
| <i>riluzole</i> | 42 | SKYRIZI..... | 61 |
| <i>rimantadine hydrochloride</i> | 9 | SKYRIZI PEN..... | 61 |
| RINVOQ..... | 61 | <i>sodium chloride</i> | 66 |
| RINVOQ LQ..... | 61 | <i>sodium chloride (gu irrigant)</i> | 77 |
| <i>risperidone</i> | 34 | <i>sodium fluoride chew; tab; 1.1 (0.5 f)</i> | |
| <i>risperidone microspheres</i> | 34 | <i>mg/ml soln</i> | 66 |
| <i>ritonavir</i> | 6 | SODIUM OXYBATE..... | 43 |
| <i>rivastigmine</i> | 30 | <i>sodium phenylbutyrate</i> | 54 |
| <i>rivastigmine tartrate</i> | 30 | <i>sodium polystyrene sulfonate powder</i> | |
| <i>rizatriptan benzoate</i> | 41 | | 48 |
| ROCKLATAN DRO..... | 68 | <i>sod sulfate-pot sulf-mg sulf oral sol</i> | |
| <i>roflumilast</i> | 72 | <i>17.5-3.13-1.6 gm/177ml</i> | 57 |
| <i>ropinirole hydrochloride</i> | 32 | <i>solifenacin succinate</i> | 58 |
| <i>rosuvastatin calcium</i> | 26 | SOLIQUA INJ 100/33..... | 47 |
| ROTARIX SUS..... | 64 | SOLTAMOX..... | 13 |
| ROTATEQ SOL..... | 64 | SOLU-CORTEF..... | 53 |
| <i>roweepra</i> | 38 | SOMATULINE DEPOT..... | 54 |
| ROZLYTREK..... | 19 | SOMAVERT..... | 54 |
| RUBRACA..... | 19 | <i>sorafenib tosylate</i> | 20 |
| <i>rufinamide</i> | 38 | <i>sotalol hcl</i> | 25 |
| RUKOBIA..... | 6 | <i>sotalol hcl (afib/af)</i> | 25 |
| RYBELSUS..... | 45 | SOTYKTU..... | 61 |
| RYDAPT..... | 19 | <i>spironolactone</i> | 23 |
| S | | <i>spironolactone & hydrochlorothiazide</i> | |
| <i>sajazir</i> | 60 | <i>tab 25-25 mg</i> | 28 |
| SANTYL..... | 77 | <i>sprintec 28</i> | 51 |
| <i>sapropterin dihydrochloride</i> | 54 | SPRITAM..... | 38 |
| SCSEMBLIX..... | 19, 20 | SPRYCEL..... | 20 |
| <i>scopolamine</i> | 56 | <i>sps</i> | 48 |
| SECUADO..... | 34 | <i>sronyx</i> | 51 |
| <i>selegiline hcl</i> | 32 | <i>ssd</i> | 74 |
| <i>selenium sulfide</i> | 74 | STELARA..... | 61, 62 |
| SELZENTRY..... | 6 | STIVARGA..... | 20 |
| SEREVENT DISKUS..... | 71 | <i>streptomycin sulfate</i> | 4 |
| <i>sertraline hcl</i> | 31 | STRIBILD TAB..... | 7 |
| <i>setlakin</i> | 51 | <i>subvenite</i> | 38 |
| <i>sharobel</i> | 51 | <i>sucralfate</i> | 57 |

| | | | |
|--|----|--|--------|
| <i>sulfacetamide sodium (acne)</i> | 74 | TASIGNA | 20 |
| <i>sulfacetamide sodium (ophth)</i> | 68 | <i>tasimelteon</i> | 40 |
| <i>sulfacetamide sodium-prednisolone</i> | | TAVNEOS | 60 |
| <i>ophth soln 10-0.23(0.25)%</i> | 67 | <i>tazarotene</i> | 75 |
| <i>sulfadiazine</i> | 4 | <i>tazicef</i> | 9 |
| <i>sulfamethoxazole-trimethoprim iv soln</i> | | TAZORAC..... | 75 |
| <i>400-80 mg/5ml</i> | 4 | TAZVERIK | 20 |
| <i>sulfamethoxazole-trimethoprim susp</i> | | TDVAX INJ 2-2 LF | 64 |
| <i>200-40 mg/5ml</i> | 4 | TECENTRIQ..... | 20 |
| <i>sulfamethoxazole-trimethoprim tab</i> | | TEFLARO | 9 |
| <i>400-80 mg</i> | 4 | <i>telmisartan</i> | 25 |
| <i>sulfamethoxazole-trimethoprim tab</i> | | <i>temazepam</i> | 40 |
| <i>800-160 mg</i> | 4 | TENIVAC INJ 5-2LF..... | 64 |
| SULFAMYLON | 74 | <i>tenofovir disoproxil fumarate</i> | 6 |
| <i>sulfasalazine</i> | 56 | TEPMETKO | 20 |
| <i>sulindac</i> | 1 | <i>terazosin hcl</i> | 23 |
| <i>sumatriptan</i> | 41 | <i>terbinafine hcl</i> | 5 |
| <i>sumatriptan succinate</i> | 41 | <i>terbutaline sulfate</i> | 71 |
| <i>sunitinib malate</i> | 20 | <i>terconazole vaginal</i> | 58 |
| SUNLENCA..... | 6 | TERIPARATIDE..... | 47 |
| <i>syeda</i> | 51 | <i>testosterone</i> | 44 |
| SYMDEKO TAB 100-150 | 72 | <i>testosterone cypionate</i> | 44 |
| SYMDEKO TAB 50-75MG | 72 | <i>testosterone enanthate</i> | 44 |
| SYMPAZAN..... | 38 | <i>tetrabenazine</i> | 42 |
| SYMTUZA TAB | 7 | <i>tetracycline hcl</i> | 12 |
| SYNAREL | 54 | THALOMID | 14 |
| SYNJARDY TAB 12.5-1000MG | 45 | <i>theophylline</i> | 72 |
| SYNJARDY TAB 12.5-500..... | 45 | <i>thioridazine hcl</i> | 35 |
| SYNJARDY TAB 5-1000MG..... | 45 | <i>thiothixene</i> | 35 |
| SYNJARDY TAB 5-500MG..... | 45 | <i>tiadylt er</i> | 28 |
| SYNJARDY XR TAB 10-1000..... | 45 | <i>tiagabine hcl</i> | 38 |
| SYNJARDY XR TAB 12.5-1000..... | 45 | TIBSOVO | 20 |
| SYNJARDY XR TAB 25-1000..... | 45 | TICOVAC..... | 64 |
| SYNJARDY XR TAB 5-1000MG..... | 45 | <i>tigecycline</i> | 12 |
| SYNTHROID | 55 | <i>tilia fe</i> | 51 |
| T | | <i>timolol maleate</i> | 27 |
| TABRECTA..... | 20 | <i>timolol maleate (ophth)</i> | 68, 69 |
| <i>tacrolimus</i> | 63 | <i>tinidazole</i> | 4 |
| <i>tacrolimus (topical)</i> | 77 | TIVICAY | 6 |
| <i>tadalafil</i> | 58 | TIVICAY PD..... | 6 |
| <i>tadalafil (pulmonary hypertension)</i> .. | 29 | <i>tizanidine hcl</i> | 43 |
| TAFINLAR | 20 | TOBI PODHALER..... | 4 |
| TAGRISSO | 20 | TOBRADEX OIN 0.3-0.1% | 67 |
| TALZENNA | 20 | <i>tobramycin</i> | 4 |
| <i>tamoxifen citrate</i> | 13 | <i>tobramycin (ophth)</i> | 68 |
| <i>tamsulosin hcl</i> | 58 | <i>tobramycin-dexamethasone ophth susp</i> | |
| <i>tarina fe 1/20 eq</i> | 51 | <i>0.3-0.1%</i> | 67 |

| | | | |
|---|----|--|----|
| <i>tobramycin sulfate</i> | 4 | TRIJARDY XR TAB ER 24HR 10-5-1000MG | 45 |
| <i>tolterodine tartrate</i> | 58 | TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG | 45 |
| <i>topiramate</i> | 38 | TRIJARDY XR TAB ER 24HR 25-5-1000MG | 45 |
| <i>toremifene citrate</i> | 13 | TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 45 |
| <i>torpenz</i> | 20 | TRIKAFTA PAK 59.5MG | 72 |
| <i>torseamide</i> | 28 | TRIKAFTA PAK 75MG | 72 |
| TOUJEO MAX SOLOSTAR | 47 | TRIKAFTA TAB 100-50-75MG & 150MG | 72 |
| TOUJEO SOLOSTAR | 47 | TRIKAFTA TAB 50-25-37.5MG & 75MG | 72 |
| TPN ELECTROL INJ | 66 | <i>tri-legest fe</i> | 51 |
| TRADJENTA | 45 | <i>tri-linyah</i> | 51 |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 3 | <i>tri-lo-estarylla</i> | 51 |
| <i>tramadol hcl</i> | 3 | <i>tri-lo-marzia</i> | 51 |
| <i>trandolapril</i> | 23 | <i>tri-lo-mili</i> | 51 |
| <i>tranexamic acid</i> | 60 | <i>tri-lo-sprintec</i> | 51 |
| <i>tranylcypromine sulfate</i> | 31 | <i>trimethoprim</i> | 4 |
| TRAVASOL INJ 10% | 67 | <i>tri-mili</i> | 51 |
| <i>travoprost</i> | 69 | <i>trimipramine maleate</i> | 31 |
| TRAZIMERA | 20 | TRINTELLIX | 31 |
| <i>trazodone hcl</i> | 31 | <i>tri-nymyo</i> | 51 |
| TRECTOR | 8 | <i>tri-sprintec</i> | 51 |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 69 | TRIUMEQ PD TAB | 7 |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 69 | TRIUMEQ TAB | 8 |
| TREMFYA | 62 | <i>trivora-28</i> | 51 |
| <i>treprostinil</i> | 29 | <i>tri-vylibra</i> | 51 |
| TRESIBA | 47 | <i>tri-vylibra lo</i> | 51 |
| TRESIBA FLEXTOUCH | 47 | TROGARZO | 6 |
| <i>tretinoin</i> | 74 | TROPHAMINE INJ 10% | 67 |
| <i>tretinoin (chemotherapy)</i> | 14 | <i>trospium chloride</i> | 58 |
| <i>triamcinolone acetonide (mouth)</i> | 77 | TRULICITY | 45 |
| <i>triamcinolone acetonide (topical)</i> | 76 | TRUMENBA INJ | 64 |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 28 | TRUQAP | 20 |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> | 28 | TRUXIMA | 20 |
| <i>triamterene & hydrochlorothiazide tab 75-50 mg</i> | 28 | TUKYSA | 20 |
| <i>tridacaine ii</i> | 76 | TURALIO | 21 |
| <i>triderm</i> | 76 | <i>turqoz</i> | 51 |
| <i>trientine hcl</i> | 48 | <i>twice-daily clindamycin phosphate (topical)</i> | 74 |
| <i>tri-estarylla</i> | 51 | TWINRIX INJ | 65 |
| <i>trifluoperazine hcl</i> | 35 | TYBOST | 7 |
| <i>trifluridine</i> | 68 | TYENNE | 62 |
| <i>trihexyphenidyl hcl</i> | 32 | TYPHIM VI | 65 |

| | |
|--|------|
| U | |
| UBRELVY | 41 |
| <i>unithroid</i> | 55 |
| <i>ursodiol</i> | 57 |
| V | |
| <i>valacyclovir hcl</i> | 9 |
| VALCHLOR | 77 |
| <i>valganciclovir hcl</i> | 9 |
| <i>valproate sodium</i> | 38 |
| <i>valproic acid</i> | 38 |
| <i>valsartan</i> | 25 |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 24 |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 25 |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 25 |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 25 |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 24 |
| VALTOCO 10 MG DOSE | 38 |
| VALTOCO 15 MG DOSE | 38 |
| VALTOCO 20 MG DOSE | 38 |
| VALTOCO 5 MG DOSE | 38 |
| <i>vancomycin hcl</i> | 4, 5 |
| VANCOMYCIN INJ 1 GM | 5 |
| VANCOMYCIN INJ 500MG | 5 |
| VANCOMYCIN INJ 750MG | 5 |
| VANFLYTA | 21 |
| VAQTA | 65 |
| <i>varenicline tartrate</i> | 43 |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 43 |
| VARIVAX | 65 |
| VASCEPA | 26 |
| <i>velivet</i> | 51 |
| VELSIPITY | 62 |
| VENCLEXTA | 21 |
| VENCLEXTA TAB START PK | 21 |
| <i>venlafaxine hcl</i> | 31 |
| VENTOLIN HFA | 71 |
| VENTOLIN HFA (INSTITUTIONAL PACK) | 71 |
| VEOZAH | 54 |
| <i>verapamil hcl</i> | 28 |
| VERQUVO | 29 |
| VERSACLOZ | 35 |
| VERZENIO | 21 |
| <i>vestura</i> | 51 |
| <i>vienva</i> | 51 |
| <i>vigabatrin</i> | 38 |
| <i>vigadrone</i> | 38 |
| VIGAFYDE | 38 |
| <i>vigpoder</i> | 38 |
| <i>vilazodone hcl</i> | 31 |
| <i>vincristine sulfate</i> | 14 |
| <i>vinorelbine tartrate</i> | 14 |
| <i>viorele</i> | 51 |
| VIRACEPT | 7 |
| VIREAD | 7 |
| VITRAKVI | 21 |
| VIVITROL | 43 |
| VIZIMPRO | 21 |
| VONJO | 21 |
| <i>voriconazole</i> | 5 |
| VOSEVI TAB | 9 |
| VOWST CAP | 57 |
| VRAYLAR | 35 |
| VRAYLAR CAP 1.5-3MG | 35 |
| <i>vyfemla</i> | 51 |
| <i>vylibra</i> | 51 |
| VYZULTA | 69 |
| W | |
| <i>warfarin sodium</i> | 59 |
| <i>water for irrigation, sterile irrigation soln</i> | 77 |
| WELIREG | 14 |
| <i>wera</i> | 51 |
| WESTAB PLUS TAB 27-1MG | 66 |
| <i>wixela inhub</i> | 73 |
| X | |
| XALKORI | 21 |
| XARELTO | 59 |
| XARELTO STAR TAB 15/20MG | 59 |
| XATMEP | 62 |
| XCOPRI | 38 |
| XCOPRI PAK 100-150 | 39 |
| XCOPRI PAK 12.5-25 | 38 |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 39 |
| XCOPRI PAK 150-200MG (TITRATION) | 39 |
| XCOPRI PAK 50-100MG | 39 |

| | | | |
|-----------------------------------|----|-----------------------------------|----|
| XDEMVY | 68 | <i>zafirlukast</i> | 71 |
| XELJANZ | 62 | <i>zaleplon</i> | 40 |
| XELJANZ XR | 62 | ZARXIO | 59 |
| XERMELO | 57 | ZEGALOGUE | 53 |
| XGEVA..... | 47 | ZEJULA | 21 |
| XHANCE..... | 72 | ZELBORAF..... | 22 |
| XIFAXAN..... | 57 | ZEMAIRA | 72 |
| XIGDUO XR TAB 10-1000..... | 46 | <i>zenatane</i> | 74 |
| XIGDUO XR TAB 10-500MG | 46 | ZENPEP CAP 10000UNT | 57 |
| XIGDUO XR TAB 2.5-1000..... | 45 | ZENPEP CAP 15000UNT | 57 |
| XIGDUO XR TAB 5-1000MG | 45 | ZENPEP CAP 20000UNT | 57 |
| XIGDUO XR TAB 5-500MG..... | 45 | ZENPEP CAP 25000UNT | 57 |
| XIIDRA | 69 | ZENPEP CAP 3000UNIT | 57 |
| XOLAIR..... | 72 | ZENPEP CAP 40000UNT | 57 |
| XOSPATA | 21 | ZENPEP CAP 5000UNIT | 57 |
| XPOVIO PAK (100 MG ONCE WEEKLY) | | ZENPEP CAP 60000UNT | 57 |
| | 21 | <i>zidovudine</i> | 7 |
| XPOVIO PAK (40 MG ONCE WEEKLY) 21 | | <i>ziprasidone hcl</i> | 35 |
| XPOVIO PAK (40 MG TWICE WEEKLY) | | <i>ziprasidone mesylate</i> | 35 |
| | 21 | ZIRABEV | 22 |
| XPOVIO PAK (60 MG ONCE WEEKLY) 21 | | ZIRGAN | 68 |
| XPOVIO PAK (60 MG TWICE WEEKLY) | | <i>zoledronic acid</i> | 47 |
| | 21 | ZOLINZA..... | 22 |
| XPOVIO PAK (80 MG ONCE WEEKLY) 21 | | <i>zolpidem tartrate</i> | 40 |
| XPOVIO PAK (80 MG TWICE WEEKLY) | | ZONISADE | 39 |
| | 21 | <i>zonisamide</i> | 39 |
| XTANDI | 13 | <i>zovia 1/35</i> | 51 |
| <i>xulane</i> | 51 | ZTALMY | 39 |
| XULTOPHY INJ 100/3.6 | 47 | <i>zumandimine</i> | 51 |
| Y | | ZURZUVAE | 31 |
| YF-VAX INJ..... | 65 | ZYDELIG..... | 22 |
| <i>yuvafem</i> | 52 | ZYKADIA..... | 22 |
| Z | | ZYLET SUS 0.5-0.3%..... | 67 |
| <i>zafemy</i> | 51 | ZYPREXA RELPREVV | 35 |

This Formulary was updated on October 14, 2024. For more recent information or other questions, please contact Arkansas Blue Medicare Customer Service at **1-844-280-5833** (TTY users should call **711**), 24 hours a day, seven days a week, or visit **www.arkansasbluecross.com/medicare/egwp**.

Arkansas Blue Medicare offers HMO, PFFS, PPO, and PDP plans with Medicare contracts. Enrollment in Arkansas Blue Medicare depends on contract renewal. Arkansas Blue Medicare is an affiliate of Arkansas Blue Cross and Blue Shield. Arkansas Blue Cross and Blue Shield is an Independent Licensee of the Blue Cross and Blue Shield Association. © 2024 Arkansas Blue Cross and Blue Shield. All rights reserved.